Sediment Characterization Sampling and Analysis Results (SAR) for the Levin-Richmond Terminal Corporation Berth A

Maintenance Dredging Program

Episode 1

Prepared for

Levin-Richmond Terminal Corporation 402 Wright Avenue Richmond, CA 94804

Prepared by

Pacific EcoRisk 2250 Cordelia Road Fairfield, CA 94534

January 2009



> PACIFIC ECORISK ENVIRONMENTAL CONSULTING & TESTING

January 24, 2009

Ms. Debra O'Leary U.S. Army Corps of Engineers San Francisco District 1455 Market Street San Francisco, CA 94103-1398

Dear Ms. O'Leary:

On behalf of Mr. Jim Cannon of the Levin-Richmond Terminal Corporation (LRTC), please find enclosed three (3) copies of the report "Sediment Characterization Sampling and Analysis Results (SAR) for the Levin-Richmond Terminal Corporation Berth A" in support of the shipyard's maintenance dredging program. In addition, one copy of this SAR has been sent to the other DMMO participating agency representatives. This SAR has been prepared to support dredging of approximately 5,200 cubic yards of material from LRTC's Berth A.

LRTC, located in Point Richmond (CA) in the Richmond Inner Harbor Channel, is currently seeking 10-year permits/certification from the U.S. Army Corps of Engineers (USACE), the Bay Conservation and Development Commission (BCDC) and San Francisco Bay Regional Water Quality Control Board (RWQCB) for maintenance dredging of their Berth A.

The results of this testing indicated elevated levels of both DDT and PCB in the LRTC Berth A sediments prohibiting in-bay disposal of these sediments. Previous testing performed on LRTC Berth A sediments indicated that the sediments were suitable for disposal at the Montezuma Wetlands Project (Montezuma). These sediments have DDT concentrations similar to those previously disposed at Montezuma and LRTC is currently evaluating the feasibility of disposing of this material at Montezuma or other appropriate disposal site.

If you have any questions, please give me a call at (707) 207-7761. I look forward to hearing from you.

President

Sincerely.

cc (w/enc):

Brian Ross, U.S. EPA Brenda Goeden, BCDC Beth Christian, SFRWQCB George Isaac, CDFG David Woodbury, NMFS Donn Oetzel, SLC Jim Cannon, LRTC

CORPORATE HEADQUARTERS 2250 Cordelia Road Fairfield, CA 94534 phone: 707.207.7760

fax:707.207.7916

CENTRAL VALLEY 6820 Pacific Avenue, Ste. 3D Stockton, CA 95207 phone: 209.952.1180 fax: 209.952.1180

SOUTHERN CALIFORNIA 2792 W. Loker Avenue, Ste. 100 Carlsbad, CA 92010 phone: 760.602.7919 fax: 760.602.9119

Sediment Characterization Sampling and Analysis Results (SAR) for the Levin-Richmond Terminal Corporation Berth A

Maintenance Dredging Program

Episode 1

Prepared for

Levin-Richmond Terminal Corporation 402 Wright Avenue Richmond, CA 94804

Prepared by

Pacific EcoRisk 2250 Cordelia Road Fairfield, CA 94534

January 2009

Table of Contents

	Page
1. INTRODUCTION	1
1.1 Objectives of the Sediment Investigation	1
1.2 Organization of this Document	2
2. FIELD SEDIMENT SAMPLE COLLECTION	7
3. SAMPLE PROCESSING	
4. RESULTS OF LABORATORY ANALYSES	
4.1 Results of Conventional and Chemical Analyses	
4.1.1 LRT-S01-01 Analytical Chemistry Results	9
4.1.2 LRT-S01-02 Analytical Chemistry Results	9
4.1.3 LRT-S01-03 Analytical Chemistry Results	10
4.1.4 LRT-S01-04 Analytical Chemistry Results	10
4.1.5 LRT-S01-Z-Layer Comp Analytical Chemistry Results	10
4.1.6 Conventional and Chemical Analytical QA/QC Summary	11
4.1.7 Deviations from the Sampling and Analysis Plan	11
5. SUMMARY	17
6. REFERENCES	
U. REI LIKE CED	

Appendices

Appendix A	Sampling Field Logs and Data Sheets
Appendix B	Analytical Chemistry Laboratory Data Report Submitted by EnviroMatrix, Inc.
Appendix C	Analytical Chemistry Laboratory Data Report Submitted by EnviroMatrix, Inc.

List of Figures

• •	
	Page
Figure 1-1. Location Map: Levin-Richmond Terminal	3
Figure 1-2. Vicinity Map #1: Levin-Richmond Terminal	4
Figure 1-3. Vicinity Map #2: Levin-Richmond Terminal	
Figure 1-4. Levin-Richmond Terminal Berth Error! Bookmark not	
List of Tables	
·	Page
Table 1-1. Proposed maintenance dredging for the Levin-Richmond Terminal Corporation	on1
Table 2-1. Locations of sampling stations, core penetration depths	7
Table 4-1. Sediment grain size analysis results	12
Table 4-2. Sediment metals concentrations, total solids, and total organic carbon	12
Table 4-3. Sediment organotin concentrations	13
Table 4-4. Sediment PCB Aroclor concentrations	13
Table 4-5. Sediment PCB Aroclor concentrations: Re-analysis of LRTC-S01-03	14
Table 4-6. Sediment organochlorine pesticide concentrations	15
Table 4-7. Sediment PAH concentrations	16

List of Acronyms

ASTM American Society for Testing and Materials

Bay San Francisco Bay

BCDC Bay Conservation and Development Commission

COC Chain-of-custody

CV Coefficient of Variation

DGPS Differential Global Positioning SystemDMMO Dredged Material Management Office

EMI EnviroMatrix, Inc.

GPS Global Positioning System

ITM Inland Testing Manual (USEPA/USACE 1998)

LRTC Levin-Richmond Terminal Corporation

LTMS Long Term Management Strategy

MLLW Mean lower low water

PER Pacific EcoRisk

QA/QC Quality assurance/quality Lab Control

RSD Relative Standard Deviation

RWQCB Regional Water Quality Lab Control Board

SAP Sampling and analysis plan SLC State Lands Commission

SOP Standard operating procedures
TEG Oceanographic Services

TOC Total Organic Carbon

USACE U.S. Army Corps of Engineers

USEPA U.S. Environmental Protection Agency

Distribution List

O'Leary, Debra (3 bound copies) U.S. Army Corps of Engineers 1455 Market Street San Francisco, CA 94103-1398

Phone: (415) 503-6807

Email: Debra.A.O'Leary@usace.army.mil

Ross, Brian

U.S. Environmental Protection Agency

75 Hawthorne Street

San Francisco, CA 94105-3919

Phone: (415) 972-3475

Email: Ross.Brian@epamail.epa.gov

Goeden, Brenda

San Francisco Bay Conservation and Development Commission

50 California St., Suite 2600

San Francisco, CA 94111-6080

Phone: (415) 352-3623

Email: brendag@bcdc.ca.gov

Christian, Beth

San Francisco Regional Water Quality Control Board

1515 Clay St., Suite 1400

Oakland, CA 94612-1413

Phone: (510) 622-2335

Email: echristian@waterboards.ca.gov

Isaac, George

California Department of Fish & Game

20 Lower Ragsdale Drive, Suite 100

Monterey, CA 93940

Phone: (831) 649-2813

Email: gisaac@dfg.ca.gov

Woodbury, David National Marine Fisheries Service, Southwest Region 777 Sonoma Ave. #325 Santa Rosa, CA 95404 Phone: (707) 575-6088

Email: David.P.Woodbury@noaa.gov

Oetzel, Donn State Lands Commission 100 Howe Ave, #100 South Sacramento, CA 95825-8202

Phone: (916) 574-1998 Email: OetzelD@slc.ca.gov

Cannon, Jim
Levin-Richmond Terminal Corporation
402 Wright Avenue
Richmond, CA 94804
Phone: (510)-307-4020
jimc@levinterminal.com

1. INTRODUCTION

The Levin-Richmond Terminal Corporation (LRTC), located in Richmond, CA, in the Richmond Inner Harbor Channel (Figures 1-1 through 1-3), is currently seeking 10-year permits/certification from the U.S. Army Corps of Engineers (USACE), the Bay Conservation and Development Commission (BCDC) and San Francisco Bay Regional Water Quality Control Board (SFRWQCB) for maintenance dredging of their Berth A. LRTC has contracted Pacific EcoRisk to perform sampling and testing of its Berth A sediments in support of the first maintenance dredging episode under the new permits.

As specified in the previously-approved Sampling and Analysis Plan (SAP), samples were collected within the LRTC Berth A area to a total depth of -41.5 MLLW (Table 1-1) for chemical analysis of sediments for disposal at an appropriate disposal site. As per DMMO request, each of the sediments core sediments to a depth of -41.0 MLLW was analyzed individually for the full suite of analytical chemistry as per ITM and USACE PN 01-01; as per the DMMO request, a "z" layer was also collected from the -41.0 to -41.5 ft MLLW horizon and analyzed to assess the expected sediment quality that would be present at the post-dredge sediment surface.

This data report presents the analytical chemistry results required for determining the suitability of sediments for disposal at an appropriate disposal site. The proposed maintenance depth, including over-depth, and the current estimated volumes of material to be dredged are summarized in Table 1-1.

Table 1-1. Proposed maintenance dredging for the Levin-Richmond Terminal Corporation

Area	Permitted Depth (ft MLLW)	Estimated Volume (yds³)	Over- depth (ft)	Estimated Volume (yds³)	Overall Depth (ft MLLW)	Total Estimated Volume (yds³)
Berth A	-39.0	1,780	2.5	3,346	-41.5	5,126

1.1 Objectives of the Sediment Investigation

The purpose of this investigation was to evaluate the proposed dredged material to determine whether it will represent an adverse impact during removal operations and placement at an appropriate disposal site. The procedures for sediment sample collection, sample processing and preparation, and physical and chemical analyses, and data analyses were presented in the previously submitted and approved Sampling and Analysis Plan (SAP). The specific objectives of the SAP scope-of-work were as follows:

- Collect core samples from within the designated sampling areas following field protocol detailed in the SAP;
- Conduct chemical analysis to determine whether sediments are suitable for unconfined aquatic disposal (SUAD); if sediments are not SUAD, determine if sediments are suitable for an alternative disposal site (i.e., Montezuma Wetlands Project [Montezuma]). Results of chemical analysis were compared to reported San Francisco Bay sediment background concentrations (SFRWQCB, 1998).

1.2 Organization of this Document

Sample collection and handling procedures are discussed in Sections 2 and 3. The results of the physical/chemical analyses are provided in Section 4. Section 5 presents the conclusions, and references are provided in Section 6. Appendices A-C contain supporting documentation for this study.




Figure 1-1. Location map: Levin-Richmond Terminal



Figure 1-2. Vicinity Map #1: Levin-Richmond Terminal




Figure 1-3. Vicinity Map #2: Levin-Richmond Terminal




Figure 1-4. Levin-Richmond Terminal Berth "A" Sample Locations

2. FIELD SEDIMENT SAMPLE COLLECTION

All sediments were collected in accordance with guidelines and procedures outlined in the SAP (PER 2008). All sediment sampling field activities were performed on December 1, 2008, under the direction of Mr. Jeffrey Cotsifas of Pacific EcoRisk (PER). Mr. Mark Mertz of TEG Oceanographic Services (TEG) provided the sampling vessel; PER provided the on-board positioning system and some of the sampling equipment. PER also provided additional Field Scientists to assist in sediment core collection. Four sediment cores were collected from the LRTC Berth A area (Figure 1-4); final site positions were determined with a differential global positioning system (GPS) and are accurate to ± 3 m. Table 2-1 lists station identifiers, GPS coordinates for all core locations, mudline elevations, and core penetration depths for all stations; sample locations are presented in Figure 1-4.

Table 2-1. Locations of sampling stations, core penetration depths

Sample ID	Latitude (N)	Longitude (W)	Mudline Elevation (ft MLLW)	Core Penetration Depth (ft)	Cored Depth (ft MLLW)
LRT-S01-01	37°55'01.4"	122°22'01.1"	37.5	4.5	-41.5
LRT-S01-02	37°55'09.0"	122°21'58.7"	34.9	6.6	-41.5
LRT-S01-03	37°55'08.5"	122°21'57.6"	37.2	4.3	-41.5
LRT-S01-04	37°55'07.6"	122°21'56.5"	34.2	7.3	-41.5

^{*}State Plane Coordinate System, California Zone 3, NAD 83

All sediment samples were maintained on ice until transported to the PER testing lab for processing. Upon receipt at PER, all samples were logged in and placed in cold storage at ≤4°C in the dark until needed. Field log sheets are presented in Appendix A. There were no unusual circumstances encountered during the fieldwork and no major deviations from the SAP (PER 2008).

3. SAMPLE PROCESSING

Sediment cores were collected from the mud-line to -41.5 ft MLLW. The sediment materials from each core location representing the material from the sediment surface to -41.0 ft MLLW were each individually homogenized within high-density polyethylene buckets to comprise the homogenized core sediments; a sub-sample of each homogenized core sediment was frozen for archival storage. The -41 ft to -41.5 ft MLLW section of each core, designated the Z-layer, were also each individually homogenized within high-density polyethylene bucket to comprise the homogenized core sediments; a sub-sample of each homogenized core sediment was frozen for archival storage. Equal aliquots from each of the homogenized Z-Layer core sediments were composited and homogenized within a high-density polyethylene bucket to comprise the "LRT-A1-Z-Layer Comp" composite sediment. Sub-samples of each of the individual cores samples representing sediments from the mudline to -41.0 ft MLLW and the LRT-S01-Z-Layer Comp were submitted for full chemical and conventional analyses; additional sub-samples of the homogenized composite sediments were frozen for archival storage.

All sediment was processed following procedures outlined in the SAP (PER 2008), with no deviations.

4. RESULTS OF LABORATORY ANALYSES

4.1 Results of Conventional and Chemical Analyses

Sediment samples were analyzed for the chemical and conventional parameters specified in the SAP (PER 2008); all samples were submitted to EnviroMatrix, Inc [EMI] for analysis. Conventional parameters included total organic carbon (TOC), total solids, and grain size; EMI submitted samples to Weston Solutions for grain size analyses. Chemical analyses of trace metals, polycyclic aromatic hydrocarbons (PAHs), chlorinated pesticides, polychlorinated biphenyls (PCBs), and butyltins were also performed. The results of these analyses are summarized in Tables 4-1 through 4-7. The full Data Report for the conventional and chemical analyses that was submitted by EMI is provided in Appendix B.

4.1.1 LRT-S01-01 Analytical Chemistry Results

The "LRT-S01-01" site sediment was 62.7% total solids, and TOC levels were moderate (1.86%). Grain size analyses indicated that the sediment was 35.4% fines (silts and clays), 18.2% sand, and 46.4% gravel.

All of the metal analytes for the LRT-S01-01 sediments were generally similar to the San Francisco Bay background levels (SFRWQCB 1998) with the exception of cadmium, which was 0.68 mg/kg and Lead which was 72.3 mg/kg. Total PAHs were reported at 4350 μ g/kg in the sample. With the exception of total DDT, measured at 532 μ g/kg, and dieldrin, measured at 33.5 μ g/kg, all organochlorine pesticides concentrations were below their method detection limits. In addition, all organotins and PCB Aroclors concentrations were below their respective method detection limits.

4.1.2 LRT-S01-02 Analytical Chemistry Results

The "LRT-S01-02" site sediment was 60.5% total solids, and TOC levels were moderate (1.39%). Grain size analyses indicated that the sediment was 42% fines (silts and clays), 45.9% sand, and 12.1% gravel.

All of the metal analytes for the LRT-S01-02 sediments were generally similar to the San Francisco Bay background levels (SFRWQCB 1998) with the exception of cadmium, which was 0.80 mg/kg. Total PAHs were reported at 909 μ g/kg in the sample. With the exception of total DDT, measured at 55.1 μ g/kg, and Dieldrin, measured at 2.27 μ g/kg, all organochlorine pesticides were measured below their method detection limits. All organotin concentrations were below their respective method detection limits. PCB Aroclors were reported at 44.8 μ g/kg in the sample.

4.1.3 LRT-S01-03 Analytical Chemistry Results

The "LRT-S01-03" site sediment was 57.2% total solids, and TOC levels were moderate (1.12%). Grain size analyses indicated that the sediment was 38.6% fines (silts and clays), 31.6% sand, and 29.7% gravel.

All of the metal analytes for the LRT-S01-03 sediments were less than the San Francisco Bay background levels (SFRWQCB 1998). Total PAHs were reported at $1410\,\mu\rm g/kg$ in the sample. All organochlorine pesticide concentrations were below their method detection limits. All organotin concentrations were below their respective method detection limits. PCB Aroclors were initially reported at $5160\,\mu\rm g/kg$ in the sample; due to this elevated level of Aroclors, this sample was re-extracted and analyzed in duplicate. In addition, an archive sample of the sediment was also tested in duplicate. The results of this testing are summarized in Table 4-5, and indicated that the total PCB aroclor concentration measured in the re-extracted sample ranged from $338-448\,\mu\rm g/kg$; the results of the archived sample ranged from $203-249\,\mu\rm g/kg$. The mean concentration of all four analysis suggest that the actual concentration in the LRT-S01-03 sediments is $\sim 310\,\mu\rm g/kg$.

4.1.4 LRT-S01-04 Analytical Chemistry Results

The "LRT-S01-04" site sediment was 37.7% total solids, and TOC levels were moderate (1.64%). Grain size analyses indicated that the sediment was 47.3% fines (silts and clays), 22.4% sand, and 30.3% gravel.

All of the metal analytes for the LRT-S01-04 sediments were generally similar to the San Francisco Bay background levels (SFRWQCB 1998) with the exception of cadmium, which was 1.10 mg/kg. Total PAHs were reported at 396 μ g/kg in the sample. With the exception of total DDT, measured at 92.1 μ g/kg, and Dieldrin, measured at 3.93 μ g/kg, all organochlorine pesticide concentrations were below their method detection limits. All organotin concentrations were below their respective method detection limits. PCB Aroclors were reported at 66.3 μ g/kg in the sample.

4.1.5 LRT-S01-Z-Layer Comp Analytical Chemistry Results

The "LRT-S01-Z-Layer Comp" site sediment was 75% total solids, and TOC levels were moderate-to-low (0.46%). Grain size analyses indicated that the sediment was 72.7% fines (silts and clays), 23.4% sand, and 3.9% gravel.

All of the metal analytes for the LRT-S01- Z-Layer Comp sediments were generally similar to the than San Francisco Bay background levels (SFRWQCB 1998) with the exception of cadmium, which was 0.67 mg/kg and copper which was 93.4 mg/kg. Total PAHs were reported at 405 μ g/kg in the sample. With the exception of total DDT, measured at 20.2 μ g/kg, and Dieldrin, measured at 1.01 μ g/kg, all organochlorine pesticide concentrations were below their method detection limits. All organotin and PCB Aroclor concentrations were also below their respective method detection limits.

4.1.6 Conventional and Chemical Analytical QA/QC Summary

The QA/QC review entailed reviewing the contract lab Data Reports for sample integrity, correct methodology, and compliance with all appropriate quality Lab Control requirements. The overall data quality assessment found that all data were usable. Appendix B contains the conventional and chemical analysis reports, which include contract laboratory QA/QC narratives.

Any analyses that did not comply with the analytical laboratory QA/QC limits are presented below (also, see final analytical reports in Appendix B for full case narrative).

Total Metals – The RPDs for Lead, Arsenic, Cadmium, and Copper exceeded the QC limits due to non-homogeneity of sample. Due to this non-homogeneity, the MS/MSD did not provide reliable results for accuracy and precision. Sample results for the QC batch were accepted based on LCS/LCSD percent recoveries and RPD values.

Total Organic Carbon (TOC) – The spike recovery was outside of the QC acceptance limits for the MS and/or MSD due to analyte concentration at 4 times or greater than the spike concentration. The QC batch was accepted based on LCS and/or LCSD recoveries that were within the acceptance limits.

Organochlorine Pesticides – The RPDs for 2,4'-DDD, 4,4'-DDD, 4,4'-DDT, and Total DDT exceeded the QC limits due to non-homogeneity of sample.

PAHs – The RPDs for PAHs exceeded the QC limits due to non-homogeneity of sample. The spike recovery in the MS/MSD for several PAHs was outside of the QC limits due to this non-homogeneity.

Organotin Compounds – The monobutylin RPD between the LCS and LCSD did not meet acceptance criteria, however both have acceptable spike recoveries indicating that the analytical method is meting acceptability standards. For the MS/MSD of tributyltin, an unidentified peak co-eluted with reported peak, causing interferences with the quantitation of this analyte. As a result, the spike recovery for this QC sample is outside of established control limits.

4.1.7 Deviations from the Sampling and Analysis Plan

There were no deviations from the SAP (PER 2008) for the analytical chemistry phase of this project.

Table 4-1. Sediment grain size analysis results

Analytes	LRT-S01-01	LRT-S01-02	LRT-S01-03	LRT-S01-04	LRT-S01-Z- Layer Comp	Bay Ambient <40% Fines (SFRWQCB 1998)	Bay Ambient <100% Fines (SFRWQCB 1998)
% Gravel	46.4	12.1	29.7	30.3	3.9		
% Sand	18.2	45.9	31.6	22.4	23.4	-	-
% Silt	16.1	26.0	19.3	18.3	49.2		
% Clay	19.3	16.0	19.3	29.0	23.5		
Total % Fines <4 phi	35.4	42.0	38.6	47.3	72.7	-	

Fines = silt + clays.

Table 4-2. Sediment metals concentrations (mg/kg, dry wt.), total solids (%), and total organic carbon (%)

Metals	LRT-S01-01	LRT-S01-02	LRT-S01-03	LRTC-S01-04	LRT-S01-Z- Layer Comp	Bay Ambient (RWQCB 1998) <40% fines	Bay Ambient <100% Fines (SFRWQCB 1998)
Arsenic	6.26	5.07	6.90	8.87	2.62	13.5	15.3
Cadmium	0.681	0.805	0.252	1.10	0.669	0.25	0.33
Chromium	50.8	. 49.9	51.8	79.3	47.4	91.4	112
Copper	39.0	31.0	34.5	53.2	93.4	31.7	68.1
Lead	72.3	19.1	21.1	29.5	19.8	20.3	43.2
Mercury	0.439	0.241	0.348	0.467	0.104	0.25	0.43
Nickel	47.5	47.9	47.5	70.5	47.2	92.9	112
Selenium	0.254	0.286	0.285	0.443	0.201	0.59	0.64
Silver	0.301	<0.165	< 0.175	0.334	<0.133	0.31	0.58
Zinc	105	96.3	86.4	93.2	60.7	97.8	158
Total Solids (%.)	62.7	60.5	57.2	37.7	75.0	-	-
Total Organic Carbon (%)	1.86	1.39	1.12	1.64	0.46		_

All results below laboratory method detection limit (MDL) are reported as <MDL

Table 4-3. Sediment organotin concentrations (μ g/kg, dry wt.)

Organotins	LRT-S01-01	LRT-S01-02	LRT-S01-03	LRT-S01-04	LRT-S01-Z- Layer Comp	Bay Ambient (RWQCB 1998) <40% fines	Bay Ambient <100% Fines (SFRWQCB 1998)
Monobutyltin	<0.88	<0.91	< 0.96	<1.46	<0.73	No data available	No data available
Dibutyltin	<1.83	<1.90	<2.01	<3.05	<1.53	No data available	No data available
Tributyltin	<1.58	<1.64	<1.73	<2.63	<1.32	No data available	No data available
Tetrabutyltin	<1.42	<1.47	<1.56	<2.36	<1.19	No data available	No data available
Total Detected Butyltins	<1.42	<1.47	<1.56	<2.36	<1.19	No data available	No data available

All results below laboratory method detection limit (MDL) are reported as <MDL.

Table 4-4. Sediment PCB Aroclor concentrations (µg/kg, dry wt)

PCB Aroclors	LRT-S01-01	LRT-S01-02	LRT-S01-03	LRT-S01-04	LRT-S01-Z- Layer Comp	Bay Ambient (RWQCB 1998) <40% fines	Bay Ambient <100% Fines (SFRWQCB 1998)
Aroclor 1016	<1.49	<1.55	<1.64	<2.48	<1.25	see total PCB	see total PCB
Aroclor 1221	<1.49	<1.55	<1.64	<2.48	<1.25	see total PCB	see total PCB
Aroclor 1232	<1.49	<1.55	<1.64	<2.48	<1.25	see total PCB	see total PCB
Aroclor 1242	<1.49	<1.55	<1.64	<2.48	<1.25	see total PCB	see total PCB
Aroclor 1248	<1.49	<1.55	<1.64	<2.48	<1.25	see total PCB	see total PCB
Aroclor 1254	<1.49	44.8	5160	66.3	<1.25	see total PCB	see total PCB
Aroclor 1260	<1.49	<1.55	<1.64	<2.48	<1.25	see total PCB	see total PCB
Total Detected PCBs	<1.49	44.8	5160	66.3	<1.25	8.6	21.6

All results below laboratory method detection limit (MDL) are reported as <MDL.

See next P

Table 4-5. Sediment PCB Aroclor concentrations ($\mu g/kg$, dry wt): Re-analysis of LRTC-S01-03:

PCB Aroclors	Re-extraction of LRT-S01-03	Duplicate Analysis of Re- extracted LRT-S01-03	Analysis of Archived LRT-S01-03	Duplicate Analysis of Archived LRT-S01-03	Mean PCB Aroclor Concentration of LRTC-S01-3	Bay Ambient (RWQCB 1998) <40% fines	Bay Ambient <100% Fines (SFRWQCB 1998)
Aroclor 1016	<16.4	<16.4	<17.9	<17.9	<17.2	see total PCB	see total PCB
Aroclor 1221	<16.4	<16.4	<17.9	<17.9	<17.2	see total PCB	see total PCB
Aroclor 1232	<16.4	<16.4	<17.9	<17.9	<17.2	see total PCB	see total PCB
Aroclor 1242	<16.4	<16.4	<17.9	<17.9	<17.2	see total PCB	see total PCB
Aroclor 1248	<16.4	<16.4	<17.9	<17.9	<17.2	see total PCB	see total PCB
Aroclor 1254	448	338	249	203	310	see total PCB	see total PCB
Aroclor 1260	<16.4	<16.4	<17.9	<17.9	<17.2	see total PCB	see total PCB
Total Detected PCBs	448	338	249	203	310	8.6	21.6

All results below laboratory method detection limit (MDL) are reported as <MDL.

Table 4-6. Sediment organochlorine pesticide concentrations (μ g/kg, dry wt.)

Organochlorine Pesticides	LRT-S01-01	LRT-S01-02	LRT-S01-03	LRT-S01-04	LRT-S01-Z- Layer Comp	Bay Ambient (RWQCB 1998) <40% fines	Bay Ambient <100% Fines (SFRWQCB 1998)
Aldrin	<0.16	<0.17	<0.18	<0.27	<0.14	0.42	1.1
a-BHC	<0.09	<0.09	<0.09	<0.14	<0.07	nd	<1
b-BHC	<0.14	<0.14	<0.15	<0.23	<0.11	nd	<1
g-BHC (Lindane)	<0.11	<0.12	<0.12	<0.19	< 0.09	nd	<1
d-BHC	<0.13	<0.14	<0.14	<0.22	<0.11	nd	<1
Chlordane	<1.52	<1.57	<1.66	<2.53	<1.27	0.42	1.1
Dieldrin	33.5	2.27	<0.16	3.93	1.01	0.18	0.44
Endosulfan I	<0.13	<0.14	<0.15	<0.22	<0.11	nd	<u>. <1</u>
Endosulfan II	<0.24	<0.25	<0.27	<0.40	<0.20	nd	<1
Endosulfan sulfate	<0.15	<0.16	<0.17	<0.25	<0.13	nd	<1
Endrin	<0.16	<0.16	<0.17	<0.26	<0.13	0.31	0.78
Endrin aldehyde	<0.10	<0.10	<0.10	<0.16	<0.08	nd	<1
Heptachlor	<0.23	<0.23	<0.25	<0.38	<0.19	nd	<1
Heptachlor epoxide	<0.22	<0.23	<0.24	< 0.37	<0.19	nd	<1
Toxaphene	<5.61	<5.82	<6.15	<9.34	<4.69	nd	<10
2,4'-DDD	72.7	9.35	<0.43	15.7	3.63	see total DDT	see total DDT
4,4'-DDD	302	27.2	<0.17	46.9	11.4	see total DDT	see total DDT
2,4'-DDE	<17.2	<1.43	<0.38	<2.86	<0.58	see total DDT	see total DDT
4,4'-DDE	116	16.1	<0.16	12.7	4.10	see total DDT	see total DDT
2,4'-DDT	<31.9	<2.64	<0.70	<5.31	<1.07	see total DDT	see total DDT
4,4'-DDT	41.5	2.42	<0.11	16.8	1.03	see total DDT	see total DDT
Total Detected DDT	532	55.1	<0.11	92.1	20.2	2.8	7.0

All results below laboratory method detection limit (MDL) are reported as < the MDL

Table 4-7. Sediment PAH concentrations (µg/kg, dry wt)

PAHs	LRT-S01-01	LRT-S01-02	LRT-S01-03	LRT-S01-04	LRT-S01-Z- Layer Comp	Bay Ambient (RWQCB 1998) <40% fines	Bay Ambient <100% Fines (SFRWQCB 1998)
Acenaphthene	97.4	<5.95	95.0	<9.55	21.3	2.2	31.7
Acenaphthylene	9.25J	<7.74	<8.18	<12.4	<6.24	11.3	26.6
Anthracene	158	30.5	100	<16.7	17.6	9.3	88
Benzo(a)anthracene	333	81.3	72.8	29.9	18.1	15.9	244
Benzo(a)pyrene	231	90.1	62.2	35.3	17.5	32.1	412
Benzo(b)fluoranthene	329	107	80.6	43.8	24.1	29.2	371
Benzo(g,h,i)perylene	33.8	17.8	<17.0	<25.8	<13.0	22.9	310
Benzo(k)fluoranthene	131	43.1	32.5	<18.1	10.5	18.1	258
Chrysene	549	163	112	59.4	29.8	19.4	289
Dibenzo(a,h)anthracene	25.0	<15.2	<16.0	<24.4	<12.2	3	32.7
Fluoranthene	753	102	256	76.8	57.2	78.7	514
Fluorene	77.5	9.07	75.5	<12.4	17.8	4	25.3
Indeno(1,2,3-cd)pyrene	58.4	22.0	<17.5	<26.5	<13.3	19	382
Naphthalene	106	14.6	87.0	8.78	41.5	8.8	55.8
Phenanthrene	282	32.5	170	21.3	51.1	17.8	237
Pyrene	1180	197	261	120	98.7	64.6	665
Total Detected PAHs	4350	909	1410	396	405	211*	3390*

All results below laboratory method detection limit (MDL) are reported as <MDL.

J - Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.

^{*}Total PAH value represents the 85th percentile total PAHs concentration (various combinations of above 16 PAHs). As a results the total PAHs is not equal to the sum of the 85th percentile concentration of the each individual PAH.

5. SUMMARY

Sediment cores from four sample locations representative of sediments from the mudline to -41 ft MLLW and a composite sediment sample of the 41 ft-41.5 ft MLLW sediment horizon (designated the "Z-Layer") collected from within the Levin-Richmond Terminal Corporation Berth A were submitted for full chemical and conventional analyses. With the exception of total DDTs, dieldrin, and total aroclors, all analytical chemistry results for organic compounds were generally within reported ambient background concentration ranges for San Francisco Bay (SFRWQCB 1998). With the exception of cadmium and copper, this trend was similarly observed for trace metals. The measured concentration of total DDTs, dieldrin, and total aroclors in the "Z-Layer" were significantly less than those observed in the sediment core samples. Due to the elevated total DDTs and total PCBs observed in the sediment core samples, these sediments would not be suitable for in-bay disposal. Previous testing performed on LRTC Berth A sediments indicated that the sediments were suitable for disposal at Montezuma (PER 2008). The current sediments have DDT concentrations similar to those previously disposed at Montezuma and LRTC is currently evaluating the feasibility of disposing of this material at Montezuma or other appropriate disposal site.

6. REFERENCES

- PER (2008) Sediment Characterization Sampling and Analysis Plan (SAP) for the Levin Richmond Terminal Corporation Berth A: Dredge Maintenance Program. Pacific EcoRisk, Martinez, CA.
- SFRWQCB (1998) Ambient concentrations of toxic chemicals in San Francisco Bay Sediments: Draft Staff Report. San Francisco Regional Water Quality Lab Control Board, Oakland, CA.
- USEPA/USACE (1998) Evaluation of Dredged Material Proposed for Discharge in Waters of the U.S. Testing Manual Inland Testing Manual. U.S. Environmental Protection Agency/U.S. Army Corps of Engineers. EPA-823-B-94-002. U.S. Environmental Protection Agency, Office of Water (4305).

Appendix A

Sampling Field Logs and Data Sheets

Station ID:	RT- 501-01.		Sampling Date:		<u></u>	Time: 14:00
roject Name:	Levin Rich me	nd Terminal	Project Number:	122 " 22'	01.1"	
atitude/Northing:	37° 55'01.	4"	Longitude/Easting			
lotes/Comments:	Core Collecte	15' of w	harf at Con	nes.		
	Discorded	bottom 0.5%	harf at Con.	=1.0' as Z	2-lape.	1.0'4.60
	wentinto	large Bay. (4.5' Com)	·		
	<u> </u>	0				
Core collection	·	,				
ertical datum		MLLW		MLW	Other:	
ertical datum lethod of depth m		INITTAN	Sounder	·	Lead line	· · · · · · · · · · · · · · · · · · ·
		39'	sounder ft	Overdredge?	2.5	ft
roject depth (if di Meas	ured water depth	43.0	_'' ft	Time:	14:00	
	ured water depth height:	<u> </u>	'' ft	Time:		
	neight. ne elevation:	37.5	'` **	inne.		,
			''		,	
A-B=C; De sure to	include the sign of the	ne tide neight as re	portea)			M
	.1	, — ·	4	Defined encount	/Id vo V) Shoved	~/
stimated penetral		4.5'	ft	Refusal encount	tered? (Y or N)	7
otal core length for	rom tip of core nose:		ft ft	Refusal encount	tered? (Y or N)	7
otal core length for	om tip of core nose:	45'	ftftft Strata/layers:			s (if applicable)(ft)
otal core length for	rom tip of core nose: paracteristics pous:	45'	ft ft Strata/layers:			s (if applicable)(ft)
otal core length for	rom tip of core nose: paracteristics pous:	45'	ft ft Strata/layers:			s (if applicable)(ft)
isible core ch ppears homogene Descripti	naracteristics eous: on of layers	4.5'	ftStrata/layers: stance from top of co	ore (ft)		s (if applicable)(ft)
isible core chopears homogene Description	rom tip of core nose: naracteristics nous: on of layers Sediment color:	Dis	Strata/layers:			s (if applicable)(ft)
risible core ch ppears homogene Descripti Sediment type:	rom tip of core nose: naracteristics nous: on of layers Sediment color: gray	Sediment odd	Strata/layers: stance from top of co	ore (ft)		s (if applicable)(ft)
isible core chapears homogene Description Sediment type: cobble gravel	sous: on of layers Sediment color: gray black	Sediment odd	Strata/layers: stance from top of co	ore (ft)		s (if applicable)(ft)
Sediment type: cobble gravel	sediment color: gray brown	Sediment odd none Slight moderate	Strata/layers: stance from top of co	ore (ft)		s (if applicable)(ft)
isible core chopears homogene Description Sediment type: cobble gravel sande M F	sous: on of layers Sediment color: gray black brown brown surface	Sediment odd	Strata/layers: stance from top of co	ore (ft)		s (if applicable)(ft)
risible core ch ppears homogene Description	sediment color: gray brown	Sediment odd none Slight moderate	Strata/layers: stance from top of co	ore (ft)		s (if applicable)(ft)
isible core chappears homogene Description Sediment type: cobble gravel gravel silt clay	sous: on of layers Sediment color: gray black brown brown surface	Sediment odd none Slight moderate	Strata/layers: stance from top of co	ore (ft)		s (if applicable)(ft)

Station ID: LR	T-501-01.Z		Sampling Date:	12/1/08	Tin	ne: 1440
Project Name:	Levin. Exhmen	1 Termod	Project Number:			
Latitude/Northing:	37.55'01.4	·/	Longitude/Easting	: <u> </u>	01.1"	
Notes/Comments:	Discardal	batton 0.5	", Retained 0.5	'-10' as E	Cayer, Reta	ine 1.0 -3.83
	as main son					
		*** • •				
Core collection				· · · · · · · · · · · · · · · · · · ·		
ertical datum		MLLW		MLW	Other:	
lethod of depth me	easurement:		Sounder		Lead line	
roject depth (if dre	edging)	39 '	 ft	Overdredge?		ft
Measu	red water depth	47.8'	_ _ft	Time:	1440	
Tide h	eight:	5.1'	ft	Time:		
. Mudlin	ne elevation:	37.7'	_ft			
A-B=C; be sure to i	include the sign of the	tide height as rep	ported)			
stimated penetrati	on <u>4.</u>	3'	ft	Refusal encounte	ered? (Y or N)	Y
otal core length fro	om tip of core nose:	4.3'	ft			
ppears homogened	ous: n of layers	. Dis	Strata/layers: tance from top of co	re (ft)	Thickness (i	f applicable)(ft)
				727-72-74		
						
	C-4:					
C - di	Sediment color:	Sediment odo	<i>r:</i> H₂S	Comments:	.	
	l grav					
cobble	gray	none				
cobble gravel	black	<u>elight</u>	petroleum			
cobble gravel sand C M F	brown	slight moderate				
cobble gravel sand C M F	brown brown surface	<u>elight</u>	petroleum			
gravel	brown	slight moderate	petroleum			
cobble gravel sand C M F	brown brown surface	slight moderate	petroleum			

Station ID:	21-501-0		-	, ,		•
Project Name:	Levin Ruchm	onel termine	_			
atitude/Northing:		9.04	_Longitude/Easting:	1220 21'	58.7"	
otes/Comments:	could ze to not Z.	larger in	Igel Zijlall	not as	we we	re unable
	Coul zato ret Z. peretrate	to project	depth. We	were O.1	short .	of The 41. 1
	Deth, so C	Pore was rex	and house	r we were	unable	to collect
	/	due to rest	- 1			
ore collection						
ertical datum		MLLW		_MLW	Othe	r:
thod of depth m	easurement:		_Sounder		Lead line	
oject depth (if dr	redging)	39.0'	_ft	Overdredge?	2.51	
Meas	ured water depth	=43.0'403	_ft	Time:	12:3	<u>u</u>
Tide I	height:	5.7	ft 6.60	Time:		·
Mudli	ne elevation:	×37.3 34.6	ft 175		•	
	inalisado ebo oiam of èla	e tide height as reb	nrted)	•		
-B=C; be sure to	include the sign of the	- 1.00g., 1 20 . op.	5. 104)			
		6.0'	_ft	Refusal encounter	red? (Y or N)	
isible core ch	om tip of core nose:	6.0'	_ft _ft	Refusal encounter	red? (Y or N)	<u>y</u>
stimated penetrated that core length from the core characters are core characters because the core characters are core core core core core core core co	om tip of core nose:	6.0'				ss (if applicable)(ft)
timated penetrated that core length from the core characters are core characters to the core characters are core core core core core core core co	om tip of core nose: aracteristics ous:	6.0'	_ft _ft Strata/layers:			ss (if applicable)(ft)
etimated penetrated that core length from the core characters are core characters because the core characters are core core core core core core core co	om tip of core nose: aracteristics ous:	6.0'	_ft _ft Strata/layers:			ss (if applicable)(ft)
timated penetrat tal core length fr sible core ch	om tip of core nose: aracteristics ous:	6.0'	_ft _ft Strata/layers:			ss (if applicable)(ft)
timated penetrat tal core length fr sible core ch pears homogene Description	or tip of core nose: aracteristics ous: on of layers	6.0'	ft ft Strata/layers: ance from top of cor	e (ft)		ss (if applicable)(ft)
timated penetrat tal core length fr sible core ch pears homogene Description	om tip of core nose: aracteristics ous: on of layers Sediment color:	6.0' 6.0' Dist.	ft ft Strata/layers: ance from top of con			ss (if applicable)(ft)
timated penetrate tal core length from the core chapears homogene Description of the core chapears to be core chapears homogene Description of the core chapears have been described by the core chapears have been descr	om tip of core nose: aracteristics ous: on of layers Sediment color: gray	Sediment odor	ft Strata/layers: ance from top of con	e (ft)		ss (if applicable)(ft)
timated penetrate training the core length from the core character of the core character	om tip of core nose: aracteristics ous: on of layers Sediment color: gray	Sediment odor none	ft ft Strata/layers: ance from top of cor H ₂ S etroleum	e (ft)		ss (if applicable)(ft)
timated penetrat Ital core length from Isible core chapears homogene Description Italian core length from Italian cor	om tip of core nose: aracteristics ous: on of layers Sediment color: gray black brown	Sediment odor none slight moderate	ft Strata/layers: ance from top of con	e (ft)		ss (if applicable)(ft)
timated penetrated tall core length from the core character of the	om tip of core nose: aracteristics ous: on of layers Sediment color: gray black brown brown surface	Sediment odor none	ft ft Strata/layers: ance from top of cor H ₂ S etroleum	e (ft)		ss (if applicable)(ft)
timated penetrat tal core length fr sible core ch pears homogene Description ediment type: cobble gravel gravel	om tip of core nose: aracteristics ous: on of layers Sediment color: gray black brown	Sediment odor none slight moderate	ft ft Strata/layers: ance from top of cor H ₂ S etroleum	e (ft)		ss (if applicable)(ft)
etimated penetrated that core length from the core characters are core characters because the core characters are core core core core core core core co	om tip of core nose: aracteristics ous: on of layers Sediment color: gray black brown brown surface	Sediment odor none slight moderate	ft ft Strata/layers: ance from top of cor H ₂ S etroleum	e (ft)		ss (if applicable)(ft)

	-801-02	.2	Sampling Date:	12/1/08	Tim	e: 1300
Project Name:	7 55'00 0	7	Project Number:			
•	7.5509.0		Longitude/Easting		A STAR STAR STAR STAR STAR STAR STAR STA	
Notes/Comments:	Formal C	neountered	, referred	bottom 0-3	for to lay	per
_				· · · · · · · · · · · · · · · · · · ·		
				·		
-				-	-	
Core collection						
Vertical datum	· ·	MLLW		MLW	Other:	
Method of depth measu	rement:	,	Sounder		Lead line	
Project depth (if dredgi	ng)	41-39	_(5.2)	** Overdredge?	2.5	ft
A Measured	water depth	42	_ft	Time:	1300	
B Tide heigh	nt:	5.7	ft	Time:		
C Mudline el		36.3	 ft			
(A-B=C; be sure to inclu	ıde the sign of th	e tide height as re	ported)			
Estimated penetration	5.0'		ft	Refusal encount	ered? (Y or N)	
Total core length from t		510'	 ft			
Description of			stance from top of c		-	applicable)(ft)
	ediment color:	Sediment odd		Comments:		· ·
ر ا	gray	none	H₂S			
	black	slight	petroleum			
	brown	moderate	septic			•
	brown surface	strong				
organic matter	olivine					
	_					
	2-01	1				:
ignature:	MIN.			•	3 · *	
	Jun 1				14 - 7	
			. 2		·	

Station ID:	2T-S01-02		Sampling Date: Project Number:	12/1/08		ime: 13:20
Latitude/Northing: Notes/Comments:	37.5509.00 Retained 6	oothan 0.5f	Longitude/Easting:			
Core collection				<u> </u>		
Vertical datum		_ MLLW		_ MLW	Other:	
Method of depth m	easurement:		Sounder		Lead line	
Project depth (if dr	edging)	_4439	_ft	Overdredge?	2.5	ft
A Measu	red water depth	42.0	_ft	Time:	1330	
B Tide h	eight:	5.6	ft (F)	Time:		
C Mudlir	e elevation:	36.4				
(A-B=C; be sure to	include the sign of the	e tide height as rep	orted)			
Estimated penetrati	on <u>5.1</u>		_ft	Refusal encour	ntered? (Y or N)	_ X
Total core length fro	om tip of core nose:		_ft			. /
Appears homogene Descriptio	ous: n of layers	Dist	Strata/layers: ance from top of cor	re (ft)	Thickness	(if applicable)(ft)
		·			,	
Sediment type:	Sediment color:	Sediment odor	* ••	Comments:		
cobble	gray	none	H₂S			
gravel	diack	slight	petroleum			
send CMF	brown	moderate	septic			
silt clay	brown surface	strong				
organic matter	olivine					
	1			1		
	2		,			

Station ID:	RT-501-	03.1	Sampling Date:	12/01/08	Tìn	ne: //:50
roject Name:	Levin - Kicha	rond Tem.	Project Number:			
atitude/Northing:	37.55 08	s- "	Longitude/Easti	ng: <u>/22 ° Z</u>	1'57.6"	
lotes/Comments:	Co Clested	Core of	all whank	" 100°		
		,	00 00		7	
			*			
ore collection	1 ·				*	
ertical datum		MLLW		MLW	Other:	
ethod of depth m			Sounder		Lead line	
roject depth (if dr	:	39	ft	Overdredge?	2.5	ft
Measu	ared water depth	42.5"	ft	Time:	11:50	_
Tide h	neight:	<u>5.3.</u>	ft	Time:	 	
Mudlir	ne elevation:	37. 2	ft			•
A-B=C; be sure to	include the sign of the		eported)			_
stimated penetrati	ion <u>"43"</u>	<u> </u>	ft	Refusal encounte	ered? (Y or N)	
otal core length fro	om tip of core nose:	4.3'	ft			
ppears homogened Descriptio	on of layers	D.	Strata/layers: stance from top of	core (ft)	Thickness (if applicable)(ft)
					-	<u>.</u>
-		<u> </u>			<u> </u>	
						· **
Sediment type:	Sediment color:	Sediment of	lor:	Comments:		
cobble	gray	none	H₂S			+11
gravel	black	slight	petroleum	Jan 2	n on seeli	nest surface , nie sompl
sand C M F	brown	moderate	septic	when Cor	e emptre	INE Sompl
silt clay	brown surface		septic	sog.	•	
organic matter	olivine	strong				
organic matter	Ollatic					
	0 1	1				
gnature:	Ci //01	W			•	
	2.				r	

(Rev.04/02)

Station ID:	ZT - 501-0		Sampling Date:	12/1/08		ne: 12115
roject Name:	Levin Ruk		naskoject Number:			·
atitude/Northing:	37.55.08	9.3 °	Longitude/Easting	: 122° 21	·57.7"	
otes/Comments:	Reformed.	Z-leger	Specific			
			* /			****
ore collection			ε.			
ertical datum		MLLW		MLW	Other:	
•		_ MILLYY	Säunder	MLVV	Lead line	
ethod of depth me		26 '	Sounder	0	Lead line	64
roject depth (if dre	_	4:242.	ft / a	Overdredge?	2-3	ft
	ed water depth			Time:	77.12.13	<u> </u>
Tide he	_		ft	Time:		
Mudline	e elevation:	37.1	ft			
A-B=C; be sure to in	nclude the sign of the				1.5.5.	~
A-B=C; be sure to in stimated penetratio	on <u>4</u>	14'	ft	Refusal encounte	ered? (Y or N)	<u> </u>
A-B=C; be sure to in stimated penetratio otal core length from 'isible core cha	m tip of core nose:	14'	ft ft	Refusal encounte	ered? (Y or N)	<u> </u>
A-B=C; be sure to instimated penetrational core length from	m tip of core nose:	44'	ft		·).	· (if applicable)(ft)
A-B=C; be sure to instimated penetration of the core length from the core characters in the core characters are the core characters and the core characters are the core chara	m tip of core nose: racteristics	44'	ft ft Strata/layers:		·).	· (if applicable)(ft)
A-B=C; be sure to instimated penetration of the core length from the core characters in the core characters are the core characters and the core characters are the core chara	m tip of core nose: racteristics	44'	ft ft Strata/layers:		·).	· (if applicable)(ft)
A-B=C; be sure to instimated penetration of the core length from the core characters in the core characters are the core characters and the core characters are the core chara	m tip of core nose: racteristics	44'	ft ft Strata/layers:		Thickness ((if applicable)(ft)
a-B=C; be sure to instimated penetration of the core length from the core characters are the core characters and the core characters are the core char	m tip of core nose: racteristics us: of layers	4.4' D	ft ft Strata/layers: istance from top of co	ore (ft)	·).	; (if applicable)(ft)
A-B=C; be sure to instimated penetration of the core length from the core characters in the core characters are the core characters and the core characters are the core chara	m tip of core nose: racteristics us: of layers Sediment color:	Sediment oc	ftftft Strata/layers: istance from top of co		Thickness ((if applicable)(ft)
A-B=C; be sure to instimated penetration of the stimated p	m tip of core nose: racteristics us: of layers Sediment color: gray	Sediment or	ftftftftstrata/layers: istance from top of co	ore (ft)	Thickness ((if applicable)(ft)
A-B=C; be sure to instimated penetration of the stimated p	m tip of core nose: racteristics us: of layers Sediment color:	Sediment or none	ft ft Strata/layers: istance from top of co	ore (ft)	Thickness ((if applicable)(ft)
a-B=C; be sure to instimated penetration of the core length from the core character is t	m tip of core nose: racteristics us: of layers Sediment color: gray black brown	Sediment or none Slight moderate	ftftftftstrata/layers: istance from top of co	ore (ft)	Thickness ((if applicable)(ft)
A-B=C; be sure to instimated penetration of the stimated p	m tip of core nose: racteristics us: of layers Sediment color: gray brown brown surface	Sediment or none	ft ft Strata/layers: istance from top of co	ore (ft)	Thickness ((if applicable)(ft)
A-B=C; be sure to instimated penetration of the stimated p	m tip of core nose: racteristics us: of layers Sediment color: gray black brown	Sediment or none Slight moderate	ft ft Strata/layers: istance from top of co	ore (ft)	Thickness ((if applicable)(ft)
A-B=C; be sure to instimated penetration of the stimated p	m tip of core nose: racteristics us: of layers Sediment color: gray brown brown surface	Sediment or none Slight moderate	ft ft Strata/layers: istance from top of co	ore (ft)	Thickness ((if applicable)(ft)

ation ID: LR						
ject Name:	Levin- Richa	cond Termina				
itude/Northing:	37° 55.'0	7.6'	Longitude/Easti	ng: <u>122° Z</u>	1'56.5	
tes/Comments:	35.4					
	Collectes	1 Z- lager	into Igul	Ziplack.	Hit refuse	1, 6.8 was
	despert in	re could g	Jo			
220	ore: 37.6	507.70	122	21'56.4'	- Refesal	•
ore collection			*			<u> </u>
rtical datum		MLLW		MLW	Other:	
thod of depth m			Sounder		Lead line	
ject depth (if dr		29'	ft Sul C	Overdredge?	2.5	ft
	ured water depth	447 339	7/. 7	Time:	10:45	
	neight:	42	ft A . 1	Time:		-
	neight: ne elevation:	39.534.	Z 47.5	ime.	•	-
			-1 37		•	-
-b=u; pe sure to	include the sign of th	-	eported) 7.3			
		/ /	**	Defined to see a second		7 .
•			ft	Refusal encounte	ered? (Y or N)	7
etimated penetrat otal core length fr cisible core ch	om tip of core nose:		ft ft	Refusal encounte	ered? (Y or N)	7
sible core ch	om tip of core nose:	<u>68'</u>	 · ·			- 7 f applicable)(ft)
sible core ch	om tip of core nose: aracteristics ous:	<u>68'</u>	ftft Strata/layers:			
sible core ch	om tip of core nose: aracteristics ous:	<u>68'</u>	ftft Strata/layers:			
sible core ch	om tip of core nose: aracteristics ous:	<u>68'</u>	ftft Strata/layers:			
sible core ch	om tip of core nose: aracteristics ous:	<u>68'</u>	ftft Strata/layers:			
sible core ch	om tip of core nose: aracteristics ous:	<u>68'</u>	Strata/layers: istance from top of			f applicable)(ft)
sible core ch pears homogene Description	om tip of core nose: aracteristics ous: on of layers	68'	Strata/layers:	core (ft)		
sible core ch pears homogene Description ediment type: cobble	aracteristics ous: on of layers Sediment color:	L 8	Strata/layers: istance from top of	core (ft)		f applicable)(ft)
ediment type:	om tip of core nose: aracteristics ous: on of layers Sediment color: gray	Sediment on none	Strata/layers: istance from top of	core (ft)		f applicable)(ft)
ediment type: cobble gravel sand C M F	aracteristics ous: on of layers Sediment color: gray Glack	Sediment on none	Strata/layers: istance from top of Hor: petroleum	core (ft)		f applicable)(ft)
ediment type: cobble gravel sand C M F	sediment color: gray om tip of core nose: aracteristics ous: on of layers	Sediment on none slight moderate	Strata/layers: istance from top of Hor: petroleum	core (ft)		f applicable)(ft)
isible core chapears homogene Description Gediment type: cobble gravel	sediment color: gray brown surface	Sediment on none slight moderate	Strata/layers: istance from top of Hor: petroleum	core (ft)		f applicable)(ft)
isible core chopears homogene Description Gediment type: cobble gravel sand C M F silt clay	sediment color: gray brown surface	Sediment on none slight moderate	Strata/layers: istance from top of Hor: petroleum	core (ft)		f applicable)(ft)

roject Name:		-04.Z	Sampling Date:	12/01/08	Time: // 3	
-,	Levir - Reli	mend Fermin	Project Number:			
titude/Northing:	370 55 0	7.7	Longitude/Easting:			
tes/Comments:	Collected	Core 3	off pilin	5 Next	* lodeles.	
			`			
ore collection	1				•	
ertical datum		_'_MLLW		_MLW	Other:	
ethod of depth m	easurement:		Sounder		Lead line	
oject depth (if dr	edging)	39'	_ft	Overdredge?	2 . 5 ft	
Meas	ured water depth	39'	_ft	Time:	<u> 11:30</u>	
Tide l	height:	5. Z'	_ft	Time:		
Mudli	ne elevation:	33.8	ft			
A-B=C; be sure to	include the sign of th	e tide height as re	ported)			
stimated penetrat	ion	7 '	_ft	Refusal encounter	red? (Y or N)	
otal core length fr	rom tip of core nose:	7.7'	ft			
			Strata/layers:	45.3		
	on of layers	Dis	Strata/layers:	re (ft)	Thickness (if applicable	e)(ft)
		Dis		re (ft)	Thickness (if applicable	e) (ft)
		Dis		re (ft)	Thickness (if applicable	e)(ft)
Description	on of layers		tance from top of cor		Thickness (if applicable	e)(ft)
Description	Sediment color:	Sediment odd	tance from top of cor	Comments:	Thickness (if applicable	e)(ft)
Description Sediment type: cobble	Sediment color:	Sediment odd	or:		Thickness (if applicable	e)(ft)
Sediment type; cobble gravel	Sediment color: gray black	Sediment odd none	petroleum		Thickness (if applicable	e)(ft)
Sediment type: cobble gravel	Sediment color: gray black brown	Sediment odd none slight moderate	or:		Thickness (if applicable	e)(ft)
Sediment type: cobble gravel sand Cof F	Sediment color: gray black brown brown surface	Sediment odd none	petroleum		Thickness (if applicable	e)(ft)
Sediment type: cobble gravel	Sediment color: gray black brown	Sediment odd none slight moderate	petroleum		Thickness (if applicable	9)(ft)
Sediment type: cobble gravel sand C F silt cla	Sediment color: gray black brown brown surface	Sediment odd none slight moderate	petroleum		Thickness (if applicable	e)(ft)
Sediment type: cobble gravel sand C F	Sediment color: gray black brown brown surface	Sediment odd none slight moderate	petroleum		Thickness (if applicable	e)(ft)
Sediment type: cobble gravel sand C F silt cla	Sediment color: gray black brown brown surface	Sediment odd none slight moderate	petroleum		Thickness (if applicable	e)(ft)
Sediment type: cobble gravel sand C F silt cla	Sediment color: gray black brown brown surface olivine	Sediment odd none slight moderate	petroleum		Thickness (if applicable	e)(ft)

Appendix B

Analytical Chemistry Laboratory Data Report Submitted by EnviroMatrix, Inc.

EnviroMatrix



Analytical, Inc. -

16 January 2009

Pacific Ecorisk

EMA Log #: 0812170

Attn: Jeff Cotsifas

2250 Cordelia Road

Fairfield, California 94534

Project Name: Levin-Richmond Terminal

Enclosed are the results of analyses for samples received by the laboratory on 12/04/08 10:38. Samples were analyzed pursuant to client request utilizing EPA or other ELAP approved methodologies. I certify that this data is in compliance both technically and for completeness.

Dan Verdon

Laboratory Director

CA ELAP Certification #: 2564

Project Name: Levin-Richmond Terminal

EMA Log #: 0812170

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
LRT-S01-01	0812170-01	Sediment	12/01/08 14:00	12/04/08 10:38
LRT-S01-02	0812170-02	Sediment	12/01/08 12:30	12/04/08 10:38
LRT-S01-03	0812170-03	Sediment	12/01/08 11:50	12/04/08 10:38
LRT-S01-04	0812170-04	Sediment	12/01/08 10:45	12/04/08 10:38
LRT-S01-Z Layer Comp	0812170-05	Sediment	12/01/08 10:45	12/04/08 10:38

NOTE: Grain Size analyses were performed by a sub-contract laboratory, results to follow in a separate report.

Project Name: Levin-Richmond Terminal

Total Metals by EPA 6000/7000 Series Methods

Amolista	Danile	MDI	Reporting	Limita	Dilution	Datah	December	A malvera J	Mathad	Notes
Analyte	Result	MDL	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
LRT-S01-01 (0812170-01) Sediment	Sample	d: 12/01/08		ceived: 12/0	4/08 10:3	8				
Silver	0.301	0.159	0.159	mg/kg dry	1	8121914	12/19/08	12/19/08	EPA 6020	
Arsenic	6.26	0.319	0.797	"	"	"	н	Ħ	"	
Cadmium	0.681	0.159	0.159	11	"	"	"	**	"	
Chromium	50.8	0.638	1.59	n	11	11	n	"	**	
Copper	39.0	0.638	0.797	**	**	**	"	"	**	
Mercury	0.439	0.016	0.016	**	**	8121609	12/16/08	12/16/08	EPA 7471	
Nickel	47.5	0.319	1.59	"	**	8121914	12/19/08	12/19/08	EPA 6020	
Lead	72.3	0.159	0.797	"	**	**	**	11	"	
Selenium	0.254	0.00638	0.0797	"	**	**		**	"	
Zinc	105	3.51	7.97	"	"	11	"	n	"	
LRT-S01-02 (0812170-02) Sediment	Sample	d: 12/01/08	3 12:30 Re	ceived: 12/0	4/08 10:3	8				
Silver	ND	0.165	0.165	mg/kg dry	1	8121914	12/19/08	12/19/08	EPA 6020	
Arsenic	5.07	0.331	0.826	**	**	**	**	"	Ħ	
Cadmium	0.805	0.165	0.165	"	*1	11	**	n	"	
Chromium	49.9	0.661	1.65	"	**	"	11	**	11	
Copper	31.0	0.661	0.826	**	11	n	#	11	11	
Mercury	0.241	0.017	0.017	11	**	8121609	12/16/08	12/16/08	EPA 7471	
Nickel	47.9	0.331	1.65	•	"	8121914	12/19/08	12/19/08	EPA 6020	
Lead	19.1	0.165	0.826	"	**	"	**	**	**	
Selenium	0.286	0.00661	0.0826	ıı	**	**	**		**	
Zinc	96.3	3.64	8.26	**	"	**	**	u	"	
LRT-S01-03 (0812170-03) Sediment	Sample	d: 12/01/0	8 11:50 Re	ceived: 12/0	4/08 10:3	8				
Silver	ND	0.175	0.175	mg/kg dry	1	8121914	12/19/08	12/19/08	EPA 6020	
Arsenic	6.90	0.350	0.874	11	"	#	"	"	**	
Cadmium	0.252	0.175	0.175	n ,	***	#	**	11	"	
Chromium	51.8	0.699	1.75	**	**	**	**	"		
Copper	34.5	0.699	0.874		**		ti	"	**	
Mercury	0.348		0.017	"	"	8121609	12/16/08	12/16/08	EPA 7471	
Nickel	47.5	0.350	1.75	"		8121914	12/19/08	12/19/08	EPA 6020	
Lead	21.1	0.175	0.874	**	**	"	"	"	"	
Selenium	0.285	0.00699	0.0874	11	17	"	11	"	**	
Zinc	86.4		8.74	,,		,,	"	n	**	

Project Name: Levin-Richmond Terminal

EMA Log #: 0812170

Total Metals by EPA 6000/7000 Series Methods

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
LRT-S01-04 (0812170-04) Sediment	Sample	d: 12/01/08	3 10:45 Re	ceived: 12/0	4/08 10:3	8				
Silver	0.334	0.265	0.265	mg/kg dry	1	8121914	12/19/08	12/19/08	EPA 6020	
Arsenic	8.87	0.531	1.33	Ħ	Ħ	Ħ	"	**	*1	
Cadmium -	1.10	0.265	0.265	#	**	**	**	**	n	
Chromium	79.3	1.06	2.65	**	**	**	n	H	"	
Copper	53.2	1.06	1.33	**	"	"	n	••	**	
Mercury	0.467	0.027	0.027	**	**	8121609	12/16/08	12/16/08	EPA 7471	
Nickel	70.5	0.531	2.65	**	**	8121914	12/19/08	12/19/08	EPA 6020	
Lead	29.5	0.265	1.33	11	11	#	**	**	n	
Selenium	0.443	0.0106	0.133	Ħ	**	11	Ħ	11	n	
Zine	93.2	5.84	13.3	"	*		" .	"	n.	
LRT-S01-Z Layer Comp (0812170-0		<u>_</u>	oled: 12/01/0		_					
Silver	ND	0.133	0.133	mg/kg dry	1	8121914	12/19/08	12/19/08	EPA 6020	
Arsenic	2.62	0.267	0.667	"	"	"	"	**	"	
Cadmium	0.669	0.133	0.133	**	**	11	11	"	"	
Chromium	47.4	0.533	1.33	"	**	11	11	"	"	
Chioninan	00.4	0.533	0.667	"	**	"	. "	#	"	
Copper	93.4	0.555	0.007							
	93.4 0.104	0.333	0.007	n	Ħ	8121609	12/16/08	12/16/08	EPA 7471	
Copper				11	"	8121609 8121914	12/16/08 12/19/08	12/16/08 12/19/08	EPA 7471 EPA 6020	
Copper Mercury	0.104	0.013	0.013							
Copper Mercury Nickel	0.104 47.2	0.013 0.267	0.013 1.33	н	**	8121914	12/19/08	12/19/08	EPA 6020	

Project Name: Levin-Richmond Terminal

EMA Log #: 0812170

Sediment Chemistry Methodologies (reported in dry weight)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Titulyto	Result	MDL	- Limit		Ditation		Tropuloe	1111417200	111000	
LRT-S01-01 (0812170-01) Sediment	Sampled	: 12/01/0	3 14:00 Rece	eived: 12/0	04/08 10:3	8				
Total Organic Carbon	1.86	0.010	0.010	% dry	1	8120909	12/09/08	12/09/08	EPA 9060 mod	
LRT-S01-02 (0812170-02) Sediment	Sampled	l: 12/01/0	3 12:30 Rece	eived: 12/0	04/08 10:3	8				
Total Organic Carbon	1.39	0.010	0.010	% dry	1	8120909	12/09/08	12/09/08	EPA 9060 mod	
LRT-S01-03 (0812170-03) Sediment	Sampled	l: 12/01/0	3 11:50 Rece	eived: 12/0	04/08 10:3	8				
Total Organic Carbon	1.12	0.010	0.010	% dry	1	8120909	12/09/08	12/09/08	EPA 9060 mod	
LRT-S01-04 (0812170-04) Sediment	Sampled	i: 12/01/0	3 10:45 Rece	eived: 12/(04/08 10:3	8				
Total Organic Carbon	1.64	0.010	0.010	% dry	1	8120909	12/09/08	12/09/08	EPA 9060 mod	
LRT-S01-Z Layer Comp (0812170-0	5) Sedime	nt Samp	led: 12/01/08	3 10:45 R	Received: 1	12/04/08 1	0:38			
Total Organic Carbon	0.459	0.010	0.010	% dry	1	8120909	12/09/08	12/09/08	EPA 9060 mod	

Project Name: Levin-Richmond Terminal

EMA Log #: 0812170

Organochlorine Pesticides by EPA Method 8081A

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
LRT-S01-01 (0812170-01) Sediment	Sample	d: 12/01/0	8 14:00 Red	ceived: 12/0	4/08 10:3	8				
Aldrin	ND	0.16	0.64	ug/kg dry	1	8120521	12/05/08	12/16/08	EPA 8081	
alpha-BHC	ND	0.09	0.64	"	"	**	**	**	**	
beta-BHC	ND	0.14	0.64	"	**	"	Ħ	**		
gamma-BHC (Lindane)	ND	0.11	0.64	"	**	"	**	H	#	
delta-BHC	ND	0.13	0.64	"	**	"	"	**	#	
Total BHCs	ND	0.09	0.64		**	"	n	**	**	
Chlordane (Total)	ND	1.52	1.63	11	H	11	11	"	"	
2,4′-DDD	72.7	19.5	31.9	n	50	**	Ħ	"	**	R-07
4,4'-DDD	302	7.81	31.9	**	11	#	11	**	"	R-07
2,4'-DDE	ND	17.2	31.9	**	n	n	. 10	**	**	R-07
4,4'-DDE	116	7.50	31.9	n	11		11	**	"	R-07
2,4′-DDT	ND	31.9	31.9	"	#	"	**	#	"	R-07
4,4'-DDT	41.5	5.10	31.9	n	**	"	*	Ħ	**	R-07
Total DDT	532	5.10	31.9	**	n	**	**	*1	••	R-07
Dieldrin	33.5	7.50	31.9	"	n	**	11	"	"	R-07
Endosulfan I	ND	0.13	0.64	n	1		11	11	"	
Endosulfan II	ND	0.24	0.64	n	"		Ħ	n		
Endosulfan sulfate	ND	0.15	0.64	"	**	**	"	н	11	
Endrin	ND	0.16	0.64		"	"	,,	**	**	
Endrin aldehyde	ND	0.10	0.64	**		"	"	**	11	
Heptachlor	ND	0.23	0.64	**	"	**	**	"	11	
Heptachlor epoxide	ND	0.23	0.64	н	**	"	**	"	11	
Methoxychlor	ND	0.24	1.28	n	**	"	"	11	11	
Toxaphene	ND	5.61	7.91	"	**	**	"	**	Ħ	
Surrogate: TCMX		85 %	26-1	46		,,	"	12/12/08	, ·	

Project Name: Levin-Richmond Terminal

EMA Log #: 0812170

Organochlorine Pesticides by EPA Method 8081A

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
LRT-S01-02 (0812170-02) Sediment	Sample	d: 12/01/0	8 12:30 Re	ceived: 12/0	4/08 10:3	8				
Aldrin	ND	0.17	0.66	ug/kg dry	1	8120521	12/05/08	12/16/08	EPA 8081	
alpha-BHC	ND	0.09	0.66	"	**	**	"	**	**	
beta-BHC	ND	0.14	0.66	11	"	**	**	"	"	
gamma-BHC (Lindane)	ND	0.12	0.66	11	"	**	**	11	"	
delta-BHC	ND	0.14	0.66	11	"	**	**	**	"	
Total BHCs	ND	0.09	0.66	**	"	11	11	"	"	
Chlordane (Total)	ND	1.57	1.69	**	"	11	11	•	"	
2,4´-DDD	9.35	1.61	2.64	11	4	**	**	**	"	R-07
4,4′-DDD	27.2	0.65	2.64	"	11	11	Ħ	n	11	R-07
2,4'-DDE	ND	1.43	2.64	"	**	H	n	**	n	R-07
4,4'-DDE	16.1	0.62	2.64	"	**	10	н	"	11	R-07
2,4'-DDT	ND	2.64	2.64	"	**	n	H	n	"	R-07
4,4'-DDT	2.42	0.42	2.64	"	**	**	Ħ	**	11	R-07, J
Total DDT	55.1	0.42	2.64	**	Ħ	**	Ħ	"	11	R-07
Dieldrin	2.27	0.16	0.66	"	1	**	*	12/12/08	•	
Endosulfan I	ND	0.14	0.66	**	**	*1	**	12/16/08	"	
Endosulfan II	ND	0.25	0.66	**	**	**	**		"	
Endosulfan sulfate	ND	0.16	0.66	н	**	11	**	**	"	
Endrin	ND	0.16	0.66	. "	"	**	Ħ	"	**	
Endrin aldehyde	ND	0.10	0.66	"	**	**	Ħ	н	н	
Heptachlor	ND	0.23	0.66	"	н	11	ŧŧ	**	"	
Heptachlor epoxide	ND	0.23	0.66	"	**		n	**	n	
Methoxychlor	ND	0.24	1.32	"	**	"	**	11	*	
Toxaphene	ND	5.82	8.20	, 11	"	"	•	H	n	
Surrogate: TCMX		82 %	26-1	146		" .	"	12/12/08	"	

Project Name: Levin-Richmond Terminal

EMA Log #: 0812170

Organochlorine Pesticides by EPA Method 8081A

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
LRT-S01-03 (0812170-03) Sediment	Sampled	1: 12/01/0	8 11:50 Red	ceived: 12/0	4/08 10:3	8				
Aldrin	ND	0.18	0.70	ug/kg dry	1	8120521	12/05/08	12/17/08	EPA 8081	
alpha-BHC	ND	0.09	0.70	n	*1	**	**	"	11	
peta-BHC	ND	0.15	0.70	**	**	11	ŧŧ	"	**	
gamma-BHC (Lindane)	ND	0.12	0.70	11	**	"	**	"	11	
delta-BHC	ND	0.14	0.70	**	**	**	"	"	11	
Total BHCs	ND	0.09	0.70	"	**	"	**		H	
Chlordane (Total)	ND	1.66	1.78	"	"	"	11	"	"	
2,4'-DDD	ND	0.43	0.70	***	**	"	11	**	. н	
4,4′-DDD	ND	0.17	0.70	**	"	#1	Ħ	**	**	
2,4′-DDE	ND	0.38	0.70	**	**	Ħ	tt	H	11	
4,4'-DDE	ND	0.16	0.70	**	11	"	"	"	11	
2,4'-DDT	ND	0.70	0.70	"	**	n	"	"	Ħ	
\$,4'-DDT	ND	0.11	0.70	**	n	#	**	**	11	
Total DDT	ND	0.11	0.70	**	**	Ħ	"	**	#	
Dieldrin	ND	0.16	0.70	**	**	Ħ	P	"	Ħ	
Endosulfan I	ND	0.15	0.70	"	Ħ	**	"	"	**	
Endosulfan II	ND	0.27	0.70	11	**	**	"	**	Ħ	
Endosulfan sulfate	ND	0.17	0.70	**	11	n	"	**	n	
Endrin	ND	0.17	0.70	11	Ħ	11	"	••	**	
Endrin aldehyde	ND	0.10	0.70	n	n	**	n	"	11	
Heptachlor	ND	0.25	0.70	"	11	"	11	n	11	
Heptachlor epoxide	ND	0.24	0.70	**	•	"	H	n	и .	
Methoxychlor	ND	0.26	1.40	***	•	**	**	n	"	
Toxaphene	ND	6.15	8.67	**	n	"	"	"	**	
Surrogate: TCMX		83 %	26-1	46		"	"	12/12/08	"	

Project Name: Levin-Richmond Terminal

Organochlorine Pesticides by EPA Method 8081A

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
LRT-S01-04 (0812170-04) Sediment	Sample	1: 12/01/0	8 10:45 Red	ceived: 12/0	4/08 10:3	8				
Aldrin	ND	0.27	1.06	ug/kg dry	1	8120521	12/05/08	12/16/08	EPA 8081	
alpha-BHC	ND	0.14	1.06	н	11	**	H	"	**	
beta-BHC	ND	0.23	1.06	n	u	**	"	**	"	
gamma-BHC (Lindane)	ND	0.19	1.06	11	"	"	"	"	**	
delta-BHC	ND	0.22	1.06	11	0	"	"	"	**	
Total BHCs	ND	0.14	1.06	n	u	**	"	**	"	
Chlordane (Total)	ND	2.53	2.71	**	11	**	"	"	"	
2,4′-DDD	15.7	3.24	5.31	"	5	**	**	"	"	R-07
4,4′-DDD	46.9	1.30	5.31	"	17	**	**	11	n	R-07
2,4'-DDE	ND	2.86	5.31	"	**	**	n	**	n	R-07
4,4′-DDE	12.7	1.25	5.31	"	"	11	**	н	n	R-07
2,4'-DDT	ND	5.31	5.31	"	**	**	Ħ	**	Ħ	R-07
4,4'-DDT	16.8	0.85	5.31	**	"	"	**	"	Ħ	R-07
Total DDT	92.1	0.85	5.31	"	**	**	"	**	11	R-07
Dieldrin	3.93	0.25	1.06	"	1	**	17	12/12/08	"	
Endosulfan I	ND	0.22	1.06	**	**	**	**	12/16/08	**	
Endosulfan II	ND	0.40	1.06	**	**	**	**	"	11	
Endosulfan sulfate	ND	0.25	1.06	# ·	**	**	**	"	11	
Endrin	ND	0.26	1.06	11	**			**	н	
Endrin aldehyde	ND	0.16	1.06	**	**	**	**	**	n	
Heptachlor	ND	0.38	1.06	"		**		"	"	
Heptachlor epoxide	ND	0.37	1.06	"	**	**	"	"	**	
Methoxychlor	ND	0.39	2.12	**	**	**	"	"	••	
Toxaphene	ND	9.34	13.2	**	**	**	n	"	11	
Surrogate: TCMX		66 %	26-1	46		"	"	12/12/08	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Analytical, Inc. -

Project Name: Levin-Richmond Terminal

EMA Log #: 0812170

Organochlorine Pesticides by EPA Method 8081A

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
LRT-S01-Z Layer Comp (0812	2170-05) Sedime	nt Sam	pled: 12/01/0	08 10:45 R	eceived: 1	12/04/08 1	0:38			
Aldrin	ND	0.14	0.53	ug/kg dry	1	8120521	12/05/08	12/16/08	EPA 8081	
alpha-BHC	ND	0.07	0.53	"	**	11	n	"	"	
beta-BHC	ND	0.11	0.53	**	11	11	"	•		
gamma-BHC (Lindane)	ND	0.09	0.53	**	**	Ħ	17	•	n	
delta-BHC	ND	0.11	0.53	ŧŧ	H	"	"	n	"	
Total BHCs	ND	0.07	0.53	"	**	H	11		**	
Chlordane (Total)	ND	1.27	1.36	"	**	••	11	n	**	
2,4′-DDD	3.63	0.65	1.07	11	2	"	n		"	R-07
4,4′-DDD	11.4	0.26	1.07	n	"	"	••	**		R-07
2,4'-DDE	ND	0.58	1.07	11	11	17	H		Ħ	R-07
4,4′-DDE	4.10	0.25	1.07	n	11	"	11	#		R-07
2,4′-DDT	ND	1.07	1.07	"	#	n	**		11	
4,4′-DDT	1.03	0.17	1.07	"	**			11	**	R-07
Total DDT	20.2	0.17	1.07			**	**	**	,,	R-07, J
Dieldrin	1.01	0.13	0.53	**	1	11		12/12/08	11	R-07
Endosulfan I	ND	0.11	0.53	**	"		**	12/12/08	*1	
Endosulfan II	ND	0.20	0.53		11	н	**	12/10/00	,,	
Endosulfan sulfate	ND	0.13	0.53	**	**	"		**	"	
Endrin	ND	0.13	0.53	"	**	11	**	**	**	
Endrin aldehyde	ND	0.08	0.53	#		"		**	**	
Heptachlor	ND	0.19	0.53	**	**	н	11	"	"	
Heptachlor epoxide	ND	0.19	0.53		"	**	н	n	,,	
Methoxychlor	ND	0.20	1.07	11	**			"	. "	
Toxaphene	ND	4.69	6.61	"	n	n	n	**	"	
Surrogate: TCMX		70 %	26-14	16		"	"	12/12/08	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Analytical, Inc.

Project Name: Levin-Richmond Terminal

EMA Log #: 0812170

Polychlorinated Biphenyls by EPA Method 8082

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
LRT-S01-01 (0812170-01) Sediment	Sample	d: 12/01/08	8 14:00 Re	ceived: 12/0	4/08 10:3	8				
Aroclor 1016	ND	1.49	6.38	ug/kg dry	1	8120521	12/05/08	12/12/08	EPA 8082	
Aroclor 1221	ND	1.49	6.38	11	"	**	н	**	**	
Aroclor 1232	ND	1.49	6.38	**	"	**		H	"	
Aroclor 1242	ND	1.49	6.38	**	ų	#	**	n	"	
Aroclor 1248	ND	1.49	6.38	"	**	11		**	"	
Aroclor 1254	ND	1.49	6.38	**	**	11	**	**	"	
Aroclor 1260	ND	1.49	6.38	"	"	**	**	"	11	
Total Aroclors	ND	1.49	6.38		**	**	Ħ	H	**	
Surrogate: TCMX		85 %	26-	146		n	,,	n	"	
LRT-S01-02 (0812170-02) Sediment	Sample	d: 12/01/0	8 12:30 Re	ceived: 12/0	4/08 10:3	8				
Aroclor 1016	ND	1.55	6.61	ug/kg dry	1	8120521	12/05/08	12/12/08	EPA 8082	
Aroclor 1221	ND	1.55	6.61	11	"	"	"	н	11	
Aroclor 1232	ND	1.55	6.61	H	"	**	**		**	
Aroclor 1242	ND	1.55	6.61	Ħ	**	"	n	11	11	
Aroclor 1248	ND	1.55	6.61	11	**	"	n	"	"	
Aroclor 1254	44.8	1.55	6.61	11	**	"	**	"	"	
Aroclor 1260	ND	1.55	6.61	n	11		**	**	"	
Total Aroclors	44.8	1.55	6.61	"	**	"	"	"	**	
Surrogate: TCMX		82 %	26-1	146		"	"	"	"	
LRT-S01-03 (0812170-03) Sediment	Sample	d: 12/01/08	8 11:50 Re	ceived: 12/0	4/08 10:3	8				
Aroclor 1016	ND	1.64	6.99	ug/kg dry	1	8120521	12/05/08	12/12/08	EPA 8082	
Aroclor 1221	ND	1.64	6.99	"	"	11	Ħ	"	11	
Aroclor 1232	ND	1.64	6.99	11	"	**	**	11	11	
Aroclor 1242	ND	1.64	6.99	"	"	**		n	**	
Aroclor 1248	ND	1.64	6.99	"	"	"	**	**	n	
Aroclor 1254	5160	164	699	"	100	•	**	**	"	R-0
Aroclor 1260	ND	1.64	6.99	"	1	"	**	**		
Total Aroclors	5160	164	699 ·	*	100	"		"	**	
Surrogate: TCMX	~	83 %	26-			"	,,	н	,,	

Project Name: Levin-Richmond Terminal

Polychlorinated Biphenyls by EPA Method 8082

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Note
LRT-S01-03 (0812170-03RE2) Sedin	nent Sar	npled: 12/	01/08 11:50	Received:	12/04/08	10:38				HT-03
Aroclor 1016	ND	16.4	69.9	ug/kg dry	10	9011206	01/12/08	01/14/09	EPA 8082	
Aroclor 1221	ND	16.4	69.9	Ħ	"	11	"	11	"	
Aroclor 1232	ND	16.4	69.9	**	91	"	**	Ħ	"	
Aroclor 1242	ND	16.4	69.9	**	**	11	Ħ	**	11	
Aroclor 1248	ND	16.4	69.9	**	**	"	**	**	**	
Aroclor 1254	448	16.4	69.9	"	"	Ħ	**	**	**	
Aroclor 1260	ND	16.4	69.9	**	"	**	**	••	"	
Total Aroclors	448	16.4	69.9	"	"	"	"	"	r	
Surrogate: TCMX		73 %	26-1	46		"	".	"	n	
LRT-S01-04 (0812170-04) Sediment	Sample	d: 12/01/0	8 10:45 Re	ceived: 12/0	4/08 10:3	8				
Aroclor 1016	ND	2.48	10.6	ug/kg dry	1	8120521	12/05/08	12/12/08	EPA 8082	
Aroclor 1221	ND	2.48	10.6		**	**	**	#	"	
Aroclor 1232	ND	2.48	10.6	**	**	**	ti	Ħ	"	
Aroclor 1242	ND	2.48	10.6	"	**	11	Ħ	**	•	
Aroclor 1248	ND	2.48	10.6	**	**	11	Ħ	11	"	
Aroclor 1254	66.3	2.48	10.6	"	"	**	Ħ	Ħ	n	
Aroclor 1260	ND	2.48	10.6	"	"	**	tt	**	n	
Total Aroclors	66.3	2.48	10.6	n	"	n	**	**	"	
Surrogate: TCMX		66 %	26-1	46		"	"	"	"	
LRT-S01-Z Layer Comp (0812170-0	5) Sedime	ent Sam	pled: 12/01/0	8 10:45 R	eceived: 1	12/04/08 1	0:38			
Aroclor 1016	ND	1.25	5.33	ug/kg dry	1	8120521	12/05/08	12/12/08	EPA 8082	
Aroclor 1221	ND	1.25	5.33	**	"	**	**	**	•	
Aroclor 1232	ND	1.25	5.33	#	"	**	P	"	*	
Aroclor 1242	ND	1.25	5.33	**	**	**	"	"	п	
Aroclor 1248	ND	1.25	5.33	11	#1	"	**	"		
Aroclor 1254	ND	1.25	5.33	"	11	**	n	**		
Aroclor 1260	ND	1.25	5.33	"	"	11	**	**	"	
Total Aroclors	ND	1.25	5.33	**	"		**	H	Ħ	

Project Name: Levin-Richmond Terminal

Polynuclear Aromatic Compounds by GC/MS SIMS

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
LRT-S01-01 (0812170-01) Sediment	Sample	d: 12/01/0	8 14:00 Red	eived: 12/0	4/08 10:3	8				
Acenaphthene	97.4	5.74	15.9	ug/kg dry	1	8120430	12/05/08	12/12/08	GC/MS SIMS	
Acenaphthylene	9.25	7.46	15.9	11	Ħ	"	"	11	"	J
Anthracene	158	10.0	15.9	**	m	"	**	"	H	
Benzo (a) anthracene	333	10.6	15.9	"	Ħ	"	"	**	H	
Benzo (b) fluoranthene	329	14.2	15.9	**	"	**	11	"	"	
Benzo (k) fluoranthene	131	10.9	15.9	19	W	**	"	"	"	
Benzo (g,h,i) perylene	33.8	15.5	15.9	**	"	Ħ	**	"	II .	
Benzo (a) pyrene	231	11.8	15.9	H	"	**	11	"	"	
Chrysene	549	6.32	15.9	n	**	"	n	**	"	
Dibenz (a,h) anthracene	25.0	14.6	15.9	"	**	"	11	11	n	
Fluoranthene	753	9.19	15.9	···	**	n	n	111-	Ħ	
Fluorene	77.5	7.46	15.9	"	Ħ		n	11	**	
Indeno (1,2,3-cd) pyrene	58.4	15.9	15.9	11	**	"	n	**	**	
Naphthalene	106	3.05	15.9	"	**	**	**	11	"	
Phenanthrene	282	6.68	15.9	H	**	**	11	11	"	
Pyrene	1180	9.70	15.9	11	*	"	**	"	"	
Total PAHs	4350	15.9	15.9	n	**	**		"		
Surrogate: Nitrobenzene-d5		42 %	23-1.	20		"	"	"	"	
Surrogate: 2-Fluorobiphenyl		55 %	30-1	15		"	"	"	"	
Surrogate: Terphenyl-dl4		64 %	18-1	37		"	"	"	"	
LRT-S01-02 (0812170-02) Sediment	Sample	d: 12/01/0	8 12:30 Red	eived: 12/0	4/08 10:3	8				
Acenaphthene	ND	5.95	16.5	ug/kg dry	1	8120430	12/05/08	12/12/08	GC/MS SIMS	
Acenaphthylene	ND	7.74	16.5	"	**	11	**	"	"	
Anthracene	30.5	10.4	16.5	11	"	**	**	11	11	
Benzo (a) anthracene	81.3	11.0	16.5	"	**	"	"	11	11	
Benzo (b) fluoranthene	107	14.7	16.5	"	*1	"	"	n	Ħ	
D (I-) (I.,	43.1	11.3	16.5	11	ti	**	"	**	Ħ	
Benzo (k) fluoranthene									**	
Benzo (g,h,i) perylene	17.8	16.1	16.5	11	Ħ	"	**	"		
	17.8 90.1	16.1 12.2	16.5 16.5	11	# ·	"	"	"	"	
Benzo (g,h,i) perylene									"	
Benzo (g,h,i) perylene Benzo (a) pyrene	90.1	12.2	16.5	Ħ	н .	"		"		
Benzo (g,h,i) perylene Benzo (a) pyrene Chrysene	90.1 163	12.2 6.55	16.5 16.5	n	H	11	# . #	11	"	
Benzo (g,h,i) perylene Benzo (a) pyrene Chrysene Dibenz (a,h) anthracene	90.1 163 ND	12.2 6.55 15.2	16.5 16.5 16.5	11 11	n . n	11 11	H H	99 99 88	n n	J
Benzo (g,h,i) perylene Benzo (a) pyrene Chrysene Dibenz (a,h) anthracene Fluoranthene	90.1 163 ND 102	12.2 6.55 15.2 9.52	16.5 16.5 16.5 16.5	n n n	n . n	11 11	11 11 11	99 99 88	n n n	1
Benzo (g,h,i) perylene Benzo (a) pyrene Chrysene Dibenz (a,h) anthracene Fluoranthene Fluorene	90.1 163 ND 102 9.07	12.2 6.55 15.2 9.52 7.74	16.5 16.5 16.5 16.5 16.5	n n n	11 11 11 11	11 11 11	" " " " " " " " " " " " " " " " " " "	" " " " "	n n n	
Benzo (g,h,i) perylene Benzo (a) pyrene Chrysene Dibenz (a,h) anthracene Fluoranthene Fluorene Indeno (1,2,3-cd) pyrene	90.1 163 ND 102 9.07 22.0	12.2 6.55 15.2 9.52 7.74 16.5	16.5 16.5 16.5 16.5 16.5	n n n	n	11 11 11 11	# # # # # # # # # # # # # # # # # # #	11 11 11 11 11 11	" " " " "	
Benzo (g,h,i) perylene Benzo (a) pyrene Chrysene Dibenz (a,h) anthracene Fluoranthene Fluorene Indeno (1,2,3-cd) pyrene Naphthalene	90.1 163 ND 102 9.07 22.0 14.6	12.2 6.55 15.2 9.52 7.74 16.5 3.16	16.5 16.5 16.5 16.5 16.5 16.5	n n n	n	" " " " " " " " " " " " " " " " " " " "	" " " " " " " " " " " " " " " " " " " "	11 11 11 11 11 11	" " " " " " " " " " " " " " " " " " "	
Benzo (g,h,i) perylene Benzo (a) pyrene Chrysene Dibenz (a,h) anthracene Fluoranthene Fluorene Indeno (1,2,3-cd) pyrene Naphthalene Phenanthrene	90.1 163 ND 102 9.07 22.0 14.6 32.5	12.2 6.55 15.2 9.52 7.74 16.5 3.16 6.93	16.5 16.5 16.5 16.5 16.5 16.5 16.5	n n n	n	n n n n n n n n n n n n n n n n n n n	n n n n n n n n n n n n n n n n n n n	11 11 11 11 11 11	11 11 11 11	1

Project Name: Levin-Richmond Terminal

Polynuclear Aromatic Compounds by GC/MS SIMS

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
LRT-S01-02 (0812170-02) Sediment	Sample	d: 12/01/0	8 12:30 Re	ceived: 12/0	4/08 10:3	38			-	
Surrogate: 2-Fluorobiphenyl		53 %	30-1	115		8120430	12/05/08	12/12/08	GC/MS SIMS	
Surrogate: Terphenyl-dl4		<i>72 %</i>	18-1	137		"	n	"	"	
LRT-S01-03 (0812170-03) Sediment	Sample	d: 12/01/0	8 11:50 Re	ceived: 12/0	4/08 10:3	38				
Acenaphthene	95.0	6.29	17.5	ug/kg dry	1	8120430	12/05/08	12/12/08	GC/MS SIMS	
Acenaphthylene	ND	8.18	17.5	"	"	"	"	**	Ħ	
Anthracene	100	11.0	17.5	**	"	"	**	"	Ħ	
Benzo (a) anthracene	72.8	11.7	17.5	"	"	"	11	**	Ħ	
Benzo (b) fluoranthene	80.6	15.5	17.5	**	"	"	11	**	11	
Benzo (k) fluoranthene	32.5	12.0	17.5	**	**	**	#	Ħ	Ħ	
Benzo (g,h,i) perylene	ND	17.0	17.5	**		**	H	"	#	
Benzo (a) pyrene	62.2	12.9	17.5	H	**		"	**	"	
Chrysene	112	6.92	17.5	**	**		Ħ	**	11	
Dibenz (a,h) anthracene	ND	16.0	17.5	"	**	U	**	•	11	
Fluoranthene	256	10.1	17.5	**	**	**	u u	**	11	
Fluorene	75.5	8.18	17.5	11	**	**	**	**	"	
Indeno (1,2,3-cd) pyrene	ND	17.5	17.5	"	**	17	**	Ħ	"	
Naphthalene	87.0	3.34	17.5	"	**	**	n	Ħ	"	
Phenanthrene	170	7.33	17.5	"	**	n	**	Ħ	11	
Pyrene	261	10.6	17.5	"	**	11	"	n	"	
Total PAHs	1410	17.5	17.5	***	"	11	"	"	**	
Surrogate: Nitrobenzene-d5		43 %	23-1	20		"	"	"	11	
Surrogate: 2-Fluorobiphenyl		54 %	30-1	115		"	"	"	"	
Surrogate: Terphenyl-dl4		61 %	18-1	137		"	n	"	"	

Project Name: Levin-Richmond Terminal

Polynuclear Aromatic Compounds by GC/MS SIMS

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
LRT-S01-04 (0812170-04) Sedimen	t Sampled	l: 12/01/0	8 10:45 Re	ceived: 12/0	4/08 10:38	3 ,				
Acenaphthene	ND	9.55	26.5	ug/kg dry	ī	8120430	12/05/08	12/12/08	GC/MS SIMS	
Acenaphthylene	ND	12.4	26.5	"	**	**	"	11	Ħ	
Anthracene	ND	16.7	26.5	"	**	"	W	**	Ħ	
Benzo (a) anthracene	29.9	17.7	26.5	"	"	"	n	11	11	
Benzo (b) fluoranthene	43.8	23.6	26.5	"	**	**	tt	11	11	
Benzo (k) fluoranthene	ND	18.1	26.5	"	"		'n	11	n	
Benzo (g,h,i) perylene	ND	25.8	26.5	**		"	"	**	n	
Benzo (a) pyrene	35.3	19.6	26.5	"	**	**	"	11	n	
Chrysene	59.4	10.5	26.5	**	"	"	"		tt	
Dibenz (a,h) anthracene	ND	24.4	26.5	"	11	**	**	**	"	
Fluoranthene	76.8	15.3	26.5	"	**	•	**	"	"	
Fluorene	ND	12.4	26.5	"	**	"	**	**	Ħ	
Indeno (1,2,3-cd) pyrene	ND	26.5	26.5	H	н	H	**	n	**	
Naphthalene	8.78	5.07	26.5	"	**	**	11	**	#	J
Phenanthrene	21.3	11.1	26.5	**		**	**	Ħ	**	J
Pyrene	120	16.1	26.5	"	**	н	"	**	11	
Total PAHs	396	26.5	26.5	11	**	11	"	#	"	
Surrogate: Nitrobenzene-d5		47 %	23-	120		"	"	"	"	
Surrogate: 2-Fluorobiphenyl		57%	30-	115		"	"	"	"	
Surrogate: Terphenyl-dl4		56 %	18-1	137		"	n	"	n .	
LRT-S01-Z Layer Comp (0812170-	05) Sedime	nt Sam	oled: 12/01/	08 10·45 R		2/04/09 1	0.20			
A				00 10.45 10	eceivea: 1	4/U4/U0 I	0.30			
Acenaphthene	21.3	4.80	13.3	ug/kg dry	l l	8120430	12/05/08	12/12/08	GC/MS SIMS	
Acenaphthene Acenaphthylene	21.3 ND							12/12/08	GC/MS SIMS	
_		4.80	13.3		1	8120430	12/05/08			
Acenaphthylene	ND	4.80 6.24	13.3 13.3	ug/kg dry "	1	8120430	12/05/08	"	•	
Acenaphthylene Anthracene	ND 17.6	4.80 6.24 8.40	13.3 13.3 13.3	ug/kg dry "	1	8120430	12/05/08	"	"	
Acenaphthylene Anthracene Benzo (a) anthracene Benzo (b) fluoranthene	ND 17.6 18.1	4.80 6.24 8.40 8.89	13.3 13.3 13.3 13.3	ug/kg dry " "	1 " "	8120430	12/05/08	11 11	" "	J
Acenaphthylene Anthracene Benzo (a) anthracene Benzo (b) fluoranthene Benzo (k) fluoranthene	ND 17.6 18.1 24.1	4.80 6.24 8.40 8.89 11.9 9.12	13.3 13.3 13.3 13.3 13.3 13.3	ug/kg dry " " "	1	8120430	12/05/08	11 11 11	" " " "	J
Acenaphthylene Anthracene Benzo (a) anthracene Benzo (b) fluoranthene Benzo (k) fluoranthene Benzo (g,h,i) perylene	ND 17.6 18.1 24.1 10.5 ND	4.80 6.24 8.40 8.89 11.9 9.12 13.0	13.3 13.3 13.3 13.3 13.3 13.3 13.3	ug/kg dry " " " "	1	8120430	12/05/08	11 11 11 11	11 11 11	J
Acenaphthylene Anthracene Benzo (a) anthracene Benzo (b) fluoranthene Benzo (k) fluoranthene Benzo (g,h,i) perylene Benzo (a) pyrene	ND 17.6 18.1 24.1 10.5 ND 17.5	4.80 6.24 8.40 8.89 11.9 9.12 13.0 9.84	13.3 13.3 13.3 13.3 13.3 13.3 13.3 13.3	ug/kg dry " " " " "	1 " " " " " " " " " " " " " " " " " " "	8120430	12/05/08	"" "" "" "" "" "" "" "" "" "" "" "" ""	n n n	J
Acenaphthylene Anthracene Benzo (a) anthracene Benzo (b) fluoranthene Benzo (k) fluoranthene Benzo (g,h,i) perylene Benzo (a) pyrene Chrysene	ND 17.6 18.1 24.1 10.5 ND 17.5 29.8	4.80 6.24 8.40 8.89 11.9 9.12 13.0 9.84 5.28	13.3 13.3 13.3 13.3 13.3 13.3 13.3 13.3	ug/kg dry " " " " " "	1	8120430	12/05/08	" " " " " " " "	" " " " " " "	J
Acenaphthylene Anthracene Benzo (a) anthracene Benzo (b) fluoranthene Benzo (k) fluoranthene Benzo (g,h,i) perylene Benzo (a) pyrene Chrysene Dibenz (a,h) anthracene	ND 17.6 18.1 24.1 10.5 ND 17.5 29.8 ND	4.80 6.24 8.40 8.89 11.9 9.12 13.0 9.84 5.28 12.2	13.3 13.3 13.3 13.3 13.3 13.3 13.3 13.3	ug/kg dry " " " " " " "	1	8120430	12/05/08	" " " " " " "	n n n n	J
Acenaphthylene Anthracene Benzo (a) anthracene Benzo (b) fluoranthene Benzo (k) fluoranthene Benzo (g,h,i) perylene Benzo (a) pyrene Chrysene Dibenz (a,h) anthracene Fluoranthene	ND 17.6 18.1 24.1 10.5 ND 17.5 29.8 ND 57.2	4.80 6.24 8.40 8.89 11.9 9.12 13.0 9.84 5.28 12.2 7.68	13.3 13.3 13.3 13.3 13.3 13.3 13.3 13.3	ug/kg dry " " " " " " "	1 " " " " " " " " " " " " " " " " " " "	8120430	12/05/08	"" "" "" "" "" "" "" "" "" "" "" "" ""	n n n n	J
Acenaphthylene Anthracene Benzo (a) anthracene Benzo (b) fluoranthene Benzo (k) fluoranthene Benzo (g,h,i) perylene Benzo (a) pyrene Chrysene Dibenz (a,h) anthracene Fluoranthene Fluorene	ND 17.6 18.1 24.1 10.5 ND 17.5 29.8 ND 57.2 17.8	4.80 6.24 8.40 8.89 11.9 9.12 13.0 9.84 5.28 12.2 7.68 6.24	13.3 13.3 13.3 13.3 13.3 13.3 13.3 13.3	ug/kg dry " " " " " " " "	1 " " " " " " " " " " " " " " " " " " "	8120430	12/05/08	"" "" "" "" "" "" "" "" "" "" "" "" ""	n n n n n n n n n n n n n n n n n n n	J
Acenaphthylene Anthracene Benzo (a) anthracene Benzo (b) fluoranthene Benzo (k) fluoranthene Benzo (g,h,i) perylene Benzo (a) pyrene Chrysene Dibenz (a,h) anthracene Fluoranthene Fluorene Indeno (1,2,3-cd) pyrene	ND 17.6 18.1 24.1 10.5 ND 17.5 29.8 ND 57.2 17.8	4.80 6.24 8.40 8.89 11.9 9.12 13.0 9.84 5.28 12.2 7.68 6.24 13.3	13.3 13.3 13.3 13.3 13.3 13.3 13.3 13.3	ug/kg dry " " " " " " " " "	1 """""""""""""""""""""""""""""""""""""	8120430	12/05/08	"" "" "" "" "" "" "" "" "" "" "" "" ""	n n n n n n n n n n n n n n n n n n n	J
Acenaphthylene Anthracene Benzo (a) anthracene Benzo (b) fluoranthene Benzo (k) fluoranthene Benzo (g,h,i) perylene Benzo (a) pyrene Chrysene Dibenz (a,h) anthracene Fluoranthene Fluorene Indeno (1,2,3-cd) pyrene Naphthalene	ND 17.6 18.1 24.1 10.5 ND 17.5 29.8 ND 57.2 17.8 ND 41.5	4.80 6.24 8.40 8.89 11.9 9.12 13.0 9.84 5.28 12.2 7.68 6.24 13.3 2.55	13.3 13.3 13.3 13.3 13.3 13.3 13.3 13.3	ug/kg dry		8120430	12/05/08	"" "" "" "" "" "" "" "" "" "" "" "" ""	" " " " " " " " " " " " " " " "	J
Acenaphthylene Anthracene Benzo (a) anthracene Benzo (b) fluoranthene Benzo (k) fluoranthene Benzo (g,h,i) perylene Benzo (a) pyrene Chrysene Dibenz (a,h) anthracene Fluoranthene Fluorene Indeno (1,2,3-cd) pyrene Naphthalene Phenanthrene	ND 17.6 18.1 24.1 10.5 ND 17.5 29.8 ND 57.2 17.8 ND 41.5 51.1	4.80 6.24 8.40 8.89 11.9 9.12 13.0 9.84 5.28 12.2 7.68 6.24 13.3 2.55 5.59	13.3 13.3 13.3 13.3 13.3 13.3 13.3 13.3	ug/kg dry		8120430	12/05/08	"" "" "" "" "" "" "" "" "" "" "" "" ""	" " " " " " " " " " " " " " " " " " "	J
Acenaphthylene Anthracene Benzo (a) anthracene Benzo (b) fluoranthene Benzo (k) fluoranthene Benzo (g,h,i) perylene Benzo (a) pyrene Chrysene Dibenz (a,h) anthracene Fluoranthene Fluorene Indeno (1,2,3-cd) pyrene Naphthalene	ND 17.6 18.1 24.1 10.5 ND 17.5 29.8 ND 57.2 17.8 ND 41.5	4.80 6.24 8.40 8.89 11.9 9.12 13.0 9.84 5.28 12.2 7.68 6.24 13.3 2.55	13.3 13.3 13.3 13.3 13.3 13.3 13.3 13.3	ug/kg dry	1 " " " " " " " " " " " " " " " " " " "	8120430	12/05/08	"" "" "" "" "" "" "" "" "" "" "" "" ""	" " " " " " " " " " " " " " " " " " "	J
Acenaphthylene Anthracene Benzo (a) anthracene Benzo (b) fluoranthene Benzo (k) fluoranthene Benzo (g,h,i) perylene Benzo (a) pyrene Chrysene Dibenz (a,h) anthracene Fluoranthene Fluorene Indeno (1,2,3-cd) pyrene Naphthalene Phenanthrene Pyrene	ND 17.6 18.1 24.1 10.5 ND 17.5 29.8 ND 57.2 17.8 ND 41.5 51.1	4.80 6.24 8.40 8.89 11.9 9.12 13.0 9.84 5.28 12.2 7.68 6.24 13.3 2.55 5.59 8.11	13.3 13.3 13.3 13.3 13.3 13.3 13.3 13.3	ug/kg dry		8120430	12/05/08	"" "" "" "" "" "" "" "" "" "" "" "" ""		J

Project Name: Levin-Richmond Terminal

EMA Log #: 0812170

Polynuclear Aromatic Compounds by GC/MS SIMS

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
LRT-S01-Z Layer Comp (0812	170-05) Sedime	nt Sam	pled: 12/01/08	8 10:45 F	Received: 1	2/04/08 1	0:38			
Surrogate: Terphenyl-dl4		67 %	18-13	3 <i>7</i>		8120430	12/05/08	12/12/08	GC/MS SIMS	

Project Name: Levin-Richmond Terminal

EMA Log #: 0812170

Conventional Chemistry Parameters by Standard/EPA Methods

Analyte	Result	MDL	Reporti Limi		Dilution	Batch	Prepared	Analyzed	Method	Note
LRT-S01-01 (0812170-01) Sediment	Sampled	: 12/01/0	8 14:00	Received: 12	/04/08 10:3	8		1.		
% Solids	62.7	0.1	0.1	%	1	8121226	12/12/08	12/15/08	SM 2540 G	
LRT-S01-02 (0812170-02) Sediment	Sampled	: 12/01/0	8 12:30	Received: 12	/04/08 10:3	8				
% Solids	60.5	0.1	0.1	%	1	8121226	12/12/08	12/15/08	SM 2540 G	
LRT-S01-03 (0812170-03) Sediment	Sampled	: 12/01/0	8 11:50	Received: 12	/04/08 10:3	8		<u></u>		
% Solids	57.2	0.1	0.1	%	1	8121226	12/12/08	12/15/08	SM 2540 G	
LRT-S01-04 (0812170-04) Sediment	Sampled	: 12/01/0	8 10:45	Received: 12	/04/08 10:3	8				
% Solids	37.7	0.1	0.1	%	1	8121226	12/12/08	12/15/08	SM 2540 G	
LRT-S01-Z Layer Comp (0812170-05	5) Sedimer	ıt Sam	pled: 12/	01/08 10:45	Received:	12/04/08 1	0:38			
% Solids	75.0	0.1	0.1	%	1	8121226	12/12/08	12/15/08	SM 2540 G	-

Project Name: Levin-Richmond Terminal

EMA Log #: 0812170

Organotin Compounds by GC - FPD

LRT-S01-01 (0812170-01) Sediment Sampled: 12/01/08 14:00 Received: 12/04/08 10:38 Tetrabutyltin ND 1.42 1.59 ug/kg dry 1 8120429 12/04/08 12/12 Tributyltin ND 1.58 1.59 " " " " " " " Dibutyltin ND 1.83 3.19 " " " " " " " Monobutyltin ND 0.88 3.19 " " " " " " " Total Organotins ND 1.42 1.59 " " " " " " Surrogate: Tripentyltin 93 % 65-132 " " " " Surrogate: Tri-n-propyltin 4040 % 65-140 " " " "	, n	GC-05
Tributyltin ND 1.58 1.59 "	, n	PD
Dibutyltin ND 1.38 1.39 Dibutyltin ND 1.83 3.19 " " " " " " " " " Total Organotins ND 1.42 1.59 " " " " " " " " " " " " " " " " " " "	11	
Monobutyltin ND 0.88 3.19 "		
Total Organotins ND 1.42 1.59 " " " "		
Surrogate: Tripentyltin 93 % 65-132 " " "		
Surrogale: 1ripentyttin 95 % 05-152		
Surrogate: Tri-n-propyltin 4040 % 65-140 " " "	, ,,	
	, ,,	S-02, S-04
LRT-S01-02 (0812170-02) Sediment Sampled: 12/01/08 12:30 Received: 12/04/08 10:38		GC-05
Tetrabutyltin ND 1.47 1.65 ug/kg dry 1 8120429 12/04/08 12/12	2/08 GC - FF	ď
Tributyltin ND 1.64 1.65 " " " " "	11	
Dibutyltin ND 1.90 3.31 " " " "		
Monobutyltin ND 0.91 3.31 " " " "	•	
Total Organotins ND 1.47 1.65 " " " " "		
Surrogate: Tripentyltin 105 % 65-132 " " "	"	
Surrogate: Tri-n-propyltin 1350 % 65-140 " " "	, ,,	S-02, S-04
LRT-S01-03 (0812170-03) Sediment Sampled: 12/01/08 11:50 Received: 12/04/08 10:38		GC-05
Tetrabutyltin ND 1.56 1.75 ug/kg dry 1 8120429 12/04/08 12/12	2/08 GC - FP	'D
Tributyltin ND 1.73 1.75 " " " " "		
Dibutyltin ND 2.01 3.50 " " " " "		
Monobutyltin ND 0.96 3.50 " " " " "	•	
Total Organotins ND 1.56 1.75 " " " " "	n	
Surrogate: Tripentyltin 106% 65-132 " " "	, "	
Surrogate: Tri-n-propyltin 1570 % 65-140 " " "	, ,,	S-02, S-04

Project Name: Levin-Richmond Terminal

EMIA Log #: 0812170

Organotin Compounds by GC - FPD

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
LRT-S01-04 (0812170-04) Sediment	Sample	d: 12/01/0	8 10:45 Re	ceived: 12/0	4/08 10:3	8				GC-05
Tetrabutyltin	ND	2.36	2.65	ug/kg dry	1	8120429	12/04/08	12/12/08	GC - FPD	
Tributyltin	ND	2.63	2.65	**	"	**	H	"	**	
Dibutyltin	ND	3.05	5.31	**	"	"	11	. "	"	
Monobutyltin	ND	1.46	5.31	"	**	**	**	"	**	
Total Organotins	ND	2.36	2.65	"	**	11	"		"	
Surrogate: Tripentyltin		99 %	65-1	32		"	"	"	"	
Surrogate: Tri-n-propyltin		554 %	65-1	40		"	"	"	"	S-02, S-04
LRT-S01-Z Layer Comp (0812170-0	5) Sedim	ent Sam	pled: 12/01/()8 10:45 R	eceived: 1	12/04/08 1	0:38			GC-05
Tetrabutyltin	ND	1.19	1.33	ug/kg dry	1	8120429	12/04/08	12/12/08	GC - FPD	
Tributyltin	ND	1.32	1.33	**	"	"	"	"	"	
Dibutyltin	ND	1.53	2.67		**	**	"	**	**	
Monobutyltin	ND	0.73	2.67	"	**	"	"	**	**	
Total Organotins	ND	1.19	1.33	"	"			#		·····
Surrogate: Tripentyltin		111 %	65-1	32		"	"	"	"	
Surrogate: Tri-n-propyltin		134 %	65-1	40		"	"	· "	"	

Project Name: Levin-Richmond Terminal

EMA Log #: 0812170

Total Metals by EPA 6000/7000 Series Methods - Quality Control

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 8121609						<u>, e u u</u>					
Blank (8121609-BLK1)					Prepared &	& Analyze	ed: 12/16/0	08			
Mercury	ND	0.010	0.010	mg/kg wet	-						
LCS (8121609-BS1)					Prepared &	& Analyze	ed: 12/16/0	08			
Mercury	0.200	0.010	0.010	mg/kg wet	0.200		100	75-125			
LCS Dup (8121609-BSD1)					Prepared &	& Analyze	ed: 12/16/0	08			
Mercury	0.200	0.010	0.010	mg/kg wet			100	75-125	0	20	
Duplicate (8121609-DUP1)		Sour	ce: 08121	70-02	Prepared &	& Analyze	ed: 12/16/0	08			
Mercury	0.207	0.017	0.017	mg/kg dry	Tropulou	0.241			15	20	
Matrix Spike (8121609-MS1)		Sour	ce: 08121	70-02	Prepared &	& Analyza	ed: 12/16/0	08			
Mercury	0.583	0.017	0.017	mg/kg dry	0.331	0.241	104	75-125	****		
Matrix Spike Dup (8121609-MSD1)		Sour	ce: 08121	70_02	Prepared &	& Analyz	ed: 12/16/0	าร			
Mercury	0.615	0.017	0.017	mg/kg dry	0.331	0.241	113	75-125	5	20	
D 4 1 0101014											
Batch 8121914											
Blank (8121914-BLK1)					Prepared o	& Analyz	ed: 12/19/0	08			
Nickel	ND	0.200	1.00	mg/kg wet							
Silver	ND	0.100	0.100	"							
Cadmium	ND	0.100	0.100	11							
Chromium	ND	0.400	1.00	**							
Arsenic	ND	0.200	0.500	11							
Copper	ND	0.400	0.500	"							
Lead	ND	0.100	0.500	11							
Selenium	ND	0.00400	0.0500	#							
Zinc	ND	2.20	5.00	**							

EMA Log #: 0812170 Client Name: Pacific Ecorisk

Project Name: Levin-Richmond Terminal

Total Metals by EPA 6000/7000 Series Methods - Quality Control

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 8121914								1	,	-	
LCS (8121914-BS1)					Prepared	& Analyze	ed: 12/19/0	08			
Zinc	8.28	2.20	5.00	mg/kg wet	10.0		83	75-125			
Nickel	9.63	0.200	1.00	"	10.0		96	75-125			
Arsenic	8.63	0.200	0.500	"	10.0		86	75-125			
Chromium	10.0	0.400	1.00	"	10.0		100	75-125			
Copper	9.49	0.400	0.500	11	10.0		95	75-125			
Lead	10.6	0.100	0.500	"	10.0		106	75-125			
Silver	9.48	0.100	0.100	17	10.0		95	75-125			
Cadmium	8.83	0.100	0.100	"	10.0		88	75-125			
Selenium	8.30	0.00400	0.0500	"	10.0		83	75-125			
LCS Dup (8121914-BSD1)					Prepared	& Analyze	ed: 12/19/0	08			
Chromium	9.90	0.400	1.00	mg/kg wet	10.0		99	75-125	1	20	
Selenium	8.05	0.00400	0.0500	11	10.0		81	75-125	3	20	
Silver	9.81	0.100	0.100	11	10.0		98	75-125	3	20	
Arsenic	8.59	0.200	0.500	**	10.0		86	75-125	0.5	20	
Lead	10.4	0.100	0.500	. "	10.0		104	75-125	2	20	
Nickel	9.55	0.200	1.00	"	10.0		96	75-125	0.8	20	
Cadmium	8.83	0.100	0.100	"	10.0	•	88	75-125	0.06	20	
Zinc	8.29	2.20	5.00	ij	10.0		83	75-125	0.02	20	
Copper	9.49	0.400	0.500	u	10.0		95	75-125	0.06	20	
Duplicate (8121914-DUP1)		Sour	ce: 08121	70-05	Prepared	& Analyze	ed: 12/19/0	08			
Nickel	48.3	0.267	1.33	mg/kg dry		47.2			2	20	
Arsenic	4.04	0.267	0.667	"		2.62			43	20	QR-02
Cadmium	0.392	0.133	0.133	"		0.669			52	20	QR-0
Chromium	51.1	0.533	1.33	"		47.4			8	20	
Selenium	0.184	0.00533	0.0667	11		0.201			9	20	
Silver	ND	0.133	0.133	n		ND		1		20	
Zinc	67.7	2.93	6.67	**		60.7			11	20	
Copper	22.0	0.533	0.667	. "		93.4			124	20	QR-02
Lead	11.2	0.133	0.667	n		19.8			55	20	QR-0

Project Name: Levin-Richmond Terminal

EMA Log #: 0812170

Total Metals by EPA 6000/7000 Series Methods - Quality Control

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 8121914											
Matrix Spike (8121914-MS1)		Sour	ce: 08121	70-05	Prepared	& Analyze	ed: 12/19/0	08			
Zinc	84.6	2.93	6.67	mg/kg dry	13.3	60.7	179	75-125			QM-06
Nickel	61.1	0.267	1.33	"	13.3	47.2	104	75-125			
Chromium	65.9	0.533	1.33	"	13.3	47.4	139	75-125			QM-06
Cadmium	12.0	0.133	0.133	"	13.3	0.669	85	75-125		•	E.
Silver	12.0	0.133	0.133	n	13.3	ND	90	75-125			
Arsenic	13.4	0.267	0.667	11	13.3	2.62	81	75-125			
Copper	32.7	0.533	0.667	"	13.3	93.4	NR	75-125			QM-06
Selenium	11.1	0.00533	0.0667	"	13.3	0.201	82	75-125			
Lead	24.3	0.133	0.667	**	13.3	19.8	34	75-125			QM-06
Matrix Spike Dup (8121914-MSD1)		Sour	ce: 08121	70-05	Prepared	& Analyze	ed: 12/19/0)8			
Nickel	65.5	0.267	1.33	mg/kg dry	13.3	47.2	137	75-125	7	20	QM-06
Selenium	11.7	0.00533	0.0667	**	13.3	0.201	86	75-125	5	20	
Cadmium	11.7	0.133	0.133		13.3	0.669	82	75-125	3	20	
Zinc	76.6	2.93	6.67	**	13.3	60.7	119	75-125	10	20	
Arsenic	14.9	0.267	0.667	11	13.3	2.62	92	75-125	11	20	
Silver	11.8	0.133	0.133	н	13.3	ND	89	75-125	1 .	20	
Lead	22.5	0.133	0.667	н	13.3	19.8	21	75-125	7	20	QM-06
Copper	33.2	0.533	0.667	Ħ	13.3	93.4	NR	75-125	2	20	QM-06
Chromium	63.7	0.533	1.33	"	13.3	47.4	123	75-125	3	20	•

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Analytical, Inc.

Project Name: Levin-Richmond Terminal

Sediment Chemistry Methodologies (reported in dry weight) - Quality Control

			Reporting		Spike	Source		%REC		RPD	
Analyte	Result	MDL	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch 8120909							***				
Blank (8120909-BLK1)					Prepared	& Analyze	ed: 12/09/	08			
Total Organic Carbon	ND	0.010	0.010	% dry							
LCS (8120909-BS1)					Prepared of	& Analyze	ed: 12/09/	08			
Total Organic Carbon	0.053	0.010	0.010	% dry	0.0500		105	80-120			
LCS Dup (8120909-BSD1)					Prepared	& Analyze	ed: 12/09/	08			
Total Organic Carbon	0.050	0.010	0.010	% dry	0.0500		100	80-120	5	20	
Duplicate (8120909-DUP1)		Sou	rce: 081217	70-01	Prepared	& Analyze	ed: 12/09/	08			
Total Organic Carbon	1.95	0.010	0.010	% dry		1.86			5	20	
Matrix Spike (8120909-MS1)		Sou	rce: 081217	70-01	Prepared	& Analyzo	ed: 12/09/	08			
Total Organic Carbon	2.85	0.010	0.010	% dry	0.0500	1.86	NR	80-120			QM-4X
Matrix Spike Dup (8120909-MSD1)		Sou	rce: 081217	70-01	Prepared	& Analyzo	ed: 12/09/	08			
Total Organic Carbon	1.92	0.010	0.010	% dry	0.0500	1.86	136	80-120	39	20	QM-4X

Project Name: Levin-Richmond Terminal

Organochlorine Pesticides by EPA Method 8081A - Quality Control

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 8120521											
Blank (8120521-BLK1)					Prepared:	12/05/08	Analyzed	: 12/12/08			
Aldrin	ND	0.10	0.40	ug/kg wet							
alpha-BHC	ND	0.05	0.40	"							
beta-BHC	ND	0.09	0.40	11							
gamma-BHC (Lindane)	ND	0.07	0.40	"							
delta-BHC	ND	0.08	0.40	**							
Total BHCs	ND	0.05	0.40	Ħ							
Chlordane (Total)	ND	0.95	1.02	n							
2,4'-DDD	ND	0.24	0.40	"							
4,4'-DDD	ND	0.10	0.40	n							
2,4'-DDE	ND	0.22	0.40	"							
4,4'-DDE	ND	0.09	0.40	**							
2,4'-DDT	ND	0.40	0.40	"							
4,4'-DDT	ND	0.06	0.40	**							,
Total DDT	ND	0.06	0.40	"							
Dieldrin	ND	0.09	0.40	,,							
Endosulfan I	ND	0.08	0.40	**							
Endosulfan II	ND	0.15	0.40	11							
Endosulfan sulfate	ND	0.10	0.40	n							
Endrin	ND	0.10	0.40	"							
Endrin aldehyde	ND	0.06	0.40	11							
Heptachlor	ND	0.14	0.40	11							
Heptachlor epoxide	ND	0.14	0.40	"							
Methoxychlor	ND	0.15	0.80	n							
Toxaphene	ND	3.52	4.96	u .							
Surrogate: TCMX	5.94			"	6.67		89	26-146			
LCS (8120521-BS1)					Prepared:	12/05/08	Analyzed	: 12/12/08			
Aldrin	16.0	0.26	1.00	ug/kg wet	16.7		96	42-122			
gamma-BHC (Lindane)	15.8	0.18	1.00	"	16.7		95	32-127			
4,4´-DDT	18.0	0.16	1.00	**	16.7		108	25-160			
Dieldrin .	16.7	0.24	1.00	"	16.7		100	36-146			
Endrin	17.6	0.24	1.00	"	16.7		106	30-147			
Heptachlor	17.8	0.36	1.00	11	16.7	•	107	34-111			
Surrogate: TCMX	13.9			n	16.7		83	26-146			

Project Name: Levin-Richmond Terminal

Organochlorine Pesticides by EPA Method 8081A - Quality Control

		1.457	Reporting	TT 1.	Spike	Source	0/255	%REC	DPD	RPD	N 7 -
Analyte	Result	MDL	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Note
Batch 8120521											
LCS Dup (8120521-BSD1)					Prepared:	12/05/08	Analyzed	12/12/08			
Aldrin	17.1	0.26	1.00	ug/kg wet	16.7		102	42-122	6	30	
gamma-BHC (Lindane)	17.0	0.18	1.00	"	16.7		102	32-127	7	30	
4,4'-DDT	18.8	0.16	1.00	11	16.7		113	25-160	4	30	
Dieldrin	18.2	0.24	1.00	11	16.7		109	36-146	9	30	
Endrin	18.8	0.24	1.00	н	16.7		113	30-147	7	30	
Heptachlor	17.3	0.36	1.00	"	16.7		104	34-111	3	30	
Surrogate: TCMX	14.5			"	16.7		87	26-146	,		
Duplicate (8120521-DUP1)		Sou	rce: 08121	70-01	Prepared:	12/05/08	Analyzed	: 12/16/08			
Aldrin	ND	0.16	0.64	ug/kg dry	•	ND				30	
alpha-BHC	ND	0.09	0.64	"		ND				30	
beta-BHC	ND	0.14	0.64	**		ND				30	
gamma-BHC (Lindane)	ND	0.11	0.64	"		ND				30	
delta-BHC	ND	0.13	0.64	"		ND				30	
Total BHCs	ND	0.09	0.64	**		ND				30	
Chlordane (Total)	ND	1.52	1.63	11		ND				30	
2,4'-DDD	142	19.5	31.9	11		72.7			64	30	QR-0
4,4'-DDD	674	7.81	31.9	**		302			76	30	QR-0
2,4'-DDE	ND	17.2	31.9	**		ND				30	
4,4'-DDE	132	7.50	31.9	**		116			14	30	
2,4'-DDT	ND	31.9	31.9	**		ND				30	
4,4'-DDT	336	5.10	31.9	n		41.5			156	30	QR-0
Total DDT	1280	5.10	31.9	Ħ		532			83	30	QR-0
Dieldrin	42.3	7.50	31.9	"		33.5			23	30	
Endosulfan I	ND	0.13	0.64	"		ND				30	
Endosulfan II	ND	0.24	0.64	**		ND				30	
Endosulfan sulfate	ND	0.15	0.64	11		ND				30	
Endrin	ND	0.16	0.64	**		ND				30	
Endrin aldehyde	ND	0.10	0.64	"		ND				30	
Heptachlor	ND	0.23	0.64	. "		ND		•		30	
Heptachlor epoxide	ND	0.22	0.64	"		ND				30	
Methoxychlor	ND	0.24	1.28	н		ND				30	
Toxaphene	ND	5.61		"		ND				30	
Surrogate: TCMX	9.23	•		,,	10.6		87	26-146			

Project Name: Levin-Richmond Terminal

EMA Log #: 0812170

Organochlorine Pesticides by EPA Method 8081A - Quality Control

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 8120521							<u> </u>				
Matrix Spike (8120521-MS1)		Sou	rce: 08121	70-02	Prepared:	12/05/08	Analyzed	1: 12/17/08			
Aldrin	22.1	2.11	8.26	ug/kg dry	27.5	ND	80	42-122			
gamma-BHC (Lindane)	22.1	1.45	8.26	**	27.5	ND	80	32-127			
4,4´-DDT	21.5	1.32	8.26		27.5	2.42	69	25-160			
Dieldrin	23.7	1.94	8.26	. "	27.5	2.27	78	36-146			
Endrin	24.1	2.02	8.26	**	27.5	ND	88	30-147			
Heptachlor	24.6	2.93	8.26	**	27.5	ND	89	34-111			
Surrogate: TCMX	20.3			"	27.5	· ·	74	26-146			
Matrix Spike Dup (8120521-MSD1)		Sou	ırce: 08121'	70-02	Prepared:	12/05/08	Analyzed	1: 12/17/08			
Aldrin	22.5	2.11	8.26	ug/kg dry	27.5	ND	82	42-122	2	30	
gamma-BHC (Lindane)	23.3	1.45	8.26	**	27.5	ND	85	32-127	6	30	
4,4'-DDT	25.6	1.32	8.26	"	27.5	2.42	84	25-160	17	30	
Dieldrin	26.7	1.94	8.26	"	27.5	2.27	89	36-146	12	30	
Endrin	28.4	2.02	8.26	**	27.5	ND	103	30-147	16	30	
Heptachlor	25.6	2.93	8.26	"	27.5	ND	93	34-111	4	30	
Surrogate: TCMX	23.6			n	27.5		86	26-146			

Project Name: Levin-Richmond Terminal

Polychlorinated Biphenyls by EPA Method 8082 - Quality Control

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 8120521								11			
Blank (8120521-BLK1)					Prepared:	12/05/08	Analyzed:	12/12/08			
Aroclor 1016	ND	0.94	4.00	ug/kg wet							
Aroclor 1221	ND	0.94	4.00	11				•			
Aroclor 1232	ND	0.94	4.00	11							
Aroclor 1242	ND	0.94	4.00	н							
Aroclor 1248	ND	0.94	4.00	**	•						
Aroclor 1254	ND	0.94	4.00	n							
Aroclor 1260	ND	0.94	4.00	**							
Total Aroclors	ND	0.94	4.00	11	,						
Surrogate: TCMX	5.94			"	6.67		89	26-146			
LCS (8120521-BS2)					Prepared:	12/05/08	Analyzed:	12/12/08			
Aroclor 1260	135	2.34	10.0	ug/kg wet	167		81	8-127			
Surrogate: TCMX	12.8			n	16.7		77	26-146			
LCS Dup (8120521-BSD2)					Prepared:	12/05/08	Analyzed:	12/12/08			
Aroclor 1260	130	2.34	10.0	ug/kg wet	167		78	8-127	4	30	
Surrogate: TCMX	12.1			"	16.7		73	26-146			
Duplicate (8120521-DUP1)		Sou	rce: 08121	70-01	Prepared:	12/05/08	Analyzed:	12/12/08			
Aroclor 1016	ND	1.49	6.38	ug/kg dry		ND				30	
Aroclor 1221	ND	1.49	6.38	Ħ		ND				30	
Aroclor 1232	ND	1.49	6.38	**		ND				30	
Arocior 1242	ND	1.49	6.38	11		ND				30	
Aroclor 1248	ND	1.49	6.38	H		ND				30	
Aroclor 1254	ND	1.49	6.38	Ħ		ND				30	
Aroclor 1260	ND	1.49	6.38	n		ND				30	
Total Aroclors	ND	1.49	6.38	**		ND				30	
Surrogate: TCMX	9.23			"	10.6		87	26-146			

Project Name: Levin-Richmond Terminal

EMA Log #: 0812170

Polychlorinated Biphenyls by EPA Method 8082 - Quality Control

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 8120521											
Matrix Spike (8120521-MS2)		Sou	rce: 08121	70-04	Prepared:	12/05/08	Analyzed	: 12/17/08			
Aroclor 1260	462	24.8	106	ug/kg dry	442	ND	104	8-127			
Surrogate: TCMX	27.3			"	44.2		62	26-146			
Matrix Spike Dup (8120521-MSD2)		Sou	rce: 08121	70-04	Prepared:	12/05/08	Analyzed	: 12/17/08			
Aroclor 1260	561	24.8	106	ug/kg dry	442	ND	127	8-127	20	30	
Surrogate: TCMX	28.4			"	44.2		64	26-146			
Batch 9011206											- · ·
Blank (9011206-BLK1)					Prepared:	01/12/09	Analyzed	l: 01/14/09			
Aroclor 1016	ND	0.94	4.00	ug/kg wet							
Aroclor 1221	ND	0.94	4.00	Ħ							
Aroclor 1232	ND	0.94	4.00	H							
Aroclor 1242	ND	0.94	4.00	H							
Aroclor 1248	ND	0.94	4.00	11							
Aroclor 1254	ND	0.94	4.00	"							
Aroclor 1260	ND	0.94	4.00	11		,					
Total Aroclors	ND	0.94	4.00	"							
Surrogate: TCMX	4.84			"	6.67		73	26-146			
LCS (9011206-BS1)					Prepared:	: 01/12/09	Analyzed	l: 01/14/09			
Aroclor 1260	154	2.34	10.0	ug/kg wet	167		92	8-127			
Surrogate: TCMX	14.2			"	16.7		85	26-146			
LCS Dup (9011206-BSD1)					Prepared:	: 01/12/09	Analyzed	1: 01/14/09			
Aroclor 1260	156	2.34	10.0	ug/kg wet	167		94	8-127	1	30	
Surrogate: TCMX	13.9			"	16.7		83	26-146			,

Project Name: Levin-Richmond Terminal

Polychlorinated Biphenyls by EPA Method 8082 - Quality Control

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 9011206	<u>.</u>										
Duplicate (9011206-DUP1)		Sou	rce: 09011	72-01	Prepared:	01/12/09	Analyzed	: 01/14/09			
Aroclor 1016	ND	17.9	76.6	ug/kg dry		ND		·		30	
Aroclor 1221	ND	17.9	76.6	**		ND				30	
Aroclor 1232	ND	17.9	76.6	**		ND				30	
Aroclor 1242	ND	17.9	76.6	11		ND				30	
Aroclor 1248	ND	17.9	76.6	**		ND				30	
Aroclor 1254	203	17.9	76.6	"		249 .			20	30	
Aroclor 1260	ND	17.9	76.6	"		ND				30	
Total Aroclors	203	17.9	76.6	tt		249			20	30	
Surrogate: TCMX	8.30			,,	12.8		65	26-146			•
Duplicate (9011206-DUP2)		Sou	rce: 08121	70-03RE2	Prepared:	01/12/09	Analyzed	: 01/14/09			
Aroclor 1016	ND	16.4	69.9	ug/kg dry		ND				30	
Aroclor 1221	ND	16.4	69.9	"		ND				30	
Aroclor 1232	ND	16.4	69.9	11		ND				30	
Aroclor 1242	ND	16.4	69.9	**		ND				30	
Aroclor 1248	ND	16.4	69.9	n		ND				30	
Aroclor 1254	338	16.4	69.9	"		448			28	30	
Aroclor 1260	ND	16.4	69.9	11		ND				30	
Total Aroclors	338	16.4	69.9	**		448			28	30	
Surrogate: TCMX	8.92			"	11.7		76	26-146			
Matrix Spike (9011206-MS1)		Sou	rce: 09011	72-01	Prepared:	01/12/09	Analyzed	: 01/14/09			
Aroclor 1260	389	22.4	95.8	ug/kg dry	319	ND	122	8-127			
Surrogate: TCMX	32.3			"	31.9		101	26-146			
Matrix Spike Dup (9011206-MSD1)		Sou	rce: 09011	72-01	Prepared:	01/12/09	Analyzed	: 01/14/09			
Aroclor 1260	314	22.4	95.8	ug/kg dry	319	ND	98	8-127	21	30	
Surrogate: TCMX	32.9			"	31.9		103	26-146			



Project Name: Levin-Richmond Terminal

Polynuclear Aromatic Compounds by GC/MS SIMS - Quality Control

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 8120430											
Blank (8120430-BLK1)					Prepared:	12/05/08	Analyzed	: 12/12/08			
Acenaphthene	ND	3.60	10.0	ug/kg wet							
Acenaphthylene	ND	4.68	10.0	"							
Anthracene	ND	6.30	10.0	u							
Benzo (a) anthracene	ND	6.67	10.0	"							
Benzo (b) fluoranthene	ND	8.89	10.0	"							
Benzo (k) fluoranthene	ND	6.84	10.0	"							
Benzo (g,h,i) perylene	ND	9.72	10.0	**							
Benzo (a) pyrene	ND	7.38	10.0	H							
Chrysene	ND	3.96	10.0	"							
Dibenz (a,h) anthracene	ND	9.18	10.0	**							
Fluoranthene	ND	5.76	10.0	н							
Fluorene	ND	4.68	10.0	"							
Indeno (1,2,3-cd) pyrene	ND	10.0	10.0	#							
Naphthalene	ND	1.91	10.0	#							
Phenanthrene	ND	4.19	10.0	#							
	ND ND	6.08	10.0	**							
Pyrene Total PAHs	ND ND	10.0	10.0	**							
Surrogate: Nitrobenzene-d5	186			"	231		80	23-120			
Surrogate: 2-Fluorobiphenyl	179			"	231		77	30-115			
Surrogate: Terphenyl-dl4	191			"	231		83	18-137			
LCS (8120430-BS1)					Prepared:	12/05/08	Analyzed	: 12/12/08			
Acenaphthene	207	3.60	10.0	ug/kg wet	231		90	47-145			
Acenaphthylene	212	4.68	10.0	"	231		91	33-145			
Anthracene	200	6.30	10.0	"	231		87	27-133			
Benzo (a) anthracene	220	6.67	10.0	**	231		95	33-143		•	
Benzo (b) fluoranthene	221	8.89	10.0	"	231		95	24-159			
Benzo (k) fluoranthene	233	6.84	10.0	"	231		101	11-162			
Benzo (g,h,i) perylene	154	9.72	10.0	"	231		67	0-219			
Benzo (a) pyrene	228	7.38	10.0	#	231		99	17-163			
Chrysene	269	3.96	10.0	**	231		116	17-168			
Dibenz (a,h) anthracene	226	9.18	10.0	Ħ	231		98	0-227			
Fluoranthene	209	5.76	10.0	"	231		90	26-137			
Fluorene	207	4.68	10.0	**	231		90	59-121			
Indeno (1,2,3-cd) pyrene	228	10.0	10.0	"	231		98	0-171			
Naphthalene	200	1.91	10.0	"	231		86	21-133			
Phenanthrene	202	4.19	10.0	"	231		87	54-120			
Pyrene	216	6.08	10.0		231		93	52-152			
Surrogate: Nitrobenzene-d5	178			"	231		77	23-120			

Project Name: Levin-Richmond Terminal

EMA Log #: 0812170

Polynuclear Aromatic Compounds by GC/MS SIMS - Quality Control

Batch \$120430 Surrogate: 2-Fluorabiphenyl 185	Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Surrogate: 2-Fluorobiphenyl 185 1876 1871 80 30-115	Batch 8120430								i i			
LCS Dup (8120430-BSD1)	LCS (8120430-BS1)			,		Prepared:	12/05/08	Analyzed	: 12/12/08			
CCS Dup (8120430-BSD1)	Surrogate: 2-Fluorobiphenyl	185			ug/kg wet	231		80	30-115			
Acenaphthene	Surrogate: Terphenyl-dl4	194			"	231		84	18-137			
Acenaphthylene 208 4.68 10.0 " 231 90 33-145 2 30 Anthracene 197 6.30 10.0 " 231 85 27-133 2 30 Benzo (a) anthracene 197 6.30 10.0 " 231 85 27-133 2 30 Benzo (b) fluoranthene 203 8.89 10.0 " 231 88 24-159 8 30 Benzo (b) fluoranthene 223 6.84 10.0 " 231 96 11-162 5 30 Benzo (b) fluoranthene 223 6.84 10.0 " 231 96 11-162 5 30 Benzo (a) pyrene 137 9,72 10.0 " 231 96 11-162 5 30 Benzo (b) fluoranthene 223 6.84 10.0 " 231 99 17-163 7 30 Benzo (a) pyrene 213 7,38 10.0 " 231 92 17-163 7 30 Chrysene 261 3.96 10.0 " 231 92 17-163 7 30 Chrysene 261 3.96 10.0 " 231 91 0-227 7 30 Dibenz (a,h) anthracene 212 9,18 10.0 " 231 91 0-227 7 30 Dibenz (a,h) anthracene 207 5.76 10.0 " 231 88 59-121 2 30 Indeno (1,2,3-ed) pyrene 212 10.0 10.0 " 231 88 59-121 2 30 Indeno (1,2,3-ed) pyrene 212 10.0 10.0 " 231 88 59-121 2 30 Indeno (1,2,3-ed) pyrene 212 10.0 10.0 " 231 88 59-121 2 30 Pyrene 212 10.0 10.0 " 231 88 59-121 2 30 Indeno (1,2,3-ed) pyrene 212 10.0 10.0 " 231 88 59-121 2 30 Indeno (1,2,3-ed) pyrene 212 10.0 10.0 " 231 84 21-133 2 30 Pyrene 210 6.08 10.0 " 231 84 21-133 2 30 Pyrene 210 6.08 10.0 " 231 85 54-120 3 30 Pyrene 210 6.08 10.0 " 231 85 54-120 3 30 Pyrene 210 6.08 10.0 " 231 85 54-120 3 30 Pyrene 210 6.08 10.0 " 231 85 54-120 3 30 Byrogate: 2-Fluorobiphenyl 178 231 77 30-115 Surrogate: 2-Fluorobiphenyl 178 231 77 30-115 Surrogate: 2-Fluorobiphenyl 178 30 Pyrene 214 10.0 15.9 " 158 31 30 Benzo (a) anthracene 204 5.74 15.9 " 231 89 9.25 81 30 Benzo (a) anthracene 204 15.5 9 " 158 33 8 100 30 Benzo (b) fluoranthene 288 10.9 15.9 " 158 33 8 100 30 Benzo (b) fluoranthene 288 10.9 15.9 " 158 33 8 100 30 Benzo (a) anthracene 344 10.0 15.9 " 158 33 8 100 30 Benzo (b) fluoranthene 288 10.9 15.9 " 158 33 8 100 30 Benzo (a) anthracene 344 10.0 15.9 " 158 33 8 100 30 Benzo (a) anthracene 344 10.0 15.9 " 158 33 8 100 30 Benzo (b) fluoranthene 288 10.9 15.9 " 158 33 8 100 30 Benzo (a) anthracene 120 6.32 15.9 " 158 33 8 100 30 Benzo (b) fluoranthene 288 10.9 15.9 " 158 33 8 100 30 Benzo (a) anthracene 120 6.32 15.9 " 159 3 30 Benzo	LCS Dup (8120430-BSD1)					Prepared:	12/05/08	Analyzed	1: 12/12/08			
Anthracene 197 6.30 10.0 " 231 85 27-133 2 30 Benzo (a) anthracene 211 6.67 10.0 " 231 91 33-143 5 30 Benzo (b) fluoranthene 223 6.84 10.0 " 231 88 24-159 8 30 Benzo (k) fluoranthene 223 6.84 10.0 " 231 96 11-162 5 30 Benzo (g),hi) perylene 137 9.72 10.0 " 231 96 11-162 5 30 Benzo (a),hi) perylene 137 9.72 10.0 " 231 99 0-219 12 30 Benzo (a) pyrene 213 7.38 10.0 " 231 92 17-163 7 30 Chrysene 261 3.96 10.0 " 231 91 0-227 7 30 Dibenz (a,h) anthracene 212 9.18 10.0 " 231 91 0-227 7 30 Dibenz (a,h) anthracene 212 9.18 10.0 " 231 91 0-227 7 30 Dibenz (a,h) anthracene 204 4.68 10.0 " 231 89 0-219 12 30 Horanthene 207 5.76 10.0 " 231 89 0-219 12 30 Horanthene 204 4.68 10.0 " 231 89 0-227 7 30 Dibenz (a,h) anthracene 212 10.0 10.0 " 231 88 59-121 2 30 Horanthene 197 4.19 10.0 " 231 88 59-121 2 30 Phenanthrene 197 4.19 10.0 " 231 88 59-121 2 30 Phenanthrene 197 4.19 10.0 " 231 85 54-120 3 30 Dibenz (a) Fiveropate 210 6.08 10.0 " 231 85 54-120 3 30 Dibenz (a) Fiveropate 210 6.08 10.0 " 231 85 54-120 3 30 Dibenz (a) Fiveropate 210 6.08 10.0 " 231 85 54-120 3 30 Dibenz (a) Fiveropate 212 10.0 10.0 " 231 85 54-120 3 30 Dibenz (a) Fiveropate 212 10.0 10.0 " 231 85 54-120 3 30 Dibenz (a) Fiveropate 212 10.0 10.0 " 231 85 54-120 3 30 Dibenz (a) Fiveropate 212 10.0 10.0 " 231 85 54-120 3 30 Dibenz (a) Fiveropate 212 10.0 10.0 " 231 85 54-120 3 30 Dibenz (a) Fiveropate 212 10.0 10.0 " 231 85 54-120 3 30 Dibenz (a) Fiveropate 212 10.0 10.0 " 231 85 54-120 3 30 Dibenz (a) Fiveropate 212 10.0 10.0 " 231 85 54-120 3 30 Dibenz (a) Fiveropate 25 174 8 231 75 33-120 8 13-137 8 13-13 8 13-13 8 130 Dibenz (a) Fiveropate 25 14 14 189 " 231 75 33-120 8 13-13 8 13	Acenaphthene	203	3.60	10.0	ug/kg wet	231		88	47-145	2	30	
Benzo (a) anthracene 211 6.67 10.0 " 231 91 33-143 5 30 Benzo (b) fluoranthene 203 8.89 10.0 " 231 96 11-162 5 30 Benzo (g),hi) perylene 137 9.72 10.0 " 231 96 11-162 5 30 Benzo (g),hi) perylene 137 9.72 10.0 " 231 96 11-162 5 30 Benzo (a) pyrene 213 7.38 10.0 " 231 92 17-163 7 30 Benzo (a) pyrene 213 7.38 10.0 " 231 92 17-163 7 30 Dibenz (a,h) anthracene 261 3.96 10.0 " 231 91 10-168 3 30 Dibenz (a,h) anthracene 212 9.18 10.0 " 231 89 26-137 1 30 Dibenz (a,h) anthracene 207 5.76 10.0 " 231 88 59-121 2 30 Indeno (1,2,3-ed) pyrene 212 10.0 10.0 " 231 88 59-121 2 30 Indeno (1,2,3-ed) pyrene 212 10.0 10.0 " 231 88 59-121 2 30 Indeno (1,2,3-ed) pyrene 212 10.0 10.0 " 231 84 21-133 2 30 Indeno (1,2,3-ed) pyrene 212 10.0 10.0 " 231 85 54-120 3 30 Indeno (1,2,3-ed) pyrene 210 6.08 10.0 " 231 85 54-120 3 30 Surrogate: Virtobenzene-d5 174 " 231 75 23-120 Surrogate: 2-Fluorobiphenyl 178 " 231 77 30-115 Surrogate: 2-Fluorobiphenyl 178 " 231 75 23-120 Surrogate: Terphenyl-d14 189 Source: 0812170-01 Prepared: 12/05/08 Analyzed: 12/12/08 Accenaphthylene 218 7.46 15.9 " 231 33 3 6 7 3 3 Accenaphthylene 244 10.0 15.9 " 158 3 3 Benzo (b) fluoranthene 288 10.9 15.9 " 333 3 6 7 3 3 Benzo (b) fluoranthene 288 10.9 15.9 " 333 3 6 7 3 3 Benzo (b) fluoranthene 288 10.9 15.9 " 333 3 6 7 3 3 Benzo (b) fluoranthene 288 10.9 15.9 " 333 3 6 7 3 3 Benzo (b) fluoranthene 288 10.9 15.9 " 333 3 6 7 3 3 Benzo (b) fluoranthene 363 15.9 " 358 3 3 3 3 3 3 3 3 Benzo (b) fluoranthene 363 15.9 " 358 3 3 3 3 3 3 3 3 3	Acenaphthylene	208	4.68	10.0	"	231		90	33-145	2	30	
Benzo (b) fluoranthene	Anthracene	197	6.30	10.0	"	231		85	27-133	2	30	
Benzo (k) fluoranthene 223 6.84 10.0 " 231 96 11-162 5 30 Benzo (g,hi) perylene 137 9.72 10.0 " 231 95 0-219 12 30 Benzo (a) pyrene 213 7.38 10.0 " 231 92 17-163 7 30 Chrysene 261 3.96 10.0 " 231 113 17-168 3 30 Dibenz (a,h) anthracene 212 9.18 10.0 " 231 89 26-137 1 30 Fluoranthene 204 4.68 10.0 " 231 89 26-137 1 30 Fluorene 204 4.68 10.0 " 231 88 59-121 2 30 Indeno (1,2,3-ed) pyrene 212 10.0 10.0 " 231 84 21-133 2 30 Pyrene 210 6.08 10.0 " 231 75 23-120 Surrogate: Nitrobenzene-d5 174 </td <td>Benzo (a) anthracene</td> <td>211</td> <td>6.67</td> <td>10.0</td> <td>**</td> <td>231</td> <td></td> <td>91</td> <td>33-143</td> <td>5</td> <td>30</td> <td></td>	Benzo (a) anthracene	211	6.67	10.0	**	231		91	33-143	5	30	
Benzo (g,h,i) perylene 137 9,72 10.0 231 59 0-219 12 30 Benzo (a) pyrene 213 7,38 10.0 231 92 17-163 7 30 Chrysene 261 3,96 10.0 231 91 0-227 7 30 Dibenz (a,h) anthracene 212 9.18 10.0 231 91 0-227 7 30 Fluoranthene 207 5,76 10.0 231 89 26-137 1 30 Fluorene 204 4.68 10.0 231 88 59-121 2 30 Ducker (D,2,3-d) pyrene 212 10.0 10.0 231 84 21-133 2 30 Phenanthrene 197 4.19 10.0 231 85 54-120 3 30 Pyrene 210 6.08 10.0 231 75 23-120 30 Surrogate: Nitrobenzene-d5 174	Benzo (b) fluoranthene	203	8.89	10.0	11	231		88	24-159	8	30	
Benzo (a) pyrene 213 7,38 10.0 " 231 92 17-163 7 30 Chrysene 261 3,96 10.0 " 231 113 17-168 3 30 Dibenz (a,h) anthracene 212 9,18 10.0 " 231 91 0-227 7 30 Fluoranthene 207 5,76 10.0 " 231 89 26-137 1 30 Fluorene 204 4,68 10.0 " 231 88 59-121 2 30 Indeno (1,2,3-cd) pyrene 212 10.0 10.0 " 231 88 59-121 2 30 Indeno (1,2,3-cd) pyrene 212 10.0 10.0 " 231 84 21-133 2 30 Fluoranthene 195 1,91 10.0 " 231 84 21-133 2 30 Fluoranthene 197 4,19 10.0 " 231 84 21-133 2 30 Fluoranthene 197 4,19 10.0 " 231 85 54-120 3 30 Fluoranthene 197 4,19 10.0 " 231 85 54-120 3 30 Fluoranthene 197 4,19 10.0 " 231 75 23-120 Surrogate: Nitrobenzene-d5 74 " 231 77 20-115 Surrogate: Primorbiphenyl 178 " 231 77 30-115 Surrogate: Primorbiphenyl 189 " 231 77 30-115 Surrogate: Primorbiphenyl 189 " 231 82 18-137 Fluorene 204 10.0 15.9 " 231 82 18-137 Fluorene 204 10.0 15.9 " 9.25 81 30 Benzo (a) anthracene 244 10.0 15.9 " 9.25 81 30 Benzo (b) fluoranthene 902 142 15.9 " 333 67 30 Benzo (b) fluoranthene 288 10.9 15.9 " 333 67 30 Benzo (b) fluoranthene 288 10.9 15.9 " 333 82 100 30 Benzo (b) fluoranthene 288 10.9 15.9 " 333 82 100 30 Benzo (b) fluoranthene 288 10.9 15.9 " 333 82 100 30 Benzo (a) pyrene 105 15.5 15.9 " 333 85 100 30 Benzo (a) pyrene 569 11.8 15.9 " 25.0 87 33 85 30 Chrysene 1290 6,32 15.9 " 333 85 100 30 Benzo (a) pyrene 105 15.5 15.9 " 333 85 100 30 Benzo (a) pyrene 105 15.5 15.9 " 333 85 100 30 Benzo (a) pyrene 105 15.5 15.9 " 333 85 100 30 Benzo (a) pyrene 105 15.5 15.9 " 333 85 100 30 Benzo (a) pyrene 105 15.5 15.9 " 334 85 30 Chrysene 1290 6,32 15.9 " 549 81 30 Benzo (a) pyrene 163 15.9 15.9 " 549 81 30 Benzo (a) pyrene 163 15.9 15.9 " 549 81 30 Benzo (a) pyrene 163 15.9 15.9 " 549 81 30 Benzo (a) pyrene 163 15.9 " 753 104 30 Benzo (a) pyrene 163 15.9 " 753 104 30 Benzo (a) pyrene 165 7,46 15.9 " 753 104 30 Benzo (a) pyrene 165 15.9 " 549 106 15 30 Benzo (a) pyrene 165 15.9 " 549 106 15 30 Benzo (b) pyrene 165 15.9 " 549 106 15 30 Benzo (b) pyrene 163 15.9 15.9 " 549 106 15 30 Benzo (b) pyrene 163 15.9 15.9 " 549 106 15 30 Benzo	Benzo (k) fluoranthene	223	6.84	10.0	"	231		96	11-162	5	30	
Benzo (a) pyrene 213 7.38 10.0 " 231 92 17-163 7 30 Chrysene 261 3.96 10.0 " 231 113 17-168 3 30 Dibenz (a,h) anthracene 212 9.18 10.0 " 231 91 0-227 7 30 Dibenz (a,h) anthracene 207 5.76 10.0 " 231 89 26-137 1 30 Fluoranthene 207 5.76 10.0 " 231 88 59-121 2 30 Indeno (1,2,3-cd) pyrene 214 10.0 10.0 " 231 84 21-133 2 30 Naphthalene 195 1.91 10.0 " 231 84 21-133 2 30 Naphthalene 195 1.91 10.0 " 231 84 21-133 2 30 Naphthalene 195 1.91 10.0 " 231 84 21-133 2 30 Naphthalene 197 4.19 10.0 " 231 85 54-120 3 30 Naphthalene 197 4.19 10.0 " 231 85 54-120 3 30 Naphthalene 197 4.19 10.0 " 231 75 23-152 3 30 Narrogate: Nitrobenzene-45 7 74 77 30-115	Benzo (g,h,i) perylene	137	9.72	10.0	. #	231		59	0-219	12	30	
Dibenz (a,h) anthracene 212 9.18 10.0 " 231 91 0-227 7 30	Benzo (a) pyrene	213	7.38	10.0	**	231		92	17-163	7	30	
Fluoranthene 207 5.76 10.0 " 231 89 26·137 1 30 Fluorene 204 4.68 10.0 " 231 88 59·121 2 30 Indeno (1,2,3-cd) pyrene 212 10.0 10.0 " 231 81 59·121 2 30 Indeno (1,2,3-cd) pyrene 195 1.91 10.0 " 231 85 59·121 2 30 Pyrene 197 4.19 10.0 " 231 85 54·120 3 30 Pyrene 210 6.08 10.0 " 231 85 54·120 3 30 Pyrene 210 6.08 10.0 " 231 85 54·120 3 30 Pyrene 210 6.08 10.0 " 231 75 23-120 Pyrene 210 Pyrene 210 5.74 15.9 10.0 Pyrene 231 77 30·115 Pyrenee: 231 30 Pyrenee: 244 10.0 15.9 " 329 Pyrenee: 245 Pyrenee: 246 Pyr	Chrysene	261	3.96	10.0	Ħ	231	•	113	17-168	3	30	
Fluorene 204 4.68 10.0 " 231 88 59-121 2 30 Indeno (1,2,3-cd) pyrene 212 10.0 10.0 " 231 88 59-121 2 30 Indeno (1,2,3-cd) pyrene 195 1,91 10.0 " 231 84 21-133 2 30 Pyrene 197 4.19 10.0 " 231 85 54-120 3 30 Pyrene 210 6.08 10.0 " 231 91 52-152 3 30 Pyrene 210 6.08 10.0 " 231 75 23-120 Surrogate: Nitrobenzene-d5 174 " 231 75 23-120 Surrogate: 2-Fluorobiphenyl 178 " 231 77 30-115 Surrogate: 2-Fluorobiphenyl 189 " 231 82 18-137	Dibenz (a,h) anthracene		9.18	10.0	11	231		91	0-227	7	30	
Fluorene 204 4.68 10.0 " 231 88 59-121 2 30 Indeno (1,2,3-ed) pyrene 212 10.0 10.0 " 231 91 0-171 7 30 30 30 30 30 30 30	Fluoranthene			10.0	11	231		89	26:137	1	30	
Naphthalene	Fluorene		4.68	10.0	**	231		88	59-121	2	30	
Naphthalene	Indeno (1,2,3-cd) pyrene	212	10.0	10.0	11	231		91	0-171	7	30	
Phenanthrene 197 4.19 10.0 " 231 85 54·120 3 30 Pyrene 210 6.08 10.0 " 231 91 52·152 3 30 Surrogate: Nitrobenzene-d5 174 " 231 75 23·120 Surrogate: 2-Fluorobiphenyl 178 " 231 77 30·115 Surrogate: Terphényl-dl4 189 " 231 82 18·137 Duplicate (8120430-DUP1) Source: 0812170-01 Prepared: 12/05/08 Analyzed: 12/12/08 Acenaphthene 204 5.74 15.9 ug/kg dry 97.4 71 30 Acenaphthylene 21.8 7.46 15.9 " 9.25 81 30 Anthracene 244 10.0 15.9 " 158 43 30 Benzo (a) anthracene 668 10.6 15.9 " 333 67 30 Benzo (b) fluoranthene 902 14.2 15.9 " 333 67 30 Benzo (b) fluoranthene 288 10.9 15.9 " 333 8 102 30 Benzo (a) pyrene 105 15.5 15.9 " 33.8 102 30 Benzo (a) pyrene 569 11.8 15.9 " 231 85 30 Chrysene 1290 6.32 15.9 " 25.0 87 30 Benzo (a) pyrene 63.1 14.6 15.9 " 25.0 87 30 Fluoranthene 2400 9.19 15.9 " 77.5 72 30 Indeno (1,2,3-cd) pyrene 163 15.9 15.9 " 58.4 9.5 30 Naphthalene 123 3.05 15.9 " 58.4 9.5 30 Phenanthrene 1590 6.68 15.9 " 58.4 9.5 30 Phenanthrene 1590 6.68 15.9 " 106 15 30 Phenan			1.91	10.0	н	231		84	21-133	2	30	
Pyrene 210 6.08 10.0 " 231 91 52-152 3 30 Surrogate: Nitrobenzene-d5 174 " 231 75 23-120 ************************************	-				**	231		85	54'-120	3	30	
Surrogate: 2-Fluorobiphenyl 178 " 231 77 30-115 30-1	Pyrene				11	231		91		3	30	
Source Terphenyl-dl4 189 " 231 82 18-137 Source	Surrogate: Nitrobenzene-d5	174			"	231		75	23-120			
Duplicate (8120430-DUP1) Source: 0812170-01 Prepared: 12/05/08 Analyzed: 12/12/08 Acenaphthene 204 5.74 15.9 ug/kg dry 97.4 71 30 Acenaphthylene 21.8 7.46 15.9 " 9.25 81 30 Anthracene 244 10.0 15.9 " 158 43 30 Benzo (a) anthracene 668 10.6 15.9 " 333 67 30 Benzo (b) fluoranthene 902 14.2 15.9 " 329 93 30 Benzo (k) fluoranthene 288 10.9 15.9 " 131 75 30 Benzo (g,h,i) perylene 105 15.5 15.9 " 33.8 102 30 Benzo (a) pyrene 569 11.8 15.9 " 231 85 30 Chrysene 1290 6.32 15.9 " 549 81 30 Dibenz (a,h) anthracene 63.1 14.6	Surrogate: 2-Fluorobiphenyl	178			"	231		77	<i>30-115</i>			
Acenaphthene 204 5.74 15.9 ug/kg dry 97.4 71 30 Acenaphthylene 21.8 7.46 15.9 " 9.25 81 30 Anthracene 244 10.0 15.9 " 158 43 30 Benzo (a) anthracene 668 10.6 15.9 " 333 67 30 Benzo (b) fluoranthene 902 14.2 15.9 " 329 93 30 Benzo (k) fluoranthene 288 10.9 15.9 " 131 75 30 Benzo (g,h,i) perylene 105 15.5 15.9 " 33.8 102 30 Benzo (a) pyrene 569 11.8 15.9 " 231 85 30 Chrysene 1290 6.32 15.9 " 549 81 30 Chrysene 1290 6.32 15.9 " 25.0 87 30 Fluoranthene 2400 9.19 15.9 " 753 104 30 Fluor	Surrogate: Terphènyl-dl4	189			"	231		82	18-137			
Acenaphthylene 21.8 7.46 15.9 " 9.25 81 30 Anthracene 244 10.0 15.9 " 158 43 30 Benzo (a) anthracene 668 10.6 15.9 " 333 67 30 Benzo (b) fluoranthene 902 14.2 15.9 " 329 93 30 Benzo (k) fluoranthene 288 10.9 15.9 " 131 75 30 Benzo (g,h,i) perylene 105 15.5 15.9 " 33.8 102 30 Benzo (a) pyrene 569 11.8 15.9 " 231 85 30 Chrysene 1290 6.32 15.9 " 549 81 30 Dibenz (a,h) anthracene 63.1 14.6 15.9 " 25.0 87 30 Fluoranthene 2400 9.19 15.9 " 753 104 30 Fluorene 165 7.46 15.9 " 77.5 72 30 Indeno (1,2,3-cd) pyrene 163 15.9 15.9 " 58.4 95 30 Naphthalene 123 3.05 15.9 " 58.4 95 30 Phenanthrene 1590 6.68 15.9 " 106 15 30	Duplicate (8120430-DUP1)		Sou	rce: 08121	70-01	Prepared:	12/05/08	Analyzed	1: 12/12/08			
Anthracene 244 10.0 15.9 " 158 43 30 Benzo (a) anthracene 668 10.6 15.9 " 333 67 30 Benzo (b) fluoranthene 902 14.2 15.9 " 329 93 30 Benzo (k) fluoranthene 288 10.9 15.9 " 131 75 30 Benzo (g,h,i) perylene 105 15.5 15.9 " 33.8 102 30 Benzo (a) pyrene 569 11.8 15.9 " 231 85 30 Chrysene 1290 6.32 15.9 " 231 85 30 Chrysene 63.1 14.6 15.9 " 25.0 87 30 Fluoranthene 2400 9.19 15.9 " 25.0 87 30 Fluorene 165 7.46 15.9 " 753 104 30 Fluorene 163 15.9 15.9 " 77.5 72 30 Indeno (1,2,3-cd) pyrene 163 15.9 15.9 " 58.4 95 30 Naphthalene 123 3.05 15.9 " 106 15 30 Phenanthrene 1590 6.68 15.9 " 282 140 30	Acenaphthene	204	5.74	15.9	ug/kg dry		97.4			71	30	QR-02
Benzo (a) anthracene 668 10.6 15.9 " 333 67 30 Benzo (b) fluoranthene 902 14.2 15.9 " 329 93 30 Benzo (k) fluoranthene 288 10.9 15.9 " 131 75 30 Benzo (g,h,i) perylene 105 15.5 15.9 " 33.8 102 30 Benzo (a) pyrene 569 11.8 15.9 " 231 85 30 Chrysene 1290 6.32 15.9 " 549 81 30 Dibenz (a,h) anthracene 63.1 14.6 15.9 " 25.0 87 30 Fluoranthene 2400 9.19 15.9 " 753 104 30 Fluorene 165 7.46 15.9 " 77.5 72 30 Indeno (1,2,3-cd) pyrene 163 15.9 15.9 " 58.4 95 30 Naphthalene 123 3.05 15.9 " 106 15 30 Phenanthrene 1590 6.68 15.9 " 282 140 30	Acenaphthylene	21.8	7.46	15.9	"		9.25			81	30	QR-02
Benzo (b) fluoranthene 902 14.2 15.9 " 329 93 30 Benzo (k) fluoranthene 288 10.9 15.9 " 131 75 30 Benzo (g,h,i) perylene 105 15.5 15.9 " 33.8 102 30 Benzo (a) pyrene 569 11.8 15.9 " 231 85 30 Chrysene 1290 6.32 15.9 " 549 81 30 Dibenz (a,h) anthracene 63.1 14.6 15.9 " 25.0 87 30 Fluoranthene 2400 9.19 15.9 " 753 104 30 Fluorene 165 7.46 15.9 " 77.5 72 30 Indeno (1,2,3-cd) pyrene 163 15.9 15.9 " 58.4 95 30 Naphthalene 123 3.05 15.9 " 106 15 30 Phenanthrene 1590 6.68 15.9 " 282 140 30 <td>Anthracene</td> <td>244</td> <td>· 10.0</td> <td>15.9</td> <td>n</td> <td></td> <td>158</td> <td></td> <td>5</td> <td>43</td> <td>30</td> <td>QR-02</td>	Anthracene	244	· 10.0	15.9	n		158		5	43	30	QR-02
Benzo (b) fluoranthene 902 14.2 15.9 " 329 93 30 Benzo (k) fluoranthene 288 10.9 15.9 " 131 75 30 Benzo (g,h,i) perylene 105 15.5 15.9 " 33.8 102 30 Benzo (a) pyrene 569 11.8 15.9 " 231 85 30 Chrysene 1290 6.32 15.9 " 549 81 30 Dibenz (a,h) anthracene 63.1 14.6 15.9 " 25.0 87 30 Fluoranthene 2400 9.19 15.9 " 753 104 30 Fluorene 165 7.46 15.9 " 77.5 72 30 Indeno (1,2,3-cd) pyrene 163 15.9 15.9 " 58.4 95 30 Naphthalene 123 3.05 15.9 " 106 15 30 Phenanthrene 1590 6.68 15.9 " 282 140 30 <td>Benzo (a) anthracene</td> <td>668</td> <td>10.6</td> <td>15.9</td> <td>**</td> <td></td> <td>333</td> <td></td> <td>1</td> <td>67</td> <td>30</td> <td>QR-02</td>	Benzo (a) anthracene	668	10.6	15.9	**		333		1	67	30	QR-02
Benzo (k) fluoranthene 288 10.9 15.9 " 131 75 30 Benzo (g,h,i) perylene 105 15.5 15.9 " 33.8 102 30 Benzo (a) pyrene 569 11.8 15.9 " 231 85 30 Chrysene 1290 6.32 15.9 " 549 81 30 Dibenz (a,h) anthracene 63.1 14.6 15.9 " 25.0 87 30 Fluoranthene 2400 9.19 15.9 " 753 104 30 Fluorene 165 7.46 15.9 " 77.5 72 30 Indeno (1,2,3-cd) pyrene 163 15.9 " 58.4 95 30 Naphthalene 123 3.05 15.9 " 106 15 30 Phenanthrene 1590 6.68 15.9 " 282 140 30	Benzo (b) fluoranthene				**		329			93	30	QR-02
Benzo (g,h,i) perylene 105 15.5 15.9 " 33.8 102 30 Benzo (a) pyrene 569 11.8 15.9 " 231 85 30 Chrysene 1290 6.32 15.9 " 549 81 30 Dibenz (a,h) anthracene 63.1 14.6 15.9 " 25.0 87 30 Fluoranthene 2400 9.19 15.9 " 753 104 30 Fluorene 165 7.46 15.9 " 77.5 72 30 Indeno (1,2,3-cd) pyrene 163 15.9 15.9 " 58.4 95 30 Naphthalene 123 3.05 15.9 " 106 15 30 Phenanthrene 1590 6.68 15.9 " 282 140 30					**		131			75	30	QR-02
Benzo (a) pyrene 569 11.8 15.9 " 231 85 30 Chrysene 1290 6.32 15.9 " 549 81 30 Dibenz (a,h) anthracene 63.1 14.6 15.9 " 25.0 87 30 Fluoranthene 2400 9.19 15.9 " 753 104 30 Fluorene 165 7.46 15.9 " 77.5 72 30 Indeno (1,2,3-cd) pyrene 163 15.9 15.9 " 58.4 95 30 Naphthalene 123 3.05 15.9 " 106 15 30 Phenanthrene 1590 6.68 15.9 " 282 140 30	Benzo (g.h.i) pervlene	105	15.5	15.9	"		33.8			102	30	QR-02
Chrysene 1290 6.32 15.9 " 549 81 30 Dibenz (a,h) anthracene 63.1 14.6 15.9 " 25.0 87 30 Fluoranthene 2400 9.19 15.9 " 753 104 30 Fluorene 165 7.46 15.9 " 77.5 72 30 Indeno (1,2,3-cd) pyrene 163 15.9 15.9 " 58.4 95 30 Naphthalene 123 3.05 15.9 " 106 15 30 Phenanthrene 1590 6.68 15.9 " 282 140 30	_									85	30	QR-02
Dibenz (a,h) anthracene 63.1 14.6 15.9 " 25.0 87 30 Fluoranthene 2400 9.19 15.9 " 753 104 30 Fluorene 165 7.46 15.9 " 77.5 72 30 Indeno (1,2,3-cd) pyrene 163 15.9 15.9 " 58.4 95 30 Naphthalene 123 3.05 15.9 " 106 15 30 Phenanthrene 1590 6.68 15.9 " 282 140 30	-				"							QR-02
Fluoranthene 2400 9.19 15.9 " 753 104 30 Fluorene 165 7.46 15.9 " 77.5 72 30 Indeno (1,2,3-cd) pyrene 163 15.9 15.9 " 58.4 95 30 Naphthalene 123 3.05 15.9 " 106 15 30 Phenanthrene 1590 6.68 15.9 " 282 140 30	•				Ħ							QR-02
Fluorene 165 7.46 15.9 " 77.5 72 30 Indeno (1,2,3-cd) pyrene 163 15.9 15.9 " 58.4 95 30 Naphthalene 123 3.05 15.9 " 106 15 30 Phenanthrene 1590 6.68 15.9 " 282 140 30					"			•				QR-02
Indeno (1,2,3-cd) pyrene 163 15.9 15.9 " 58.4 95 30 Naphthalene 123 3.05 15.9 " 106 15 30 Phenanthrene 1590 6.68 15.9 " 282 140 30					**							QR-02
Naphthalene 123 3.05 15.9 " 106 15 30 Phenanthrene 1590 6.68 15.9 " 282 140 30					11							QR-02
Phenanthrene 1590 6.68 15.9 " 282 140 30	· · · · · · · · · · · · · · · · · · ·				**							Q10-02
												QR-02
					**		1180			95	30	QR-02 QR-02
Pyrene 3300 9.70 15.9 " 1180 95 30	гутене	3300	9.70	15.9			. 100			73	30	QK-02

Project Name: Levin-Richmond Terminal

EMA Log #: 0812170

Polynuclear Aromatic Compounds by GC/MS SIMS - Quality Control

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 8120430											
Duplicate (8120430-DUP1)		Sou	rce: 08121	70-01	Prepared:	12/05/08	Analyzed	1: 12/12/08			
Total PAHs	12100	15.9	15.9	ug/kg dry		4350			94	30	QR-02
Surrogate: Nitrobenzene-d5	214			"	369		58	23-120			
Surrogate: 2-Fluorobiphenyl	229			"	369		62	30-115			
Surrogate: Terphenyl-dl4	297			"	369		80	18-137			
Matrix Spike (8120430-MS1)		Sou	rce: 08121	70-01	Prepared:	12/05/08	Analyzed	1: 12/12/08			
Acenaphthene	318	5.74	15.9	ug/kg dry	369	97.4	60	47-145			
Acenaphthylene	245	7.46	15.9	**	369	9.25	64	33-145			
Anthracene	338	10.0	15.9	**	369	158	49	27-133			
Benzo (a) anthracene	466	10.6	15.9	11	369	333	36	33-143			
Benzo (b) fluoranthene	492	14.2	15.9	11	369	329	44	24-159			
Benzo (k) fluoranthene	379	10.9	15.9	11	369	131	67	11-162			
Benzo (g,h,i) perylene	218	15.5	15.9	19	369	33.8	50	0-219			
Benzo (a) pyrene	114	11.8	15.9	**	369	231	NR	17-163			QM-08
Chrysene	620	6.32	15.9	Ħ	369	549	19	17-168			
Dibenz (a,h) anthracene	278	14.6	15.9	н	369	25.0	69	0-227			
Fluoranthene	668	9.19	15.9	n	369	753	NR	26-137			QM-08
Fluorene	287	7.46	15.9	**	369	77.5	57	59-121			QM-08
Indeno (1,2,3-cd) pyrene	319	15.9	15.9	"	369	58.4	71	0-171			
Naphthalene	279	3.05	15.9	н	369	106	47	21-133			
Phenanthrene	427	6.68	15.9	"	369	282	39	54-120	·		QM-08
Pyrene	986	9.70	15.9		369	1180	NR	52-152			QM-08
Surrogate: Nitrobenzene-d5	200			"	369		54	23-120			
Surrogate: 2-Fluorobiphenyl	197			"	369		53	30-115			
Surrogate: Terphenyl-dl4	243			"	369		66	18-137			
Matrix Spike Dup (8120430-MSD1)		Sou	ırce: 08121	70-01	Prepared	: 12/05/08	Analyzed	d: 12/12/08			
Acenaphthene	370	5.74	15.9	ug/kg dry	369	97.4	74	47-145	15	30	
Acenaphthylene	271	7.46	15.9	H	369	9.25	71	33-145	10	30	
Anthracene	357	10.0	15.9	"	369	158	54	27-133	6	30	
Benzo (a) anthracene	479	10.6	15.9	**	369	333	40	33-143	3	30	
Benzo (b) fluoranthene	562	14.2	15.9	11	369	329	63	24-159	13	30	
Benzo (k) fluoranthene	404	10.9	15.9	11	369	131	74	11-162	6	30	
Benzo (g,h,i) perylene	215	15.5	15.9	"	369	33.8	49	0-219	1	30	
Benzo (a) pyrene	507	11.8	15.9	"	369	231	75	17-163	127	30	QR-02
Chrysene	660	6.32	15.9	.0	369	549	30	17-168	6	30	
Dibenz (a,h) anthracene	320	14.6	15.9	Ħ	369	25.0	80	0-227	14	30	
Fluoranthene	748	9.19	15.9	Ħ	369	753	NR	26-137	11	30	QM-08
Fluorene	329	7.46	15.9	**	369	77.5	68	59-121	13	30	
Indeno (1,2,3-cd) pyrene	351	15.9	15.9	"	369	58.4	79	0-171	10	30	
Naphthalene	340	3.05	15.9	11	369	106	63	21-133	20	30	

Project Name: Levin-Richmond Terminal

EMA Log #: 0812170

Polynuclear Aromatic Compounds by GC/MS SIMS - Quality Control

		MDI	Reporting		Spike	Source	%REC	%REC Limits	RPD	RPD Limit	Notes
Analyte	Result	MDL	Limit	Units	Level	Result	70KEC	Limis	KI D	Lillit	INOIES
Batch 8120430				4."							
Matrix Spike Dup (8120430-MSD1)		Sou	rce: 08121	170-01	Prepared:	12/05/08	Analyzed:	12/12/08			
Phenanthrene	448	6.68	15.9	ug/kg dry	369	282	45	54-120	5	30	QM-08
Pyrene	1250	9.70	15.9	11	369	1180	19	52-152	23	30	QM-08
Surrogate: Nitrobenzene-d5	219			"	369		59	23-120			
Surrogate: 2-Fluorobiphenyl	227			"	369		61	30-115			
Surrogate: Terphenyl-dl4	283			"	369		77	18-137			

Project Name: Levin-Richmond Terminal

EMA Log #: 0812170

Conventional Chemistry Parameters by Standard/EPA Methods - Quality Control

		•									
			Reporting		Spike	Source		%REC		RPD	
Analyte	Result	MDL	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes

Batch 8121226

Duplicate (8121226-DUP1)		Sour	rce: 08121	70-01	Prepared: 12/12/08 Analyzed: 12/15/08			
% Solids	56.1	0.1	0.1	%	62.7	11	20	

Project Name: Levin-Richmond Terminal

EMA Log #: 0812170

Organotin Compounds by GC - FPD - Quality Control

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 8120429											
Blank (8120429-BLK1)					Prepared:	12/04/08	Analyzed	: 12/12/08		•	
Tetrabutyltin	ND	0.89	1.00	ug/kg wet							
Tributyltin	ND	0.99	1.00	tt				•			
Dibutyltin	ND	1.15	2.00	Ħ							
Monobutyltin	ND	0.55	2.00	"				•			
Total Organotins	ND	0.89	1.00	n							
Surrogate: Tripentyltin	27.4			"	25.0		109	65-132			
Surrogate: Tri-n-propyltin	21.8		*	"	25.0		87	65-140			
LCS (8120429-BS1)					Prepared:	12/04/08	Analyzed	: 12/12/08			
Tetrabutyltin	22.8	0.89	1.00	ug/kg wet	25.0		91	75-115			
Tributyltin	24.3	0.99	1.00	n	25.0		97	58-128			
Dibutyltin	29.6	1.15	2.00	n	25.0		118	39-150			
Monobutyltin	7.89	0.55	2.00	Ħ	25.0		32	0-140			
Surrogate: Tripentyltin	20.2			"	25.0		81	6.5-132			
Surrogate: Tri-n-propyltin	25.0			"	25.0		100	65-140			
LCS Dup (8120429-BSD1)					Prepared:	12/04/08	Analyzed	: 12/12/08			
Tetrabutyltin	21.3	0.89	1.00	ug/kg wet	25.0		85	7:5-115	7	30	
Tributyltin	23.5	0.99	1.00	11	25.0		94	53-128	3	30	
Dibutyltin	27.7	1.15	2.00	"	25.0		111	39-150	7	30	
Monobutyltin	12.0	0.55	2.00	11	25.0		48	0-140	41	30	QL-02
Surrogate: Tripentyltin	22.8			"	25.0		91	65-132			
Surrogate: Tri-n-propyltin	24.8			"	25.0		99	65-140			
Duplicate (8120429-DUP1)		Sou	rce: 08121	70-01	Prepared:	12/04/08	Analyzed	: 12/12/08			
Tetrabutyltin	13.8	1.42	1.59	ug/kg dry		ND	* .,			30	
Tributyltin	93.0	1.58	1.59	**		ND				30	
Dibutyltin	155	1.83	3.19	**		ND				30	
Monobutyltin	ND	0.88	3.19	"		ND		:		30	
Total Organotins	ND	1.42	1.59	"		ND				30	
Surrogate: Tripentyltin	32.6			"	39.9		82	65-132			
Surrogate: Tri-n-propyltin	1300	+ 7		n	39.9		NR	65-140			S-02, S-04

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Analytical, Inc.

Project Name: Levin-Richmond Terminal

EMA Log #: 0812170

Organotin Compounds by GC - FPD - Quality Control

			Reporting		Spike	Source		%REC		RPD	
Analyte	Result	MDL	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch 8120429											
Matrix Spike (8120429-MS1)		Sou	rce: 08121	70-01	Prepared:	12/04/08	Analyzed	: 12/12/08	·		
Tetrabutyltin	36.0	1.42	1.59	ug/kg dry	39.9	ND	90	74-115			
Tributyltin	85.2	1.58	1.59	#	39.9	ND	214	45-139			GC-60, QM-01
Dibutyltin	12.3	1.83	3.19	"	39.9	ND	31	0-165			
Monobutyltin	ND	0.88	3.19	"	39.9	ND		0-140			
Surrogate: Tripentyltin	39.2			"	39.9		98	65-132			
Surrogate: Tri-n-propyltin	1060			"	39.9		NR	65-140			S-02, S-04
Matrix Spike Dup (8120429-MSD1)		Sou	rce: 08121	170-01	Prepared:	12/04/08	Analyzed	: 12/12/08			
Tetrabutyltin	31.7	1.42	1.59	ug/kg dry	39.9	ND	79	74-115	13	30	
Tributyltin	185	1.58	1.59	"	39.9	ND	464	45-139	74	30	GC-60, QM-01
Dibutyltin	14.1	1.83	3.19	n	39.9	ND	35	0-165	14	30	`
Monobutyltin	ND	0.88	3.19	n	39.9	ND		0-140		30	
Surrogate: Tripentyltin	32.1			"	39.9		81	65-132			
Surrogate: Tri-n-propyltin	1430			"	39.9		NR	65-140			S-02, S-04

EMA Log #: 0812170 Client Name: Pacific Ecorisk

The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.

Project Name: Levin-Richmond Terminal

S-04

GC-05

RPD

Notes and Definitions

S-02	The surrogate recovery for this sample cannot be accurately quantified due to interference from coeluting organic compounds present in the sample extract.
R-07	The sample was diluted due to the presence of high levels of target analytes resulting in elevated reporting limits for this analyte.
QR-02	The RPD result exceeded the QC limits due to non-homogeneity of sample.

QM-4X	The spike recovery was outside of the QC acceptance limits for the MS and/or MSD due to analyte concentration at 4 times or greater
	the spike concentration. The QC batch was accepted based on LCS and/or LCSD recoveries within the acceptance limits.

QM-08	The spike recovery was outside of the QC limits due to noted non-homogeneity of the QC sample matrix.
QM-06	Due to noted non-homogeneity of the QC sample matrix, the MS/MSD did not provide reliable results for accuracy and precision.

	Sample results for the QC batch were accepted based on LCS/LCSD percent recoveries and RPD values.
QM-01	The spike recovery for this QC sample is outside of established control limits due to sample matrix interference.

QL-02	The RPD between the LCS and LCSD did not meet the acceptance criteria, however both have acceptable recoveries. Sample data not
	affected.

HT-03	This analysis was originally performed within the recommended EPA holding time. Data review determined that reanalysis was
	necessary.

H1-03	This aliarysis was originally performed within the recommended Er 11 holding time.	Data leviev	determined that reading 515 was
	necessary.		

GC-60	Unidentified peak co-elutes with reported peak causing interferences with the quantitation of this analy	us.

Detected but below the Reporting Limit; therefore, result is an estimated concentration (CLP J-Flag).

ND	Analyte NOT DETECTED at or above the reporting limit (or method detection limit when specified)

ND	Analyte NOT DETECTED at or above the reporting limit (or method detection limit when specified
NR	Not Reported

dry	Sample results reported on a dry weight basis (if indicated in units column)
dry	Sample results reported on a dry weight basis (if indicated in units column)

MDL	Method detection limit (indicated per client's request)

Results confirmed by GCMS.

Relative Percent Difference

E

Pacific EcoRisk 0812170

ENVIRONMENTAL CONSULTING & TESTING

2250 Cordelia Rd., Fairfield, CA 94534 (707)207-7760

CHAIN-OF-CUSTODY RECORD

	(707)207-7760															
	Client Name:	Pacific Eco	Risk		•				R	EQUES	TED A	NALY	SIS			
	Client Address:	2250 Corde	elia Rd.							T	T	 				
		Fairfield, C									ŀ]		
	Sampled By:	Drew Gantr					ļ				ł					
	Phone:	(707) 207-7														
	FAX:	(707) 207-7	916					.s:					}			
	Project Manager:	Jeff Cotsifa	eff Cotsifas evin-Richmond Terminal				See Analyte List	Size Analysis								
	Project Name:	Levin-Richr					yte	¥				1				
	PO Number:	14210					nal	Size								.
		Sample		CIo	A PROPERTY OF THE PARTY OF THE	ontainer	9	.E			[-
ļ	Client Sample ID	Date	Sample Time	Sample Matrix*	Number	Type	Š	Grain								
	LRT-S01-01	12/1/08	14:00	Sed	1	500ml glass	X			i			-			
	LRT-S01-02	12/1/08	12:30	Sed	1	500ml glass	X			1						\vdash
	LRT-S01-03	12/1/08	11:50	Sed	1	500ml glass	X			1	1					
	LRT-S01-04	12/1/08	10:45	Sed	1	500ml glass	X									
;	LRT-S01-Z Layer Comp	12/1/08	10:45	Sed	1	500ml glass	Х									
3	LRT-S01-01	12/1/08	14:00	Sed	1	poly bag		х								
·	LRT-S01-02	12/1/08	12:30	Sed	1	poly bag		X								
3	LRT-S01-03	12/1/08	11:50	Sed	1	poly bag		Х								
•	LRT-S01-04	12/1/08	10:45	Sed	1	poly bag		Х								
) <u> </u>	LRT-S01-Z Layer Comp	12/1/08	10:45	Sed	1	poly bag		Х								
·							<u> </u>			 						<u> </u>
≥	<u> </u>															<u> </u>
3										<u> </u>						<u> </u>
۱											ليسا			1		<u> </u>
	Correct Containers:	Yes	No		,			RE	IQUINSH	ED BY					•	
	Sample Temperature:	Ambient	Cold	Warm	Signature	h_ /	u e	ン <u></u>	_ Sign	ature:						
-	Sample Preservative: Turnaround Time:	Yes STD	No Specify:			, -	1		`		 					
Cor	nments:	1 0.0	opcony.		Print:	Mike McE	roy		Prin	t:						
		3 -4 l	DT 004 0		Organization: PER			Org	Organization:							
	rform duplicate, MS/MSI andard TAT.), etc. on L	K1-501-0	1.	DATE:	12/3/08	TIME:	14:3	o DAT	E:				TIME:		
		,				<u> </u>		F	ECEIVED	BY						-
				•	Signature:	1-1	7		Sigr	ature:						
					Print:	Sean Flor	4		Prin	t:						
					Organizati	· · · · · · · · · · · · · · · · · · ·	,		Orga	ınizatio	n:					
		•			DATE: 12		TIME.	16:3	DAT				-	TIME:		

*MATRIX CODES: (SED = Sediment); (FW = Freshwater); (WW = Wastewater); (STRMW = Stormwater)

0812170

ANALYTE LIST

Pacific EcoRisk 2250 Cordelia Rd. Fairfield, CA 94534

Project Proponent:	Pacific EcoRisk			
Project #:	14210			
Site #:	Levin-Richmond Ter	minal		
STANDARD LIST				
Arsenic		6020	X	
Cadmium		6020	X	
Chromium		6020	Х	
Copper		6020	Х	
Lead		6020	X	
Mercury		74 71	X	
Nickel		6020	X	•
Selenium		7742	X	
Silver		6020	X	
Zinc		6020	Х	
Organotins		Krone et al	х	•
TOC		Plumb 1981/ASTM	X	
Grain Size		Plumb 1981/ASTM	X	
Pesticides		8081A	X	
PCBs .		8082	X	·
PAHs		8270C-SIM	x	
Total Solids		SMEWW 2540 B	х	
ADDITIONALTE	STS			
WET Metals (DI W	ater)	CAM*		* Samples analyzed for metals listed above.
TRPH		418.2		
Sulfides, total	•	4500S		
Sulfides, dissolved		4500S-M		
Phthalates		8270		•
Phenols		8270		
Ammonia		SM4500		·
		_		
				
QA/QC]		
DMMO QA/QC, du	plicate analysis, MS/	— MSD, etc. performed	х	
on LRT-S01-01.		•	h	
Standard TAT.				. •
If you have any que please call Jeff Cots	stions regarding this r sifas or Mike McElroy	request as checked, at (707) 207-7760.		

(Rev. 12/0!)

23 December 2008

Pacific Ecorisk Attn: Jeff Cotsifas 2250 Cordelia Rd. Fairfield, CA 94534 EMA Log #: 0812170

Project Name: Levin-Richmond Terminal

Enclosed with this letter are the test results performed by subcontract laboratory for the following analyses:

• Grain Size-ASTM

The samples were received by EnviroMatrix Analytical, Inc. intact and with chain-of-custody documentation. The test results and pertinent quality assurance/quality control data are listed on the attached tables.

I certify that this data report is in compliance both technically and for completeness. Release of the data contained in this hard copy data report has been authorized by the following signature.

Dan Verdon

Laboratory Director



WESTON SOLUTIONS, INC. 2433 Impala Drive Carlsbad, CA 92010 (760) 795-6900 / (760) 931-1580 FAX www.westonsolutions.com

December 22, 2008

Jamey A. Cote EnviroMatrix Analytical, Inc. 4340 Viewridge Ave., Ste. A San Diego, CA 92123

Dear Mr. Cote:

Please find enclosed the results for 5 grain size samples for your job EMA 0812170 received on December 5, 2008. These samples were processed according to procedures described by Plumb, 1981. All analyses were performed consistent with our laboratory's quality assurance program, and all samples met the quality control criteria specified in the above methods and/or our internal SOPs. This report is to be reproduced in its entirety.

We will dispose of the samples in 30 days unless you specify otherwise. Thank you for allowing us the opportunity of processing your sediment samples and please call if you have any questions.

Sincerely,

Sheila Holt Project Manager

Company: EnviroMatrix Analytical, Inc.

Contract Number/Name: EMA 0812170 Contact person: Jamey A. Cote

Date of analysis: 12Dec08
Date of report: 22Dec08

Analysis method: Sieve/pipette (Plumb, 1981)

Sample Identification: B081205.01 Client Sample Name: 0812170-01 Total sample weight: 26.320 grams

	Size	Weight		Cumulative
Microns	Phi	grams	Percent	Percent
2000.000	-1.0	12.207	46.379	46.379
1414.214	-0.5	0.724	2.751	49.129
1000.000	0.0	0.402	1.527	50.657
707.107	0.5	0.361	1.372	52.028
500.000	1.0	0.369	1.402	53.430
353.553	1.5	0.536	2.036	55.467
250.000	2.0	0.270	1.026	56.493
176.777	2.5	0.413	1.569	58.062
125.000	3.0	0.563	2.139	60.201
88.388	3.5	0.592	2.249	62.450
62.500	4.0	0.567	2.154	64.604
31.250	5.0	0.874	3.322	67.926
15.625	6.0	1.124	4.271	72.197
7.812	7.0	1.207	4.588	76.785
3.906	8.0	1.041	3.955	80.740
1.953	9.0	0.999	3.797	84.536
< 1.953	> 9.0	4.070	15.464	100.000

% < 4 phi = 35.396
% > 1 phi = 52.028
% gravel = 46.379
% sand = 18.226
% silt = 16.135

% clay = 19.260

Sample Statistics

Med	ian	Me	an	Dispersion	Skewness
phi	microns	phi	microns		
0	1161	•	*		
5th p	ercentile	= .			
16th p	ercentile	= .			
50th p	ercentile	= -0.215			
84th p	ercentile	= 8.859			
95th p	ercentile	≂ ,			
*** 5	th percent	ile not obt	ainable **	*	
*** 16	th percent	ile not obt	ainable **	*	
*** 95	th percent	ile not rea	ched ***		

Company:

EnviroMatrix Analytical, Inc.

Contract Number/Name: Contact person:

EMA 0812170 Jamey A. Cote

Date of analysis: Date of report:

12Dec08 22Dec08

Analysis method:

Sieve/pipette (Plumb, 1981)

Sample Identification: B081205.02 Clie Tota

ent Sample Name:	0812170-02
al sample weight:	27.543 grams

	Size	Weight		Cumulative
Microns	Phi	grams	Percent	Percent
2000.000	-1.0	3.341	12.130	12.130
1414.214	-0.5	0.719	2.611	14.741
1000.000	0.0	0.651	2.364	17.104
707.107	0.5	0.549	1.993	19.098
500.000	1.0	0.533	1.935	21.033
353.553	1.5	0.695	2.523	23.556
250.000	2.0	0.921	3.344	26.900
176.777	2.5	1.080	3.921	30.821
125.000	3.0	1.984	7.203	38.025
88.388	3.5	2.768	10.050	48.075
62.500	4.0	2.737	9.937	58.012
31.250	5.0	3.081	11.187	69.19 8
15.625	6.0	1.624	5.896	75.094
7.812	7.0	1.416	5.140	80.23 ¹ 4
3.906	8.0	1.041	3.779	84.013
1.953	9.0	0.958	3.477	87.490
< 1.953	> 9.0	3.446	12.510	100.000

% < 4 phi = 41.988

% > 1 phi = 19.098

% gravel = 12.130 % sand = 45.882

% silt = 26.001

% clay = 15.987

Sample Statistics

Median		Me	ean	Dispersion	Skewness
phi	microns	phi	microns	-	1
3.597	82.65	3.881	67.85	4.115	0.059

5th percentile =

16th percentile = -0.234

50th percentile = 3.597

84th percentile = 7.997

95th percentile =

*** 5th percentile not obtainable ***

*** 95th percentile not reached ***

Company: EnviroMatrix Analytical, Inc.

Contract Number/Name: EMA 0812170 Contact person: Jamey A. Cote

Date of analysis: 12Dec08
Date of report: 22Dec08

Analysis method: Sieve/pipette (Plumb, 1981)

Sample Identification: B081205.03 Client Sample Name: 0812170-03 Total sample weight: 25.612 grams

	Size	Weight		Cumulative
Microns	Phi	grams	Percent	Percent
2000.000	-1.0	7.619	29.748	29.748
1414.214	-0.5	1.184	4.623	34.370
1000.000	0.0	0.882	3.444	37.814
707.107	0.5	0.850	3.319	41.133
500.000	1.0	0.846	3.303	44.436
353.553	1.5	0.976	3.811	48.247
250.000	2.0	0.437	1.706	49.953
176.777	2.5	0.621	2.425	52.377
125.000	3.0	0.757	2.956	55.333
88.388	3.5	0.755	2.948	58.281
62.500	4.0	0.786	3.069	61.350
31.250	5.0	1.582	6.177	67.527
15.625	6.0	1.166	4.552	72.079
7.812	7.0	1.207	4.714	76.793
3.906	8.0	0.999	3.902	80.695
1.953	9.0	0.916	3.576	84.271
< 1.953	> 9.0	4.028	15.729	100.000

% < 4 phi = 38.650 % > 1 phi = 41.133

% gravel = 29.748

% sand = 31.602

% silt = 19.345

% clay = 19.305

Sample Statistics

Median		M∈	ean	Dispersion	Skewness
phi	microns	phi	microns	•	
2.010	248.32	3.219	107.42	5.706	0.212

5th percentile =

16th percentile = -2.487

50th percentile = 2.010

84th percentile = 8.924

95th percentile =

*** 5th percentile not obtainable ***

*** 16th percentile extrapolated ***

*** 95th percentile not reached ***

Company: EnviroMatrix Analytical, Inc.

Contract Number/Name: EMA 0812170 Contact person: Jamey A. Cote

Date of analysis: 12Dec08 Date of report: 22Dec08

Analysis method: Sieve/pipette (Plumb, 1981).

Sample Identification: B081205.04 Client Sample Name: 0812170-04 Total sample weight: 21.900 grams

	Size	Weight		Cumulative
Microns	Phi	grams	Percent	Percent
2000.000	-1.0	6.634	30.292	30.292
1414.214	-0.5	0.584	2.667	32.959
1000.000	0.0	0.497	2.269	35.228
707.107	0.5	0.419	1.913	37.141
500.000	1.0	0.372	1.699	38.840
353.553	1.5	0.447	2.041	40.881
250.000	2.0	0.599	2.735	43.616
176.777	2.5	0.703	3.210	46.826
125.000	3.0	0.550	2.511	49.338
88.388	3.5	0.382	1.744	51.082
62.500	4.0	0.356	1.626	52.707
31.250	5.0	0.666	3.042	55.749
15.625	6.0	0.708	3.232	58.981
7.812	7.0	1.582	7.224	66.205
3.906	8.0	1.041	4.753	70.959
1.953	9.0	1.041	4.753	75.712
< 1.953	> 9.0	5.319	24.288	100.000

% < 4 phi = 47.293

% > 1 phi = 37.141

% gravel = 30.292

% sand '= 22.415

= 18.251 % silt

% clay = 29.041

Sample Statistics

Median		M	ean -	Dispersion	Skewness
phi	microns	phi	microns	-	
3.190	109.58		*	•	

5th percentile = 16th percentile = .

50th percentile = 3.190

84th percentile = 10.873

95th percentile =

*** 5th percentile not obtainable ***

*** 16th percentile not obtainable ***

*** 84th percentile extrapolated ***

*** 95th percentile not reached ***

Weston Solutions, Inc. 2433 Impala Dr.

Carlsbad, CA 92010

Company:

EnviroMatrix Analytical, Inc.

Contract Number/Name:

EMA 0812170

Contact person:

Jamey A. Cote

Date of analysis: Date of report:

18Dec08

Analysis method:

22Dec08

Sieve/pipette (Plumb, 1981)

Sample Identification: B081205.05 Client Sample Name:

0812170-05

Total sample weight: 29.364 grams

	Size	Weight		Cumulative
Microns	Phi	grams	Percent	Percent
2000.000	-1.0	1.143	3.893	3.893
1414.214	-0.5	0.452	1.539	5.432
1000.000	0.0	0.394	1.342	6.774
707.107	0.5	0.326	1.110	7.884
500.000	1.0	0.286	0.974	8.858
353.553	1.5	0.383	1.304	10.162
250.000	2.0	0.227	0.773	10.935
176.777	2.5	0.451	1.536	12.471
125.000	3.0	0.980	3.337	15.808
88.388	3.5	1.534	5.224	21.033
62.500	4.0	1.839	6.263	27.295
31.250	5.0	4.788	16.306	43.601
15.625	6.0	4.413	15.030	58.631
7.812	7.0	3.248	11.060	69.691
3.906	8.0	1.999	6.806	76.497
1.953	9.0	1.665	5.672	82.169
< 1.953	> 9.0	5.236	17.831	100.000

% < 4 phi = 72.705

% > 1 phi = 7.884 % gravel = 3.893

= 23.403 % sand

% silt = 49.202

% clay = 23.503

Sample Statistics

Median		M∈	an	Dispersion	Skewness
phi	microns	phi	microns	-	
5.426	23.26	6.111	14.47	3.093	0.222

5th percentile = -0.640

16th percentile = 3.018

50th percentile = 5.426

84th percentile = 9.203

95th percentile =

*** 84th percentile extrapolated ***

*** 95th percentile not reached ***

SUBCONTRACT ORDER

EnviroMatrix Analytical, Inc. 0812170

Ç	F	۸	lD	T	v	C	Ŧ	A	R	റ	R	Δ	T	റ	R	v	
,		,	w		٠,	u,		~	v	v		.~	. в	v			٠

EnviroMatrix Analytical, Inc. 4340 Viewridge Ave., Ste. A San Diego, CA 92123

Phone: (858) 560-7717 Fax: (858) 560-7763

Project Manager: Ja

Jamey A. Cote

RECEIVING LABORATORY:

MEC-Weston Solutions, Inc [S]

2433 Impala Drive

Carlsbad, CA 92009-1514

Phone:760-931-8081

Fax: 760-931-1580

	STANDARD TAT		
Analysis	Due Expi	res Laboratory ID	Comments
Sample ID: 0812170-01	Sediment Sampled:12/01	1/08 14:00	Run dup, MS/MSD on LRT-S01-01
Grain Size-ASTM	12/24/08-16:0 0 12/15	5/08 14:00	
Containers Supplied: Plastic Baggie (B)			
Sample ID: 0812170-02	Sediment Sampled:12/01	1/08 12:30	Run dup, MS/MSD on LRT-S01-01
Grain Size-ASTM	1 2/24/08-16:00 12/15	5/08 12:30	
Containers Supplied: Plastic Baggie (B)			
Sample ID: 0812170-03	Sediment Sampled:12/01	/08 11:50	Run dup, MS/MSD on LRT-S01-01
Grain Size-ASTM	12/24/08 16:00 12/15	5/08 11:50	
Containers Supplied: Plastic Baggie (B)			
Sample ID: 0812170-04	Sediment Sampled:12/01	/08 10:45	Run dup, MS/MSD on LRT-S01-01
Grain Size-ASTM	12/24/08 16:00 12/15	5/08 10:45	
Containers Supplied: Plastic Baggie (B)			
Sample ID: 0812170-05	Sediment Sampled:12/01	/08 10:45	Run dup; MS/MSD on LRT-S01-01
Grain Size-ASTM Containers Supplied: Plastic Baggie (B)	1 2/24/08-16:00 12/15	/08 10:45	

Kelley leyd		Mah	12.5-08
Released By	Date	Received By	Date
Released By	Date	Received By	Date

Send report to jbeyer@environatrixinc.com, Huick@environatrixinc.com, and reports@environatrixinc.com

C

Pacific EcoRisk 0812170

NVIRONMENTAL CONSULTING & TESTING

2250 Cordelia Rd., Fairfield, CA 94534 (707)207-7760

CHAIN-OF-CUSTODY RECORD

(101)201-1100					····											
Client Name:	Pacific Eco	Risk							RE	QUES	TED A	ANAL	YSIS			
Client Address:	2250 Corde Fairfield, C															
Sampled By:	Drew Gant									İ				1		
Phone:	(707) 207-7					1									1	
FAX:	(707) 207-7	7916				1	<u>.v</u>							ŀ		
Project Manager:	Jeff Cotsifa	s				ist	sk									
Project Name:	Levin-Richi	mond Termir	nal			See Analyte List	Grain Size Analysis	1				-				
PO Number:	14210					ag .	ize					İ		ļ		
100 Sec. 11 (100 Sec. 11 Sec.		100-9		***		4 6	8		İ	İ	1		1		ا ن	
Client Sample ID	Sample	Sample	Sample		ontainer	Š	<u>ā</u>				İ		1	-	-	
	Date	Time	Matrix*	Number	Туре	*	O	ļ	ļ	—	ļ		 			<u> </u>
LRT-S01-01	12/1/08	14:00	Sed	11	500ml glass	X	<u> </u>	ļ	<u> </u>	ļ	ļ	 	ļ	ļ	ļ	
LRT-S01-02	12/1/08	12:30	Sed	11	500ml glass	X	<u> </u>			ļ	<u> </u>	4			 	
LRT-S01-03	12/1/08	11:50	Sed	1	500ml glass	<u> </u>		<u> </u>	<u> </u>		ļ		<u> </u>			<u> </u>
LRT-S01-04	12/1/08	10:45	Sed	11	500ml glass	X	<u> </u>	<u> </u>	<u> </u>	ļ	ļ	<u> </u>		<u> </u>	ļ	<u> </u>
LRT-S01-Z Layer Comp	12/1/08	10:45	Sed	1	500ml glass	X	ļ	<u> </u>	<u> </u>			ļ			↓	<u> </u>
LRT-S01-01	12/1/08	14:00	Sed	1	poly bag	ļ	X	<u> </u>		ļ		-		ļ	1	
LRT-S01-02	12/1/08	12:30	Sed	11	poly bag	ļ	<u> </u>		ļ	<u> </u>	ļ	 	ļ	ļ	<u> </u>	<u> </u>
LRT-S01-03	12/1/08	11:50	Sed	1	poly bag		X		ļ	<u> </u>	<u> </u>	<u> </u>	<u> </u>		ļ	<u> </u>
LRT-S01-04	12/1/08	10:45	Sed	1	poly bag	<u> </u>	X	<u> </u>	<u> </u>			1	ļ	ļ	<u> </u>	ļ
LRT-S01-Z Layer Comp	12/1/08	10:45	Sed	11	poly bag	<u> </u>	X	<u> </u>	<u> </u>	<u> </u>	<u> </u>	↓	ļ	<u> </u>		↓
l						<u> </u>	ļ	<u> </u>		ļ	ļ	ļ		ļ	ļ	<u> </u>
2								ļ	ļ	ļ		<u> </u>		ļ	ļ	↓
3		<u> </u>						<u> </u>		1	<u> </u>				ļ	ļ
4 <u></u>								<u> </u>	<u>. </u>		<u> </u>				J	<u> </u>
Correct Containers:	Yes	No	14				R	ELIQL	JINSH	ED BY	·					
Sample Temperature:	Ambient	Cold	Warm	Signature	h- /	2	×	_	Sign	ature:	1					
Sample Preservative:	Yes STD	No	46.6		100	- · ·			 							
Turnaround Time: Comments:	ווא	Specify:		Print:	Mike McE	1104	<u> </u>		Print	: 				:		
Perform duplicate, MS/MSI	D etc on I	DT_904_0	1	Organizat	ion: PER				Orga	nizati	on:					
Standard TAT.	D, etc. Off L	.1(1-501-0	1.	DATE:	12/3/08	TIME	: 14:	30	DATI	E :				TIME	:	
		-	1					REC	EIVED	BY						
				Signature	1-2	_		•	Sign	ature:						
				Print:	Sean Flor	raz			Print	:						
				Organizat	ion:				Orga	nizati	on:			,		
				DATE: 12	14108	TIME	: 16:	33	DATI	E:				TIME	;	
h																

ANALYTE LIST

Pacific EcoRisk 2250 Cordelia Rd. Fairfield, CA 94534

Project Proponent:	Pacific EcoRisk			
Project #:	14210			
Site #:	Levin-Richmond Terr	ninal		
STANDARD LIST		_	•	•
Arsenic		6020	Х	
Cadmium		6020	X	
Chromium		6020	X	
Copper		6020	X	
Lead		6020	X	
Mercury		7471	X	
Nickel		6020	X	
Selenium		7742	x	
Silver		6020	. X	
Zinc		6020	X	
Organotins		Krone et al	X	
TOC		Plumb 1981/ASTM	X	
Grain Size		Plumb 1981/ASTM	X	
Pesticides		8081A	X	
PCBs		8082	x	
PAHs		8270C-SIM	X	·
Total Solids		SMEWW 2540 B	х	
ADDITIONAL TE	ESTS			
WET Metals (DI V		CAM*		* Samples analyzed for metals listed above.
TRPH		418.2		
Sulfides, total		4500S		·
Sulfides, dissolved	I	4500S-M		
Phthalates		8270		
Phenols		8270		
Ammonia		SM4500		
		····		
				J
		\neg		
QA/QC				1
on LRT-S01-01.	duplicate analysis, MS	(MSD, etc. performed	X	
Standard TAT.	•			
If you have any ou	nestions regarding this stsifas or Mike McElro	request as checked, y at (707) 207-7760.		

(Rev. 12/01)

Appendix C

Analytical Chemistry Laboratory Data Report Submitted by EnviroMatrix, Inc. Analysis of Archive Sediment Sample LRTC-S01-03



16 January 2009

Pacific Ecorisk

EMA Log #: 0901172

Attn: Jeff Cotsifas 2250 Cordelia Road

Fairfield, California 94534

Project Name: Levin-Richmond Terminal

Enclosed are the results of analyses for samples received by the laboratory on 01/09/09 09:28. Samples were analyzed pursuant to client request utilizing EPA or other ELAP approved methodologies. I certify that this data is in compliance both technically and for completeness.

Dan Verdon

Laboratory Director

CA ELAP Certification #: 2564

Project Name: Levin-Richmond Terminal

EMA Log #: 0901172

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
LRT-S01-03	0901172-01	Sediment	12/01/08 11:50	01/09/09 09:28

Project Name: Levin-Richmond Terminal

EMA Log #: 0901172

Polychlorinated Biphenyls by EPA Method 8082

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
LRT-S01-03 (0901172-01) Sediment	Sample	d: 12/01/0	8 11:50 Rece	ived: 01/0	9/09 09:2	8				HT-04
Aroclor 1016	ND	17.9	76.6	ug/kg dry	10	9011206	01/12/09	01/14/09	EPA 8082	
Aroclor 1221	ND	17.9	76.6	**	**	**	**	"	**	
Aroclor 1232	ND	17.9	76.6	**	**	**	"	**	**	
Aroclor 1242	ND	17.9	76.6	11	**	"	Ħ	Ħ	tt	
Aroclor 1248	ND	17.9	76.6	"	11	"	**	**	**	
Aroclor 1254	249	17.9	76.6	**	Ħ	"	n	H	**	
Aroclor 1260	ND	17.9	76.6	H		**	**	n	n	
Total Aroclors	249	17.9	76.6	"		n	"	"	#	
Surrogate: TCMX		47 %	26-14	6		"	"	"	"	

Project Name: Levin-Richmond Terminal

EMA Log #: 0901172

Conventional Chemistry Parameters by Standard/EPA Methods

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
LRT-S01-03 (0901172-01) Sediment	Sampled:	: 12/01/0	8 11:50 Rec	eived: 01/	09/09 09:2	8				
% Solids	52.2	0.1	0.1	%	1	9010935	01/09/09	01/12/09	SM 2540 G	HT-05

Client Name: Pacific Ecorisk EMA Log #: 0901172

Project Name: Levin-Richmond Terminal

Polychlorinated Biphenyls by EPA Method 8082 - Quality Control

Amaluta	Daniel	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Analyte	Result	MDL	Limit	Units	Level	Result	70KEC	Lillius	ערט	Limit	Notes
Batch 9011206											
Blank (9011206-BLK1)					Prepared:	01/12/09	Analyzed	: 01/14/09			
Aroclor 1016	ND	0.94	4.00	ug/kg wet							
Aroclor 1221	ND	0.94	4.00	**							
Aroclor 1232	ND	0.94	4.00	"							
Aroclor 1242	ND	0.94	4.00	"							
Aroclor 1248	ND	0.94	4.00	11							
Aroclor 1254	ND	0.94	4.00	" .							
Aroclor 1260	ND	0.94	4.00	**							
Total Aroclors	ND	0.94	4.00	"							
Surrogate: TCMX	4.84			"	6.67		73	26-146			
LCS (9011206-BS1)					Prepared:	01/12/09	Analyzed	: 01/14/09			
Aroclor 1260	154	2.34	10.0	ug/kg wet	167		92	8-127			
Surrogate: TCMX	14.2			"	16.7		85	26-146			
LCS Dup (9011206-BSD1)					Prepared:	01/12/09	Analyzed	: 01/14/09			
Aroclor 1260	156	2.34	10.0	ug/kg wet	167		94	8-127	1	30	
Surrogate: TCMX	13.9			"	16.7		83	26-146	•		
Duplicate (9011206-DUP1)		Sou	rce: 09011	72-01	Prepared:	01/12/09	Analyzed	: 01/14/09			
Aroclor 1016	ND	17.9	76.6	ug/kg dry		ND				30	
Aroclor 1221	ND	17.9	76.6	**		ND				30	
Aroclor 1232	ND	17.9	76.6	11		ND				30	
Aroclor 1242	ND	17.9	76.6	Ħ		ND				30	
Aroclor 1248	ND	17.9	76.6	n		ND				30	
Aroclor 1254	203	17.9	76.6	n		249			20	30	
Aroclor 1260	ND	17.9	76.6	"		ND				30	
Total Aroclors	203	17.9	76.6	"		249			20	30	
Surrogate: TCMX	8.30			"	12.8		65	26-146			

Project Name: Levin-Richmond Terminal

EMA Log #: 0901172

Polychlorinated Biphenyls by EPA Method 8082 - Quality Control

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 9011206											
Duplicate (9011206-DUP2)		Sou	rce: 08121	70-03RE2	Prepared:	01/12/09	Analyzed	: 01/14/09			
Aroclor 1016	ND	9.36	40.0	ug/kg wet		ND				30	
Aroclor 1221	ND	9.36	40.0	"		ND				30	
Aroclor 1232	ND	9.36	40.0	"		ND				30	
Aroclor 1242	ND	9.36	40.0	"		ND				30	
Aroclor 1248	ND	9.36	40.0	**		ND				30	
Aroclor 1254	193	9.36	40.0	**		256			28	30	
Aroclor 1260	ND	9.36	40.0	"		ND				30	
Total Aroclors	193	9.36	40.0	"		256			28	30	
Surrogate: TCMX	5.10			n	6.67		76	26-146			
Matrix Spike (9011206-MS1)		Sou	rce: 09011	72-01	Prepared:	01/12/09	Analyzed	: 01/14/09			
Aroclor 1260	389	22.4	95.8	ug/kg dry	319	ND	122	8-127			
Surrogate: TCMX	32.3			n	31.9		101	26-146			
Matrix Spike Dup (9011206-MSD1)		Sou	rce: 09011	72-01	Prepared:	01/12/09	Analyzed	: 01/14/09			
Aroclor 1260	314	22.4	95.8	ug/kg dry	319	ND	98	8-127	21	30	
Surrogate: TCMX	32.9			"	31.9		103	26-146			

Project Name: Levin-Richmond Terminal

EMA Log #: 0901172

Conventional Chemistry Parameters by Standard/EPA Methods - Quality Control

1					**		•						
				Reporting		Spike	Source		%REC		RPD	1	
	Analyte	Result	MDL	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes	

Batch 9010935

Duplicate (9010935-DUP1)		Sour	ce: 09011	03-06	Prepared: 01/09/09 Analyzed: 01/12/09			
% Solids	16.0	0.1	0.1	%	15.9	0.6	20	

Client Name: Pacific Ecorisk EMA Log #: 0901172

Project Name: Levin-Richmond Terminal

Notes and Definitions

HT-05 This sample was received outside of the method recommended holding time for this analysis.

HT-04 This sample was received outside of the EPA recommended holding time for this analysis.

ND Analyte NOT DETECTED at or above the reporting limit (or method detection limit when specified)

NR Not Reported

dry Sample results reported on a dry weight basis (if indicated in units column)

RPD Relative Percent Difference

MDL Method detection limit (indicated per client's request)





Enviromatrix CHAIN-OF-CUSTODY RECORD

_	(707)207-7760															
ſ	Client Name:	Pacific EcoF	Risk	REQUESTED ANALYSIS												
	Client Address:	2250 Cordel					ļ.				1			}		
1		Fairfield, CA	94534				1						'		[,
1	Sampled By:	PER					!		1		'			4	. : :	V.,
	Phone:	(707) 207-7						- [,	
	FAX:	(707) 207-7				1 4				!	' I	1	1			
ſ	Project Manager:	Jeff Cotsifa	IS			Ç	1			1			!			
	Project Name:	LRT			<u> </u>	داهرع										
Ī	PO Number:	14210				ا م	1									
1		Sample	Sample	Sample		ontainer	P &							!		
	Client Sample ID	Date ,	Time	Matrix*	Number	Туре							-	 		
1	LP2T-501-03	12/1/08	11:50	Sed	1	16 oz. glass jar	х			$\perp \perp \downarrow$	L	<u> </u>	<u> </u>			
2										\vdash	\vdash	<u> </u>	 -			
3								<u> </u>				<u> </u>	 			
4									-		 	<u> </u>	-	 		
5			L		ļ			 -			-	 	 			<u> </u>
6		-	 			 	1	 		+	 -	 	 			
7		-	<u> </u>		<u> </u>		-	 			 	 	·			
8		+	 		 	 	 	 		+	—	 		T	<u> </u>	
9		+		 	 	 	 			1						
0		-					_				1					
2		+		 	 											
3														ļ	<u> </u>	
4											<u></u>	<u></u>			Ļ	<u>L.</u>
	Correct Containers:	Yes	No			2		RELI	QUINSH	ED BY						
	Sample Temperature:	Ambient	Cold	Warm	Signature	1/1-1	1/1	7	- Sian	ature:			_ -			
	Sample Preservative:	Yes	No Specific		ya.u.e			<u> </u>		 						
	Turnaround Time: STD Specify:				Print:	Mike Me	Ell	70	Print	Print:						
Comments: -sample frozen					Organization: PER				Orga	nizatio	ization:					
standard DMMO ms/dupletc.				DATE: 1/8/08 TIME: 1500					DATE: TIME:							
				DATE:												
	analysis on					RECEIVED BY		· T								
standard TAT						Signature Line			Sign	Signature:						
						Print: Loves Luick				rint:						
						Organization: Earl M					Organization:					
											DATE: TIME:					
	I	1	,													

*MATRIX CODES: (SED = Sediment); (FW = Freshwater); (WW = Wastewater); (STRMW = Stormwater)